

The Project Gutenberg eBook of A Mechanico-Physiological Theory of Organic Evolution, by Carl Nägeli

This ebook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this ebook or online at www.gutenberg.org. If you are not located in the United States, you'll have to check the laws of the country where you are located before using this eBook.

Title: A Mechanico-Physiological Theory of Organic Evolution

Author: Carl Nägeli

Release Date: August 23, 2010 [EBook #33514]

Language: English

Credits: Produced by Bryan Ness and the Online Distributed Proofreading Team at <http://www.pgdp.net> (This file was produced from images generously made available by The Internet Archive)

*** START OF THE PROJECT GUTENBERG EBOOK A MECHANICO-PHYSIOLOGICAL THEORY OF ORGANIC EVOLUTION ***

A

MECHANICO-PHYSIOLOGICAL THEORY OF ORGANIC EVOLUTION

BY
CARL VON NÄGELI

SECOND EDITION

CHICAGO
THE OPEN COURT PUBLISHING CO.
1914

COPYRIGHT, 1898
By THE OPEN COURT PUBLISHING CO.
CHICAGO

PREFATORY NOTE.

Mr. V. A. Clark, as a student in horticulture in the University of Vermont, first undertook a critical examination of Nägeli's *Mechanico-Physiological Theory of Evolution* as a part of his regular junior work. After a half year's study and the preparation of a short thesis, Mr. Clark had become so far intimate with Nägeli's work as to make it seem best for him to continue the study through his senior year. This study involved extended translations from the text, including Nägeli's *Summary*, which, considering its difficult accessibility to American students, has been chosen for publication. The work has been done chiefly by Mr. Clark, but has all been under my immediate supervision, and I have given the whole matter a final restudy and revision. Those who have had any experience with similar work will know how impossible it is that all mistakes should have been avoided, and it would be a kindness to the translators if readers would point out any defects, in order that they may be corrected.

F. A. WAUGH.

A MECHANICO-PHYSIOLOGICAL THEORY OF ORGANIC EVOLUTION.

[1]

SUMMARY.

In this summary I shall in general pursue a course the reverse of that which my main work follows.^[A] I shall proceed from the primitive, unorganized condition of matter and endeavor to show how organized micellar substance has arisen in it, and how, from this micellar substance, organisms with their manifold properties have arisen. Since such a synthesis of organisms out of known forms of matter and force is still far removed from a conclusion strictly in accord with physical law, the process becomes comprehensible and obvious only by exact knowledge of the discussion that has preceded. Although the synthetic method reveals more clearly the weaknesses of the theory than do analytic investigations, yet I considered it helpful to make this presentation in order to give a clearer idea of the mechanico-physiological theory, and at the same time to test its worth.

[2]

1. FORMATION OF UNORGANIZED BODIES (CRYSTALS).

When separated and promiscuously moving molecules of any substance in solution or in a melted condition pass into the solid form by reason of removal of the causes of separation and motion (warmth or solvent), they arrange themselves into solid masses impermeable to liquids. These minute bodies grow by accretion, and when molecular forces are permitted to act undisturbed, assume the regular outer form and inner structure of crystals. The number of crystals, their size, changes of form and growth, all depend on external conditions.

2. FORMATION OF LIVING ORGANIZED (MICELLAR) BODIES.

Certain organic compounds, among them albumen, are neither soluble, despite their great affinity for water, nor are they fusible, and hence are produced in the micellar form. These compounds are formed in water, where the molecules that arise immediately adjoining each other arrange themselves into incipient crystals, or micellæ. Only such of the molecules as are formed subsequently and come in contact with a micella contribute to its increase in size, while the others, on account of their insolubility, produce new micellæ. For this reason the micellæ remain so small that they are invisible, even with the microscope.

[3]

On account of their great affinity for water the micellæ surround themselves with a thick film of it. The attraction of these micellæ for matter of their own kind is felt outside this film. Hence the micellæ with their films unite themselves into solid masses permeated with water, unless other forces overcome attraction and re-establish a micellar solution (as in albumen, glue, gum), where the slightly moving micellæ show a tendency to cling together in chain-like and other aggregations. Very often there are found, especially in albumen, half liquid modifications intermediate in fluidity between the solid masses and the micellar solution.

The internal and external constitution of micellar bodies depends essentially on the size, form and dynamic nature of their micellæ, since these condition the original arrangement of the micellæ and the insertion in proper order of those formed later. External conditions have slight influence on structure, and affect outer form chiefly in so far as they can mechanically hinder free development.

The micellæ of albumen or plasma are susceptible of the greatest diversity of form, size and chemical composition, since they originate from unlike mixtures of various albumen compounds, and besides are mixed with various organic and inorganic substances. For this reason the plasma behaves, both chemically and physically, in many unlike ways, and in consequence of the variable relation of the micellæ to water, the plasma shows all degrees of micellar solution up to quite solid masses.

[4]

3. SPONTANEOUS GENERATION. LIFE. GROWTH.

If molecular forces are so combined in an inorganic substratum that spontaneous formation of albumen takes place, then by the combination of the micellæ the primordial plasma masses of spontaneous generation are given. Within these plasma masses the production of albumen goes on more easily under the influence of their molecular forces than in the liquid without. Hence the compounds present in the organic substratum and capable of forming albumen enter preferably into the masses of plasma, and by intussusception of micellæ of albumen, cause growth. Here life

exists in its simplest form. (See page 47.)

Spontaneous generation presupposes the origin of plasma-micellæ from molecules, and hence cannot be brought about by solutions of albumens or peptones, since these are micellar solutions. Life presupposes the intussusception of plasma-micellæ; hence it ceases as soon as the arrangement of micellæ is so far disordered by injurious influences that that process of growth becomes impossible.

The resulting organism must be perfectly simple, a mass of plasma with micellæ as yet unarranged, because any organization without a preceding organizing activity is inconceivable. For this reason known organisms cannot have originated spontaneously; a kingdom of simpler beings must have preceded them (*Probien*—the sub-organic kingdom). [5]

The growth of the masses of plasma continues as long as the conditions of nutrition are favorable. If these become unfavorable, a resting period (latent life) or partial or total death occurs, according to circumstances (as lack of nutritive material, lowering of temperature, comparative exciccation). The growth of plants and animals is nothing else than the continuation of the growth begun in the primordial plasma. This growth still continues wherever the primordial plasma exists.

4. PARTIAL DEATH OF THE INDIVIDUAL: REPRODUCTION.

Since the primordial masses of plasma continue to attract nutritive materials indefinitely and apply them to growth, the nutritive materials are used up in one place and another and the substance which is no longer nourished is in great measure disintegrated. A general condition of equilibrium now sets in, in which the viable plasma masses continue to gain just as much in growth as there is dead plasma broken down and changed back into the original nutritive materials. [6]

In the primordial condition this balancing process is irregular and accidental and remains so even later in many of the lowest organisms. Little by little it becomes phylogenetically more regular by individuals attaining to a more definite size and term of life, while only the germs detached from them remain viable. This phenomenon known as reproduction has a double origin.

A. The portions of primordial plasma that grow to a more considerable size as soft, half-liquid masses break up by the mechanical action of external circumstances into smaller portions of indefinite number and size. This typifies irregular and accidental reproduction of the lowest order.

In the offspring of the primordial plasma division becomes gradually more and more regular as a result of the increasing organization of the substance, and especially as a result of the formation of an envelope about it, till finally in the microscopically small masses, which are now called cells, division into two parts always appears, after these masses have grown to perhaps double their original size. After division the two halves separate from each other and represent independent individuals.

In the further course of phylogeny the division of the cells into two parts takes place regularly. But the cells remain united to each other and form multicellular individuals, which increase by cell division and which at times in the lowest stages are divided at regular intervals into smaller individuals, perhaps even at last into single cells, but from which there are periodically given off cells that develop as germ cells into new multicellular individuals. [7]

B. Another phenomenon which appears in the primordial plasma or its immediate offspring is the death of the greater part of the plasma under certain unfavorable conditions of nutrition, while the smaller part continues to be nourished at its expense and in that case remains viable during the dormant period.

In the offspring this phenomenon gradually becomes free cell formation, which takes place before the resting stage or before the death of many unicellular and multicellular organisms, and which forms germ cells from a part of the contents of the parent cells.

The formation of germ cells by cell division (A), or by free cell formation (B) is reproduction of the organism. The germ cells are the elements in which the life and growth of the parental individual are continued.

5. MORPHOLOGY OF THE IDIOPASM IN GENERAL.

The larger part of the unarranged, soft and homogenous primordial plasma, which grows by intussusception, becomes watery soma-plasm, with unarranged and easily movable micellæ. The smaller part is converted in the course of phylogeny into idioplasm, in which at certain favorable points the micellæ that are being stored up under the influence of molecular forces arrange themselves into groups by similar orientations, and hence form bodies of less water content and greater solidity. Each body of idioplasm consists originally of only one group of micellæ, which, however, necessarily breaks up with increasing additions into several groups. On account of the dynamic influence of the groups of micellæ upon their own growth, they become in part more distinct and more definitely separated, in part again differentiated by new irregular intussusception. This phylogenetic process is continued indefinitely, by which the combination of forces produces a new configuration, and conversely, by which a new configuration produces a [8]

new combination of forces, so that the body of idioplasm merely takes on a continually increasing complexity of configuration by the action of the internal forces—that is, by the molecular forces of the micellæ of the albumen under the influence of which growth proceeds. This constitutes the *automatic perfecting process* or progression of the idioplasm, and entropy of organic matter. (See p. 47.)

The above described phylogenetic perfecting process of the idioplasm, which operates through internal causes, is scarcely affected by differences of nutrition and by climatic conditions influencing nutrition. On the other hand all those external forces which act as stimuli during a long period of time in an unvarying manner have a very noticeable influence on the intussusception of micellæ in the idioplasm and on the molecular processes going on among the micellæ. The action of stimuli determines the particular structure of the groups of micellæ added under the direction of the perfecting process. Thus the configuration of the idioplasm becomes continually more and more complex and at the same time assumes a local adaptation corresponding to external conditions. This constitutes adaptation of the idioplasm.

[9]

6. FUNCTION OF THE IDIOPLASM IN GENERAL.

The unarranged micellæ of the albumen of the spontaneously generated plasma are as yet in no way superior to the unorganized condition from which they have arisen, except in this that under the influence of their molecular forces the formation of similar new albumen micellæ follows more easily. But as by the further action of molecular forces idioplasmic bodies are formed with groups of similarly oriented micellæ, the molecular forces of these micellæ amount by summation to molar forces and thereby new chemical processes are introduced; plastic products are formed from plasmic and non-plasmic materials, and molar movements are introduced. And since idioplasmic bodies are formed under the influence of external stimuli, their plastic products always appear with a definite character of adaptation to environment.

[10]

Then, as the idioplasmic body becomes continually more complex in the further course of phylogeny, and consists of a greater number of groups of micellæ differing from each other, the organisms become more complex and differentiate into a greater number of parts, because each group of micellæ of the idioplasm produces its specific effect with regard to inner structure, outer form, and function.

7. DETERMINANTS: THEIR ORIGIN AND DISAPPEARANCE.

Since a particular cluster or group of micellæ of the idioplasm produces a particular phenomenon in the organism, the former is designated as the determinant (*Anlage*, see p. 49) of the latter. Thus the organism must contain at least as many determinants in its idioplasm as there are different phenomena in its inheritable ontogeny; and if new phenomena appear in it, new clusters of micellæ must previously have been introduced into the idioplasm, or the orientation and arrangement of clusters already present must have been changed. The formation of such a determinant, whether it concerns the perfecting of the organism or its adaptation to environment, always proceeds very slowly, and as a rule has no effect before its completion. Hence along with perfected determinants the idioplasm always contains growing and incomplete determinants.

[11]

If a phylogenetic line comes under the influence of other external conditions and other external stimuli than those which have hitherto acted upon it, a new and corresponding arrangement of the micellæ appears phylogenetically in the idioplasm. At the same time the other adaptation determinants remain either undisturbed, or the new determinant is formed at the expense of related determinants which are already present and which may at last entirely vanish. Hence along with growing and complete determinants the idioplasm always contains likewise weakened and vanishing determinants. From the fact that a phylogenetic race is thrown repeatedly among different external conditions, it may at last unite in its idioplasm a large number of developing, mature, and vanishing adaptation determinants. This number is noticeably increased if in consequence of interbreeding a fusion of related idioplasms take place.

8. DEFINITE NOTIONS WITH REGARD TO THE MORPHOLOGY OF THE IDIOPLASM.

Since in the phylogenetic development of the plasma the thicker idioplasm is differentiated from the more fluid soma-plasm (§ 5), the former has the tendency by nature to assume a reticular arrangement. The strands of this network consist, in conformity with their origin, of parallel rows of micellæ extending lengthwise. These rows of micellæ are combined into more or less complex arrangements, so that the cross section of the strand represents the configuration of the idioplasm.^[B]

[12]

Each ontogeny (individual) begins in a minute germ cell, in which a small quantity of idioplasm is contained. In the cell divisions, by which the organism grows, the idioplasm divides into as many parts as there are single cells, while it continually increases in quantity in a corresponding degree. The ontogenetic increase of the idioplasm takes place by length growth of the strands—that is, by intercalation of micellæ in each row of cells of the strands, which thereby grow in length without changing the configuration of the cross section.^[C] Accordingly, each strand of idioplasm contains all the determinants that the particular individual has inherited in the germ cell, and each cell of the organism is idioplasmatically qualified to become the germ cell of a new

[13]

individual. Whether this qualification may be realized depends upon the nature of the somaplasm. In the lower plants this power belongs to each individual cell; in the higher plants many cells have lost it; in the animal kingdom it is possessed in general only by cells normally set apart as asexual or sexual reproductive cells.

The continued phylogenetic formation of the threads of idioplasm takes place by growth in the cross section, which contains the sum of all the determinants and changes in general only when new rows of micellæ are intercalated. But the rows of micellæ of the idioplasm join closely to each other, according to their thickness, so that only rarely new rows can enter, and then only at those definite places where the cohesion is less strong and hence is overcome. The cohesion varies irregularly because the configuration of the cross section, conformably to its origin, is never regular; the disruptive tensions are brought about by the unequal growth in length of the individual rows of micellæ. Dynamic influences have a decisive effect upon cohesion and disruptive tensions. The groups of micellæ of the configuration already obtained exercise these dynamic influences upon each other; and these dynamic influences can be modified by stimuli from without. [14]

The idioplasm continually alters its configuration with its growth in successive ontogenies, but comparatively very slowly, so that it makes a minute advance from the germ of one generation to the germ of the next. The summation of these increments of advance through a whole line of evolution represents the race history of an organism, since the latter is connected only by its idioplasm in unbroken continuity with the micellar beginning of its race.

9. DEFINITE NOTIONS REGARDING THE FUNCTION OF THE IDIOPLASM.

A plasmic substance causes definite chemical and physical changes only when it is present in a certain condition of motion. The peculiar agency which the idioplasm has in each ontogenetic stage of development and in each part of the organism depends on the activity of a definite group of micellæ in the cross section of the strand or of a complex of such groups, while this local stimulus controls the chemical and physical processes by dynamic influence and by transmission of a specific mode of motion, even to a microscopically small distance. [15]

The effective stimulus in a plasmic substance is dependent on its own nature and the influence which it receives from without. Which group of micellæ in the idioplasm receives the stimulus depends on the configuration, on the preceding stimuli and on the position in the individual organism in which the idioplasm is found. The determinants have arisen one after another during the whole period of evolution from the primordial cell. The configuration of the idioplasm is a character of phylogeny and the determinants in it have by nature the tendency to develop in the order in which they were formed. Further, since the ontogeny begins as a unicellular organism with the formation of a germ cell, that determinant of the idioplasm comes first to development, which has developed in the unicellular ancestor. Just so the succeeding stages of ontogeny depend for the time being on the development of the determinants having their origin in the corresponding stage of phylogeny. Both causes acting together—the phylogenetic configuration of the idioplasm and the successive morphological stages of development of the individual conditioned on it—necessarily result in the ontogeny being the repetition of the phylogeny.

If the whole remaining line of idioplasmic determinants in an ontogeny has reached development, the development of the germ-forming determinants finally follows as well from the configuration of the idioplasm as from the nature of the organism. The individual is capable of reproduction and the new ontogenies begin in the reproductive cells. [16]

10. TRANSMISSION OF IDIOPLASMIC DETERMINANTS IN LOCAL VARIATION AND IN FECUNDATION.

The automatic progressive or perfecting transformation of the idioplasm is probably active in all stages of development, and proceeds regularly in all parts of the organism, because the idioplasm preserves its configuration at all times and places during the ontogeny. External stimuli impinge upon the organism usually at a definite point, but they not only effect a local transformation of the idioplasm but also reproduce themselves in a dynamic manner in the entire idioplasm, which is in unbroken connection throughout the whole individual. The idioplasm is thus changed everywhere in the same manner, so that the germ cells that are given off at any point feel and inherit the effects of those local stimuli.

In the formation of the germ cells in sexual reproduction, the idioplasms of both parents must come into contact with each other, whereupon there results either a material union and formation of a mixed idioplasm or perhaps rather a dynamic action; and through these agencies there is produced a remodeled form which is, however, exactly equivalent to the combined idioplasms entering into it. Fertilization by diosmose of the spermatic substance is impossible. [D] [17]

In the idioplasm of a germ cell arising from the crossing of unlike individuals the micellar rows of the individual determinants have sometimes an intermediate constitution and produce characteristics in the organism which are intermediate between the characteristics of the parents. Sometimes the micellar rows derived from the father and mother respectively lie side by side unchanged in the idioplasm of the offspring in distinct groupings and may reproduce in the organism their respective characteristics side by side, or only one of them may develop, while the other remains latent.

On account of the union of both idioplasms as the result of fecundation, two sexually mature organisms are the more able to form with each other a viable germ cell, the nearer they are genetically related—that is, the more nearly the male and female idioplasms correspond in their configuration and chemical nature, because in this case the micellar arrangements are best suited to each other, and the idioplasm of the new fertile germ cell receives its most suitable nourishment from the mother. If, however, self-fecundation or the closest in-and-in breeding often yields products of less virility and is avoided by nature, this is the result of injurious influences which make themselves felt later on. This is because incompatibilities may be present in too closely related idioplasms and these are sources of weakness in unrestricted development. The more complicated is the idioplasm, the oftener this occurs, whereas absolute lack of crossing is not detrimental to the simplest (asexual) organisms. [18]

11. ACTION OF EXTERNAL INFLUENCES. [E]

The environment provides the organism above all with force and matter for its life processes. It causes no permanent variation and has only an ontogenetic significance, if the limits of the idioplasmic elasticity are not exceeded; it maintains the growth and metabolic assimilation of the individual, and conditions individual (not hereditary) differences, which constitute "nutrition varieties." (See page 30.) These appear as the direct results of operating causes. [19]

When the stress of environment exceeds the limits of idioplasmic elasticity, its influence brings about permanent variations, which are imperceptibly small, it is true, in the single individual, but which, when the stimulus is active for a long period of time in the same manner, increase to perceptible magnitude. These variations are inheritable in the phylogenetic sense and contribute to the formation of varieties and species; they always appear as the results of more or less secondary reactions which make their appearance with stimuli exerted by external causes.

External stimuli exerted on the organism are reproduced in the idioplasm. Since the stimulus is discontinued with each change of the ontogeny and only the idioplasm persists, permanent variations are produced only in the idioplasm by those conditions that produce visible transformations in the mature organism.

The phylogenetic action of external stimuli gives the definite character of adaptation to the idioplasm as it becomes more complex from inner causes and probably these external stimuli have the power to alter this impress only as new idioplasm is automatically formed.

If an external cause acts continuously upon a phylogenetic line, the corresponding variation of the idioplasm reaches, after a time, a maximum, and thus comes to an end, either because the nature of the substance permits no new rearrangement or because the stimulus is no longer active. The cessation of the stimulus results from a micellar rearrangement which indicates the character of the adaptation. If the action of the stimulus lasts for only a short time, the incipient rearrangement of the idioplasm stops, or proceeds independently on account of the impulse received, and the determinant becomes capable of development, even after the impulse has long ceased to act. [20]

Since various intervening transpositions follow upon a stimulus in the organism, the final result which appears as a reaction may turn out variously. The same external causes may, according to the nature of the organism and other circumstances, have very unlike variations as a result. But the internal rearrangement produces in a definite case very definite variations.

On account of the various intermediate steps it is often difficult to discover the external cause of a given adaptive variation. In many cases we recognize it without difficulty in a definite mechanical process or in warmth, light or evaporation. For the most part the stimulus awakens in the organism merely a want, which the reaction of the organism endeavors to supply. Hence it appears that want or lack alone is able to bring about such reactions. Moreover, in the sphere of sex, electric(?) attractions and repulsions co-operate between the idioplasmic determinants to produce phylogenetic variations. [21]

The adaptations of the fully developed organism, which are the results of external influences, consist either only of a specific molecular character (irritability), by virtue of which the individual is capable of responding to those influences with temporary or permanent phenomena, or they consist of finished arrangements. The latter have, in general, a double function: either they protect the organism from external influences whose results they are, or they place it in a condition to apply such environmental influences to their advantage. The preponderance of the one or the other led to the development of the plant or the animal kingdom. In the one case the primordial plasma formed in the cellulose cell wall a stimulus-proof covering. On account of this cell membrane being insensible to stimuli, adaptations in the plant kingdom were restricted essentially to the spheres of nutrition and reproduction. In the other case the irritability and mobility of the primordial plasma increased so that it was placed in a condition to avoid the irritant or make it serviceable by accommodating itself to it. The cells sensible to irritants led in the animal kingdom to the formation of organs of sense and the nervous system.

12. CONDITIONS OF PHYLOGENETIC DEVELOPMENT OF THE DETERMINANTS. ATAVISM. [22]

In the primordial condition, formation and development of the determinants coincide, since the

plasma constituting the organism possesses the capability of growing by intussusception of new micellæ and of changing this growth through the action of inner and outer causes. But as the primordial plasma differentiates into idioplasm and soma-plasm, the formation of determinants consists in the transformation of the idioplasm, while the development of determinants consists in the production of soma-plasm and of non-plasmic substances under the influence of the idioplasm.

Only the mature determinant is able to develop, especially if, at the same time, a related and heretofore active determinant must be forced back into the latent condition. But the determinant of an absolutely new form of adaptation, which does not take the place of a preceding one, must develop enough before it can become outwardly manifest, for it to be possessed of a sufficient amount of molecular energy to render its activity possible. For this reason the characteristics of the developed organism change abruptly, notwithstanding the fact that the transformation of the idioplasm has proceeded very gradually.

The configuration of the idioplasm becomes continually more complex through the automatic action of the perfecting process, and by this means the organism ascends to higher stages of organization. Hence the viable determinants of organization or perfection are always overtaken after a certain time by that movement and forced into the latent condition. They then become continually weaker, and are at last completely destroyed. Only in the first period after their becoming latent can such determinants pass again into a developmental condition and thus allow the organism to revert to the next preceding stage of organization. [23]

Since the configuration of the idioplasm, which becomes more complex from internal causes, always assumes a definite character of adaptation in consequence of the action of external causes, the adaptation determinants capable of development may become more and more weakened and at last latent when other external causes produce other adaptation determinants. But these determinants may be revived by the renewed activity of the former causes, and thus rendered capable of development. Hence the organism may show the most various reversions with respect to its adaptations. But in such reversions the earlier forms never quite return, because in the meanwhile the idioplasm has changed somewhat in consequence of its automatic progress, and therefore lends to the adaptations which assume the earlier character a somewhat different expression.

13. ONTOGENETIC DEVELOPMENT OF THE DETERMINANTS. [24]

Since the capability of the primordial plasma to grow is the original and only vital quality (*Anlage*), the whole ontogeny in this first stage consists in the growth of the detached parts to the adult size. In the same way the development of the determinants in all the following stages is nothing more than the growth of the substance detached as a germ cell after the manner of the changes in the character of the idioplasm in the course of phylogeny. In this manner all determinants may in the lower stages of organization reach development, but in the higher stages an increasing number of them must remain latent.

Among the viable determinants there are some that develop unconditionally during each ontogenetic period; there are also alternative determinants of which one or the other unconditionally develops; lastly, there are some that develop only under favorable circumstances. Which of two alternative determinants shall develop depends sometimes on internal, sometimes on external causes, according as the specific determinant has arisen phylogenetically through the action of internal or external causes. Climatic and nutritive influences especially affect the appearance of indefinitely developing determinants. Just so, when a determinant may develop repeatedly (as is so common in the plant kingdom) it depends especially on nutrition whether the corresponding phenomenon is repeated at intervals of greater or less length. A weakened determinant is sometimes temporarily developed by the operation of a definite stimulus. [25]

If the integrity of the organism sustains an injury in consequence of abnormal interferences, determinants develop exceptionally at unusual points. The process is induced by accumulation of nutritive matter and by external stimuli under the force of necessity, to which the injured organism is sensible.

14. ESSENTIAL NATURE OF THE ORGANISM.

The essential nature of a thing is the sum total of its causes and effects. Organisms arise from a germ cell which consists of idioplasm and in turn they produce like germ cells. Their nature depends also on their idioplasm, *i.e.*, on the sum total of their idioplasmic determinants. Observation of organisms, even in their fullest life history, gives us an imperfect and even false conception of their true nature. This is because observation reveals only the outer gross characters, and even these in a modification dependent upon accidental effects of nutrition, and does not reveal the finer characters founded in molecular physiology and morphology, and especially the characters latent in the idioplasm.

For the examination of idioplasmic differences we are restricted to visible characters. Hence a knowledge of the nature of an organism presupposes a complete investigation of its characters in their succession during the whole ontogeny. The results must, however, be tested and completed by comparison with other organisms and by the most comprehensive experimental procedure, possible, (as by culture under various conditions, and crossing with nearer and more remote [26]

relatives). The characteristics of nutrition varieties and accidental crosses must be separated from specific characteristics by experimental procedure, and latent determinants must be brought out by the same means.

15. REPRODUCTION, AND RELATION BETWEEN PARENTS AND OFFSPRING.

Reproduction is nothing more than a transition from one generation to the next following, mediated by the idioplasm of the germ cell. In asexual (monogenic) reproduction there is continuity of the same idioplasm. Therefore the parent continues in the offspring its specific life, as the stem continues its specific life in the branch. All the peculiarities conditioned by the idioplasm remain unchanged in the offspring. The latter, as the immediate continuation of the preceding ontogeny, starts from the point at which the germ cell left it, so that immediately after the germ cell is separated at the close of the ontogeny or before, the offspring passes at one time rapidly through the whole ontogeny, at another only the remainder or a part of it (the latter in alternation of generations and in asexual propagation of phanerogams). [27]

In sexual (digenic) reproduction the formation of the germ cell is brought about by the union in equal parts of both parental idioplasms. The offspring is the organism resulting from the union of the force and matter of the parents, and represents in its nature the united continuation of their ontogenies. The characteristics of development of the child depend however on the viability of the determinants of the mingled idioplasms in which a new equilibrium has been formed. Hence if the child bears more resemblance to the father or to the mother, it follows that some of the inherited determinants develop while the others remain latent. If the child has certain visible characteristics more marked than either parent, it becomes possible only by the development of determinants which had previously been latent. The fact that the mother furnishes the germ cell with nutritive plasm and that she nourishes it for a considerable time does not increase the number of maternal determinants nor their capability of development.

If two corresponding characters, one derived from the father, the other from the mother, come into conflict in sexual reproduction, the one or the other, or even a third alternative characteristic, which heretofore was present as a latent determinant, may develop in the child. But also both parental characters may appear at once and in various combinations. Whether the development follows in the one way or the other depends on the strength of the individual determinants, on the kind of their idioplasmic arrangement, and on their agreement with the nature of the newly formed idioplasm. [28]

16. HEREDITY AND VARIATION.

If heredity and variation are defined according to the true nature of organisms, they are only apparent opposites. Since idioplasm alone is transmitted from one ontogeny to the next following, the phylogenetic development consists solely in the continual progress of the idioplasm and the whole genealogical tree from the primordial drop of plasma up to the organism of the present day (plant or animal) is, strictly speaking, nothing else than an individual consisting of idioplasm, which at each ontogeny forms a new individual body, corresponding to its advance.

In this idioplasmic individual the *automatic* or *perfecting variation* is always active, so that the idioplasm of a phylogenetic line always grows by propagation of the determinants contained within it, as a tree grows larger through its whole duration of life by branching. On the other hand the *adaptation variation* caused by external stimuli is present only in those periods of the phylogenetic line in which the idioplasm, and together with this the individual, do not possess the obtainable maximum of adaptation to their environment for the time being. Both of these variations of the idioplasm take place so slowly that only after a long series of generations do the new determinants become capable of developing and revealing themselves in the transmutation of visible characters. [29]

Aside from the phylogenetic variations already named, which take place according to the measure of ontogenetic growth, the idioplasm undergoes, as a result of crossing, as well as in changes of the ontogeny, *gamogenic variations* which may be designated as stationary, since in the mingling of sexually different idioplasms there arise only new arrangements of determinants already present, but no new formation of determinants takes place. Hence in this way arise also new combinations of developmental characteristics.

As a result of external injurious influences, abnormal variations, or *pathological variations*, appear in the idioplasm. These consist of disturbances of equilibrium, which take place also without new formation of determinants. Thereby the determinants already present are caused to develop in abnormal relations, and mostly in reversions.

Apart from the inheritable variations of the idioplasm just enumerated, and the transformations of visible characters involved in it, the soma-plasm and the non-plasmic substances experience, by the influence of nutrition and climate, greater or less variations, which constitute *nutrition varieties*, and since the idioplasm remains unaffected in general, last only so long as the causes which called them forth. [F] [30]

If we have in mind the inner nature of the organism, there is, properly speaking, no such specific phenomenon as heredity, since the phylogenetic line is a continuous idioplasmic individual. In this sense heredity is nothing more than the persistence of organized substance in a movement in

which variations are automatically induced, or the necessary transition of one idioplasmic configuration into the next following. It is present, not only among plant and animal individuals which are ontogenetically separated, but also everywhere within these individuals, where individual parts (cells, organs) follow each other in time. Hereditary phenomena are those that necessarily pass over to following generations, and in general those that are located in the idioplasm, since non-idioplasmic substance can be hereditary only through a limited number of cell generations.

Variations and heredity are generally estimated, not according to the inner nature of the mature individuals, but according to their relation in successive generations, since heredity is assumed when the ontogenetic characters remain the same, and variation when previously latent characters become visible. But these phenomena belong to another department of science; they concern the possibility and reality of development of the idioplasmic determinants. [31]

17. VARIETY, RACE, MODIFICATION.

From the multifarious variations of organisms proceed various categories of kinship. *Varieties* arise by extremely slow changes in the idioplasm due to the perfecting process and adaptation. Since these are conditioned by the same causes, they follow in all individuals of the same variety in uniform manner. Varieties are uniform, entirely constant under the most various external conditions, in general cross only with difficulty with related varieties, are not varied by accidental crosses, and persist through geological periods. Varieties belong to feral nature rather than to culture; they can assume all possible modifications without injury to their specific characteristics, but can show no distinctions of races, for all beginnings of race formation are destroyed by free intercrossing. They differ from species only in that they are to be designated as more closely related species, or species as more remotely related varieties. Every other distinguishing characteristic is wanting. [32]

Races arise from gamogenic or pathological variations of the idioplasm. In the former case they presuppose crossing between related varieties or species, in the latter case an increased sensibility and weakening of the idioplasm. Very often both causes co-operate, since crossing follows more easily when the idioplasm is weakened by hurtful influences and since the irritability and weakening of the idioplasm increases if crossing has preceded. Race formation begins in single individuals. Among several individuals it begins in various directions because the causes are different and hence may display a great multiformity. Races are distinguished by more or less abnormal characteristics; they arise quickly—often in a single generation—and present various degrees of stability. This stability is insured to some extent only by the strictest in-and-in breeding. All races disappear through crossing, likewise many races that have arisen from pathological variations disappear even in sexual reproduction (in self-fecundation). Races belong exclusively to cultivation, where they can develop and exist protected from free intercrossing.

While varieties and races arise by progressional or stationary variation of the idioplasm, *modifications* are produced by such influences of nutrition and climate as act only on the somaplasm and the non-plasmic substances, and hence do not give rise to inheritable characters in the organism. Modifications persist only so long as their causes, and under other environments immediately pass over into the modifications corresponding to them. The transition is completed in the lowest plants during a limited number of cell generations; in an individual of the higher plants on the same stem during the growth of a single year. Each variety and each race appears clothed in a definite modification, and can change it within a range peculiar to itself. [G] [33]

18. SOCIAL AND INDIVIDUAL ORIGIN OF SPECIES.

The species arises neither from the *nutrition variety* nor from the *race*; it is always a more advanced variety, and hence species formation is identical with variety formation. Cause for variation and consequently for variety formation is always shown, either when, environment remaining the same, the automatic variation of the idioplasm has advanced so far that the ontogeny is raised to a higher grade of organization and division of labor, or when external stimuli act for a sufficiently long time in a manner not in harmony with the previous adaptation. Hence various varieties arise easily from a uniform kinship, when these are thrown among unlike external influences by local separation, because in the separated places on the one hand the automatic evolution proceeds with unequal rapidity, and on the other hand adaptation takes place unequally. [34]

But in general different varieties arise socially from a uniform kinship. This is because the related individuals living together are unequally stimulated on account of the great inequality of external influences which may exist at the smallest distances; and also because with slight individual differences unlike reactions often follow upon the same external influences. If identically similar individuals are equally inclined to very different reactions toward the same stimulus, sometimes the direction of the first variation decides the character of the adaptation and therefore the nature of the variety, because the variation, when once begun, progresses unswervingly even under somewhat different circumstances. [H] Hence divergent variations are found growing together in all places, which variations have begun at different though neighboring points by transformation of the idioplasm and are soon intermingled on account of the easy dissemination of seed.

The social formation of varieties is not in general interrupted by crossing, a process which governs only the formation of races. It is confirmed according to experience by the universally recurring fact that several beginnings of the most closely related varieties appear together not only in the same region, but even at the same points, while the geographical distribution of the more marked varieties and of related species offers no conclusion as to their origin, but only as to the last great migration of the plant world, because they arose before this period, as indeed appears from their distribution. [35]

Just as different varieties arise simultaneously from one kinship at the same place, the same variety may arise in places far separated, when the analogous external exciting causes occasion an identical transformation in the idioplasm. The experimental proof lies in the fact that like beginnings of varieties often appear at great distances from each other.

An apparent social origin of varieties is indicated, when, after having come together in migration, they first develop the unlike determinants which they have gained in various locations. An apparently individual origin of the same or different varieties is indicated, when the formation of the determinants take place at one and the same place, but their development follows only after the kindred has been scattered by migration.

19. GENERAL RELATION OF THE PHYLOGENETIC LINES IN THE ORGANIC KINGDOMS.

Since the nature of an organism is contained in the sum of its idioplasmic determinants alone, the evolution of a phylogeny consists in the evolution of the idioplasm. This is perceived from the succession of the visible ontogenetic characteristics which in general run parallel with it. The idioplasm varies in two ways: (1) by an *automatic perfecting process*; (2) by *adaptation to environment*. [36]

By virtue of the *automatic variation* of the idioplasm the ontogenies of a phylogenetic line attain to a continually more complex organization and greater differentiation of function. In this differentiation, however, only the qualitative differences are of importance; quantitative and numerical gradations may be disregarded. The more complex admits of more combinations than the simpler; hence if a phylogeny reaches a higher stage by automatic evolution it may branch into several lines, of which each appears as the continuation of the parent stock.

Since *adaptive variations* depend only on the transmutations of environment, an organism may rise to a higher organization and division of labor by continually adapting itself to the changed environment. But the organism may also change its adaptation while it remains at the same stage of organization. And since the adaptive variation is quickly perfected as compared with automatic evolution, although extremely slowly as compared with the duration of the ontogeny, an organization may change its adaptation several times while it remains at the same grade of organization and division of labor. Since there are also numerous different kinds of adaptation, a phyletic line may divide at each point into several adaptive forms, which appear in the taxonomic system as species, genera, often even as whole families, while in other cases various degrees of organization have appeared in one family. [37]

20. LAWS OF EVOLUTION OF THE PLANT KINGDOM.

In the sub-organic kingdom, which precedes the plant and animal kingdoms, (see page 5), there are gradually formed from the spontaneously generated plasma independent cells with their characteristic properties, *i.e.*, growth by intussusception of micellæ, formation of a plasmic cuticle, and a non-plasmic membrane about the same, division of the cells, separation of the cells thus formed, and free cell formation within the cell contents. These properties are inherited from the sub-organic kingdom by the plants and animals which follow in the next stage of phylogeny. The evolution of the plant kingdom proceeds through the following regular processes, which continue to operate through the entire phylogenetic series.

Law of Phylogenetic Combination.—The simplest of all plants are cells of round form, which grow and reproduce themselves by division, budding or free cell formation. From the fact that the younger generation of cells, instead of separating from each other and growing to independent plant individuals, remain united with each other, multicellular plants arise from unicellular. The same transformation of the reproductive cells into non-separable tissue cells is repeated several times in multicellular plants and serves to enlarge the individual. There is manifested in this phylogenetic process the tendency of the plant to combine in the higher stages into one complex whole those parts which in the lower stages tend to be independent. A similar unifying tendency is revealed also in those plant members which have arisen by differentiation and represent a system only by their being connected at certain points. These combine in the higher stages and form ultimately continuous tissues. [38]

Law of Phylogenetic Complication or Ampliation, Differentiation and Reduction.—The cells, and, in general, the parts of plants which lie near each other in space or follow upon each other in time, are always alike in the lower stages. By differentiation they become unlike, so that the sum of the functions which at first fall to the lot of all parts without distinction now is shared among the individual parts. By this means each part can perform its own special function so much the better. Differentiation is repeated in the course of the phylogeny, since at first all parts of an ontogeny diverge into two or more parts, then the parts of these parts divide again, etc. Along

with this process of division another process is always active, which, as it were, prepares the way for the former, namely, ampliation, by virtue of which the growth of the whole ontogeny or of single stages of it undergoes a quantitative increase, so that an organ acquires a greater number of cells, and an individual a greater number of organs. After this increase in number of parts in a stage of ontogeny, differentiation follows as far as the nature of the functions permits, by the parts most separated passing into each other by intermediate gradations. By the further phylogenetic process of reduction the intermediate forms are suppressed. At last only the extreme products of differentiation lie near each other in space or follow upon each other in time; and these products are as limited in quantity and number as possible. [39]

Along with the above named phylogenetic processes, which take place by the automatic increase of the idioplasm, external influences are always active. These lend to the organism at times a local stamp corresponding to its environment, and follow the law of adaptation.

21. ALTERNATION OF GENERATIONS IN RELATION TO PHYLOGENY.

Since the simplest plants are cells and the more complex ones are formed from cells, a whole phylogenetic line may be regarded as a series of cell generations following one after another. In the lowest forms all cell generations are like each other; in all others they show differences which become continually greater and more numerous. Thus alternation of generations in cells exists, because the successive generations become more and more complicated at each succeeding period. Among these periods the ontogenetic period or ontogeny embraces all generations from one cell to the return of the exactly similar kind of cell. In the lowest forms of cell differentiation the cells of successive generations are all independent; the ontogenetic period consists of a cycle of generations of unicellular plants. Later the cell generations of an ontogeny are united by parts into plant individuals; the ontogenetic period consists of a cycle of multicellular and unicellular, or only of multicellular plant generations. If all the cell generations of an ontogenetic period have been united into a single individual, the successive plant generations are alike and alternation of generations has ceased. [40]

The unlikeness of the generations arises either from inner causes of temporary differentiation alone, or by temporary differentiation which receives a definite imprint by the change of seasons. But in the latter case the characteristic of adaptation is again lost in the course of the phylogeny and alternation of generations follows then without regard to the season. If the given adaptation is united in the lower plants with alternation of generations during the ontogenetic periods, one of the unlike plant generations is repeated an indefinite number of times (repetitional generation), while the other unlike plant generation appears only once and then at the beginning of the resting stage and remains latent in the form of a resting spore till the beginning of the next period of generation. With this peculiar transition generation, which has arisen in the lower stages asexually, and in the following higher stages by the union of a male and a female cell, and which hence is hermaphrodite, there are generally associated later two other single generations — *viz.*, a generation preceding and one following the hermaphrodite, the former as a sex-producing generation, the other as a sex-produced generation. [41]

The phylogenetic significance of the alternation of generations consists in its representing a transition stage from the unicellular to the simpler multicellular and from the latter to the more complex multicellular plants. The plant generations of any phylogenetic stage increase by ampliation, become unlike by differentiation in time (alternation of generations), and unite in a plant individual, whose unlike ontogenetic stages correspond to the unlike plant generations of the earlier ancestral series.

22. MORPHOLOGY AS THE SCIENCE OF PHYLOGENY.

All organic phenomena belong, according to their causes, to two different classes: (1) Those belonging to one group are the results of external influences in each ontogeny and are not inherited; they represent nutrition varieties, are experimentally demonstrable, and constitute the subject matter of experimental physiology. (2) The others are inherited and again transmitted; they belong to the physiology of the idioplasm. This subject is mainly occupied with the origin of the determinants, hence with the formation of varieties and species. It is not the subject of experiment, and constitutes the phylogeny or the physiology of the formation of determinants. A sub-division of this subject is occupied with the development of the determinants already present, hence with the formation of races. It is elucidated especially by experiments in crossing and may be designated as the physiology of the development of the determinants. [42]

The morphological phenomena which find their application in taxonomy, belong exclusively to phylogeny. Their ontogenetic history does not explain their true significance; this can be known only in a phylogenetic way by comparison of one phenomenon with those phenomena from which it has arisen in the course of evolution. [43]

23. PLANT CLASSIFICATION FROM THE STANDPOINT OF PHYLOGENY.

Spontaneous generation has taken place at all times and in all places, in as far as the necessary conditions were concurrently present. (See page 47). After spontaneous generation the automatic phylogenetic evolution begins and advances constantly. Consequently the phylogenetic line rises from time to time to higher stages of organization and division of labor, but dies of old age if the [43]

automatic perfecting process ceases. The phylogenetic lines of organisms now living have therefore an unequal age; those of the most highly developed plants and animals had their origin in the earliest periods of organic life, those of the lowest organisms in the most recent periods. Hence no general genetic relation exists among lines now living; only those that are nearly related and have reached approximately equal stages of organization may be regarded as branches of the same phylogenetic stock. A phylogenetic plant system does not exist in fact, but only in figure.

If genetic relation between two races is assumed, either as a reality or as a symbol, the degree of relationship is determined in a theoretically exact manner by the number and length of the phylogenetic steps which are found either between them both or between them and the common starting point, according as races belong to the same or collateral lines. The fact that two organisms belong to the same line of descent is recognized from the ontogeny of the higher including the ontogeny of the lower.

Since only a proportionately small number of known forms can appear as types of the supposed [44] stages of evolution, only a few phylogenetic lines, and these only in a general way, may be established, on account of the great incompleteness of the present plant world. Such a line proceeds from the green filamentous algæ through the liverworts to the vascular plants. Among the phanerogams, apparently so numerous represented, only phylogenetic series of individual organs can be ascertained, but no phylogenetic series of families. A phylogenetic system of phanerogams is not to be hazarded in the roughest outline. Even the relative rank of the two chief divisions of the angiosperms, the monocotyledons and dicotyledons, is a matter of question, as also which family in each of these divisions is to be considered the most perfect.

APPENDIX.

[45]

TRANSLATORS' NOTES.

The Mechanico-physiological Theory of Evolution, (Mechanisch-Physiologische Theorie der Abstammungslehre), by Carl von Nägeli, was published in Munich and Leipsic in 1884 in a large octavo volume of 822 pages, including two large appendices. The *Abstammungslehre* proper, including the summary, occupies 552 pages, and constitutes, in its way, one of the most important contributions to theoretical biology. It is difficult to understand how a work of so much consequence should have received such comparatively small notice in this country, especially as Nägeli's theories seemed calculated by nature to appeal much more strongly to American students than do, for instance, those of Weismann, who has been studied ten times as much as Nägeli. This is doubtless due, in part, to the fact that we have had no English translation of Nägeli's work, a circumstance much to be regretted.

The foregoing translation of the summary from *Abstammungslehre* goes but a small way toward making Nägeli's theories accessible to English-reading students, but it will, at least, be better than nothing. The work covers a great range of subjects, all, however, having a certain relationship to each other. In the main part of the book the discussion is presented in the following order: (1) Idioplasm as bearer of the inheritable determinants; (2) Spontaneous [46] generation; (3) Causes of variation; (4) Determinants and visible characters, in which the origin and function of the determinants is presented; (5) Variety, race, "nutrition variety," heredity and variation; (6) Criticism of the Darwinian theory of natural selection, in which the author urges seven objections to that theory; (7) Laws of evolution of the plant kingdom; (8) Alternation of generations from the standpoint of phylogeny; (9) Morphology and classification as phylogenetic sciences; (10) A comprehensive summary of the whole work, a translation of which is given in the foregoing pages.

In the first part of the work Nägeli sets forth his micellar theory of the structure of organized bodies. This is one of his most important contributions to science. Until recent years it has been the only theory given in botanical text-books. At the present time its only competitor is Strasburger's lamellar theory, and even this has not superseded Nägeli's work to any great degree.

The reader who may not be familiar with the micellar theory will find the general idea from the following brief sketch adapted from Vines's *Plant Physiology*:

"Nägeli's micellar theory was developed from his study of organized bodies, especially of cell walls and starch grains. From the behavior of organized substance toward water absorbed by it, he concluded that water does not penetrate into the micellæ, but only among them, thus merely separating them more from each other. He reasoned that if water should penetrate into the micella, its structure would be disintegrated. Hence he argued that organized bodies consist of solid micellæ, which, with their respective films of water, are held together by: (1) The attraction of the micellæ for each other, [47] which varies inversely as the square of the distance. (2) The attraction of the

micellæ for water, which varies inversely as some higher power of the distance. (3) The force which holds together the ultimate chemical molecules of which each micella consists.

"Since the swelling up of organized bodies does not take place equally in all three dimensions of space, and on account of their double refraction, Nägeli inferred that in form the micellæ are crystals, probably parallelopipedal, with rectangular or rhomboidal bases."

The law that "bodies attract each other with a force which varies inversely as the square of the distance," has been proven only in its application to the heavenly bodies. Nägeli has applied this law to molecules, unsupported, however, by any evidence other than that of analogy. On the other hand, there is evidence that molecules do not invariably act according to this law.

Spontaneous generation (p. 4) was an important item in Nägeli's doctrine, and might almost be said to be fundamental to it, although it is not really necessary to the internal perfecting principle, which may be regarded as the chief feature of the Mechanico-Physiological Theory. Up to 1865 Nägeli believed in the spontaneous origin of many fungi, and thought that it could be demonstrated. He was obliged to abandon the experimental evidence, but to the close of his life held the views of abiogenesis presented in the accompanying translation.

The characteristic and most interesting feature of the Mechanico-Physiological Theory is certainly Nägeli's conception of an automatic perfecting principle (*Autonome Vervollkommnung*). This conception may be briefly outlined as follows:

[48]

1. The essential part of the reproductive plasm, termed idioplasm, since it divides and passes over from generation to generation, in higher as well as in lower organisms, has a continuous or "immortal" existence.^[1]

2. During this continuous life the idioplasm goes through a development of its own, just as an individual organism goes through a certain cycle of development during its individual life. This development consists in a constantly increasing complexity of structure and differentiation of function.

3. This development is automatic, resulting from internal forces or movements, (*Vervollkommnungs-bewegungen*).

4. As a result of the increasing complexity of structure in the idioplasm the entire organism, which in each generation rearises therefrom, becomes, from generation to generation, more and more complex with greater and greater differentiation of function. Thus the progression of the idioplasm controls the phylogeny of the race. It marks out the course of evolution.

5. Since, according to Nägeli, new life with new idioplasms, may arise wherever and whenever the necessary conditions combine, the present organic world is not made up from branchings of a single original idioplasm, but each race or group may have its own specific idioplasm; and, since this has its own characteristic structure and its own specific internal perfecting forces, it passes through its own peculiar evolution, carrying with it its own depending race of organisms.

[49]

The fact that animals and plants at the present time show such various degrees of organization is also accounted for on the last supposition, for those of lowlier organization are merely of more recent origin and have not progressed so far in idioplasmic development.

This automatic perfecting principle has been the mark of much criticism. Some have confounded it with the mystical *nisus formativus*, or formative principle of preceding theorists. But, as Weismann remarks, Nägeli's phyletic force is conceived as a thoroughly scientific mechanical principle. Nägeli has simply made application in the organic world of the principle of entropy, as stated in the mechanical theory of heat. Nägeli himself also compares his internal perfecting principle to mechanical inertia. He says, "the force of evolution once started in a given direction, tends to continue in the same direction. This constitutes the law of inertia in the organic world."

Two other matters remain to be noticed. The first of these is Nägeli's use of the German word *Anlage*. We have been unable to give a perfectly satisfactory translation of this word in its technical meaning. We have received some comfort, though but little help, from the experience of the translators of similar works. Selmar Schoenland, in translating from Weismann, renders it variously as "germ," "germ of structure," "germ (of Nägeli)," "germ of Nägeli," "Nägeli's preformed germ of structure," "preformed germs," "tendency." Another translator renders the word as "constitutional element." The translation, "determinant," which we have selected is an appropriation of an analogous but not absolutely identical technical term from Weismann's *Germinal Selection*. The use of the word in this connection is open to the objection that it has previously been used technically for a somewhat different idea by another author. M. C. Potter, in his translation of Warming's *Systematic Botany*, following Dr. E. L. Mark, renders the word *Anlage* as "fundament." Dr. H. C. Porter, in his translation of the *Bonn Text-Book of Botany*, renders the same word as "rudiment."

[50]

In general the word *Anlage* means beginning, plan, disposition to anything, and hence involves the ideas of origin, organization and tendency. Sanders defines the word in one of its meanings

as: "The act of planning or beginning anything; the act of laying the foundation of any work intended to be carried on toward completion, in order that from the beginning made, a definite thing may be developed or may develop itself"; (*i.e.*, to determine, in the sense of limiting to a particular purpose or direction, hence determinant). "Also, the thing begun or planned, considered as the basis and germ of the further development of that which has already originated."

In its restricted use as applied to organisms it would mean "germ," in the sense of embryonic starting point. More specifically, it is a portion of plastic, organized substance, functioning as an individual and containing potentially an elemental organ plus a formative power. In Nägeli's own words, "There exists an essential difference between the substance of a mature organism which does not possess the capability of further development, and the substance of an egg, which does possess this capability. By virtue of this difference the egg-substance is characterized as the *Anlage*, or germ of the mature organism. All characteristics of the adult condition are potentially contained in the ovum."

[51]

Nägeli was not the first to assume the existence of a unit of organization intermediate between the molecule and the cell. E. B. Wilson, in his *The Cell in Inheritance and Development*, states the case as follows:

"That the cell consists of more elementary units of organization, is indicated by *a priori* evidence so cogent as to have driven many of the foremost leaders of biological thought into the belief that such units must exist, whether or not the microscope reveals them to view. The modern conception of ultra-cellular units, ranking between the molecule and the cell, was first definitely suggested by Brücke in 1861.

"This idea of ultra-cellular units is common to most morphologists and physiologists. We are compelled by the most stringent evidence to admit that the ultimate basis of living matter is not a single chemical substance, but a mixture of many substances that are self-perpetuating without their loss of specific character."^[1]

Nägeli's *Laws of Evolution* are also worth special notice. As stated in the body of *Abstammungslehre* they are as follows:

1. Asexual reproductive cells which arise by division, remain united and become tissue cells.
2. Asexual reproductive cells which arise by budding, instead of separating, become cell branches or branched cell threads.
3. Reproductive cells which arise by free cell formation become bodies which form a part of the cell contents.
4. Parts of a plant which arise by differentiation lie side by side and form a body of web-like or tissue-like structure.
5. A definite and previously limited growth continues, or a definite formation of parts of an ontogeny which has previously been present but once, is repeated. (Ampliation.)
6. The parts of an ontogeny become dissimilar, since the functions which were previously united become differentiated and since new dissimilar functions are produced in the various parts. This differentiation is either one of space between the parts of the ontogeny that appear near each other, or one of time between those that are derived from each other.
7. Parts which have become dissimilar by differentiation undergo a reduction, in which the intermediate forms are suppressed and at last only the qualitatively dissimilar forms with qualitatively dissimilar functions remain.
8. The environment in which plants live operates in different ways, directly as a stimulus or indirectly as a felt necessity and by this means lends to their forms and activities a definite expression of time and place, and thus brings about different adaptations. These become permanent through heredity, but are again gradually lost if other adaptations supersede them.

[52]

[53]

Laws 1 to 4 may be expressed as one—the law of combination: Similar parts that are wholly or partly separated have the tendency to unite more and more completely and intimately into one continuous tissue.

The laws of ampliation (5), differentiation (6), and reduction (7), may be summarized in one as follows: While increasing in size the similar parts of an ontogeny become internally dissimilar and the dissimilarity increases as the transition forms of the dissimilar parts vanish. Hence only the extreme forms remain.

It may also interest the reader to know that Nägeli was the first to propose the general theory of cell formation as accepted at the present day.

[54]

- [A] See Appendix, Translators' Notes.
- [B] Nägeli makes his idioplasm ramify throughout the organism in unbroken continuity, much like a system of nerves in the higher animals. This idea with Nägeli was purely speculative. It was known that the protoplasm is in connection throughout the organism, but it has been proved more recently that only the somatic protoplasm is thus connected. The part in which the essential nature of the organism is contained is localized in the nucleus and hence might properly be designated as nucleoplasm, as Weismann suggests. If the idioplasm is localized in the nucleus, it cannot be continuous throughout the system, as Nägeli assumes. But this objection applies only to a detail of the theory and does not affect the fundamental conception,—that of a portion of the protoplasm which is differentiated from the rest and represents a definite molecular structure which determines the specific nature of the organism.—*Trans.*
- [C] Hence, according to Nägeli, every cell of the organism has idioplasm of identical structure. This at once suggests the objection, how can the idioplasm, for instance, of a pollen grain be the same as that of a leaf? Identical idioplasms should always produce identical structures. Nägeli attempts to explain this difficulty by attributing the different results to different "conditions of tension and movement," i.e., a dynamical difference between the idioplasms of the different parts of the organism. (*Abstammungslehre*, p. 53.)
- This idea of differences of structure being due to dynamic rather than to material causes plays a considerable part in Nägeli's theory, but is the point on which he speaks with least certainty—in fact with a noticeable hesitation. He does not clearly explain the phrase "conditions of tension and movement," nor does he give a convincing explanation of the known phenomena as results of the action of dynamic influence.
- Nägeli is not the only one who posits dynamic rather than material differences as to the basis of diversities of structure. More recently, Cope has built up a system of evolution founded largely on this idea.—*Trans.*
- [D] This assertion is a direct corollary from the structure of the determinants and the idioplasm. If the idioplasm of the fertilizing cell were to pass through the membrane about the ovum by osmosis, its organized structure would be lost.—*Trans.*
- [E] In order to explain adaptations Nägeli assumes that external influences, if acting at the same point in a given manner for a long time, may induce slight adaptive variations which are perpetuated and increased. On the important subject of adaptation in general Nägeli is almost diametrically opposed to Darwin and Weismann. Nägeli assigns to the principle of utility a very limited sphere; Weismann regards adaptation as all-powerful. According to Nägeli, the organic world would have become much what it is, if natural selection and adaptation had performed no part in the operations of nature. He aptly says, that natural selection prunes the phylogenetic tree, but does not cause new branches to grow. He allows that the principle of selection is well suited to explain the adaptation of organisms to their environment and the suitableness and physiological peculiarities of their structure, but he asserts that in the definiteness of variation of plants and in their progressive differentiation there is evidence of a higher and controlling perfecting principle.—*Trans.*
- [F] Nägeli, like Weismann, arrives at the conclusion that acquired characters are not inherited. He was not content, however, to rest the generalization upon purely speculative grounds, but undertook the experimental demonstration. After seventeen years of work by himself and son, especially upon several species of Hieracium, he satisfied himself that his theory was true to the facts. We all know now how far he fell short of settling the question.—*Trans.*
- [G] The distinctions which Nägeli here erects are, of course, purely arbitrary, and his definitions are suitable for use only in his own thesis.—*Trans.*
- [H] It is interesting to compare this statement with Weismann's recent theory of Germinal Selection.—*Trans.*
- [I] Nägeli's idioplasm corresponds in many respects, though by no means in all, to Weismann's germ-plasm. Weismann's idea of continuity or "immortality," which has been so widely noticed, is set forth with equal clearness, though with less emphasis, by Nägeli.
- [J] For a fuller discussion of the notion of these hypothetical units of organic existence, see Weismann's Germinal Selection, (Open Court Publishing Co., Chicago, 1896), especially the foot note, page 230.

BRIEF STATEMENT OF THE WORK OF THE OPEN COURT PUBLISHING COMPANY

[55]

If one asked for a brief description of the work of the Open Court Company, one would probably get the answer that the Company publishes books and articles on Science, Religion, and Philosophy. That is not quite exact; for that describes the ideal to which the Open Court Company is continually striving rather than the actual work it is doing. The ideal is Religion on a firm basis of Science, a Science of Philosophy, and a Philosophy of Science: the only path which can lead to this great ideal synthesis is the detailed and careful study of sciences, religions, and philosophies.

It was this ideal that prompted the late Mr. Edward Carl Hegeler of La Salle, Illinois, in the United States of America, to found a Company to publish books with the object of establishing ethics and religion upon a scientific basis. Such ideals are as old as philosophy itself. Among modern philosophies, that founded by Comte tried, probably in the most explicit fashion of all, to found a religion on the basis of positive science; and at one time it appeared likely to have a lasting success. But it is now quite plain that no philosophy which hopes to be permanent can neglect history or put itself into uncritical opposition to the systems that have for centuries expressed some of the dearest and highest aspirations of mankind. It is unprejudiced and fearless historical and critical investigation—non-sectarian in the widest sense—in both religion, science, and philosophy, that must go before any satisfactory synthesis. This is a great part of the work of the Open Court Company.

Let us consider what non-sectarianism means. We cannot, for example, isolate a single domain of science in a particular country and at a particular time—say, mechanics in England in the eighteenth century—and hope to make of it a thoroughly complete object of study. In natural science, for example, we make conventional divisions simply with the object of saving labor when dealing with the huge mass of material that experience offers. But the narrowest specialist knows that all workers in science, religion, and philosophy seek the Truth; and that the Truth is bounded neither by space nor by time nor by man-made divisions. A man may rightly conclude that he stands little chance of finding out very much of the Truth, and so he may voluntarily limit his view to a certain roughly defined domain of facts and thoughts, and become, for example, what is called a "biologist," a "physicist," a "higher critic," or, if he thinks that he may discover rather more of the Truth, a "philosopher."

[56]

And let us carry a clear understanding of a lofty aim into religion as well. It is our duty, as rational beings, to be non-sectarian. It is not a merit to allow ignorance to blind us to the glimpses of Truth that we sometimes get from prophets, poets, and priests of other religions and other philosophies than our own. If we think that there is more truth or sacredness in our own, let us use every means to make this sacredness or this truth appear evident to others. But, in justice, let us also fearlessly discuss other religions and philosophies, and discover their greater merits, if any, as compared with our own. If, after careful investigation, we arrive at the belief in the truth or falsehood of anything in these religions or philosophies, let us state our grounds for believing so in the fullest possible way. Only by so doing can we fulfil the duties of being true to ourselves and helpful to others.

Sometimes the work of a critic is said to be "merely destructive." This idea rests on a most harmful misunderstanding. Criticism consists not only in the pointing out of error, but in the pointing out of truth as well. Error is simply a psychological condition of blindness to the truth; and the discovery of errors committed by other people or ourselves is not—as many superficial people like to say—the pulling down of a structure already raised, unless an error can be called a structure which is built out of the fictions of our imagination which have no objective existence. Criticism often enables us to discover more of the Truth, and nobody can do more than *discover* Truth: nobody *creates* Truth, any more than Columbus created America.

[57]

Nowadays all intelligent men and women agree that all knowledge must be subjected to criticism, and the best men and women act on these beliefs. The books and magazines published by the Open Court Company are intended to help these men and women.

We will dwell a little longer on the subject of religion, because it is in religion that the majority of us have the one region of ideals above our bodily needs. It is rare, though of course not unknown, that Science or Philosophy satisfies the spiritual needs—the purest of human cravings. Nowadays, most of us realize that an anti-scientific attitude of religion is impossible. If there were an opposition between "science" and "religion," there would be no question as to which side would be victorious. More particularly during the last seventy years, "religion," conscious of the opposition which a rather crude doctrine which was called "science" had towards it, has been gradually, and often somewhat ludicrously, trying to bring itself more into conformity with that "science." The result is painful to the student of human nature; though it has its amusing sides, just as had the militant denial, on the part of those who were "on the side of the angels" about fifty years ago, of certain deductions from facts. What is called a "conflict between religion and science" always has ended in a victory for "science" and an agnosticism which ousted religion. And thus many see that it is desirable that the matured results of science should enter into the fabric of our religious convictions. For the realization of this purpose, the Open Court Company publishes two periodicals, *The Monist*, a quarterly magazine devoted to the philosophy of science, and *The Open Court*, an illustrated monthly devoted to the science of religion and the religion of science. In addition, the Open Court Company publishes books that directly or indirectly advance its aim—books on Philosophy, which, in contrast with the old metaphysics, lay the foundations of a philosophy of science; books on the history of philosophies; books on mathematics and other lines of thought which are indispensable for a rational and scientific conception of the world; books that have a bearing on the doctrine of Evolution; books on the history of Religions, especially on the development of Christianity and on Higher Criticism; and books on Comparative Religion, on Psychology, on Education, and on Ethics. Above all, in all the works careful, sympathetic, and scholarly criticism is aimed at. Criticism is the joint result of love of Truth and independence of thought; rightly understood, it is not only a preliminary to a work of synthesis, but it is part of synthesis itself. No synthesis, in fact, is more than a discovery of Truth: from past history we know that syntheses have often blinded men to the Truth, though that was naturally not their intention.

[58]

On the subject of independence of thought it may be proper shortly to refer to the work of Dr. Paul Carus, who has been, since the end of 1887, closely associated with the Open Court Company and its publications. Only two things need be said here. In the first place, it was owing to the need he felt for keeping his independence of thought that he resigned a post in Germany and came, first to England and then to America. In the second place, his views, which are also, broadly speaking, the views for which the Open Court Company works, may be characterized both as monism and positivism, though his philosophy differs considerably from Hæckel's monism, which is practically materialism, and even more so from the French positivism of Comte and from agnosticism, its English equivalent. In his philosophy, *form* plays the most important part. Form is the significant feature of both objective existence and subjective thought. Matter and energy only denote reality, but form characterizes quality. Science traces form, and the nature of all things, the human character included, is constituted by form. In the formal sciences again, that which is the core of their usefulness as general propositions is the character of *anyness*, the use of which justifies the method of generalization. Here lies the root of the kinship of Dr. Carus's philosophy with modern logic, and allows him to reconstruct the old artistic and religious ideas upon a new and modern ground. In this sense, he himself has characterized his philosophy as a *philosophy of form*.

[59]

A Partial List of Books in the OPEN COURT SCIENCE SERIES

PROBLEMS OF SCIENCE BY FEDERIGO ENRIQUES

Authorized translation by Katherine Royce, with an introduction by Josiah Royce. **Pp. 375. Price, \$2.50.**

"The end for which we ought to strive today is a scientific education, which shall enable the workers in any field whatsoever to understand better how the object of their own research is subordinated to more general problems."

The author is professor of projective geometry and geometric drawing in the University of Bologna, and is one of the most conspicuous of contemporary Italian scientists.

The Primary Factors of Organic Evolution

By E. D. Cope

Illustrated. Cloth, \$2.00 net

The Soul of Man

By Paul Carus

An investigation of the facts of physiological and experimental psychology. **Illustrated. Cloth, \$1.50 net; paper, 85c.**

Plant Breeding

By Hugo De Vries

Comments on the experiments of Nilsson and Burbank. **Illustrated. Cloth, gilt, \$1.50 net**

The Rise of Man

By Paul Carus

A sketch of the human race. **Illustrated. Boards, cloth back, 75c net**

Species and Varieties, Their Origin and Mutation

By Hugo De Vries

Edited by D. T. MacDougal. **Price, \$5.00 net**

The Mutation Theory

By Hugo De Vries

Experiments and observations on the origin of species in the vegetable kingdom. (2 vols.) Translated by Prof. A. B. Farmer and A. D. Darbishire. **Numerous illustrations, colored plates. Cloth, per volume \$4.00 net.**

Intracellular Pangenesis

By Hugo De Vries

Including a paper on fertilization and hybridization. Translated from the German by C. Stuart Gager. **Cloth, \$3.00 net.**

On Memory and the Specific Energies of the Nervous System By Ewald Hering

New edition, including "The Theory of Nerve Activity." **Price, \$1.00; paper, 30c.**

Psychology of the Nervous System

By Paul Carus

An extract from the author's larger work, "The Soul of Man." **Price, 30c.**

The Psychology of Reasoning

By Alfred Binet

Translated by Adam Gowan Whyte. **Cloth, 75c net**

Has the Psychological Laboratory Proved Helpful?

By L. M. Billia

Translated from the French by Lydia G. Robinson. **Pp. 16. Paper, 15c net.**

A Mechanico-Physiological Theory of Organic Evolution

By Carl von Nageli

Summary. **30c.**

Experiments on the Generation of Insects

By Francesco Redi

Translated from the Italian edition of 1688 by Mab Bigelow. **Illustrated. Cloth, \$2.00 net**

Science and Faith, or Man as an Animal, and Man as a Member of Society, with a Discussion on Animal Societies

By Paul Topinard

Translated by T. J. McCormack. **Price, \$1.50 net**

A First Book in Organic Evolution

By D. Kerfoot Shute

Written especially for the use of students. **Illustrated, seven colored plates, 2d ed. Cloth, \$1.25; paper, 60c net**

On Germinal Selection as a Source of Definite Variation By August Weismann

Translated by T. J. McCormack. **Paper, 30c**

Popular Scientific Lectures

By Ernst Mach

Translated by T. J. McCormack. **Illustrated. \$1.50 net; paper, 60c net**

Contributions to the Analysis of the Sensations

By Ernst Mach

Translated by C. M. Williams. **Price, \$1.25 net**

Space and Geometry in the Light of Physiological, Psychological and Physical Inquiry

By Ernst Mach

Translated by T. J. McCormack. **Cloth, gilt top, \$1.00 net**

The History and the Root of the Principle of the Conservation of Energy

Translated by Philip E. B. Jourdain. **Cloth, \$1.25 net**

On the Inheritance of Acquired Characters

By Eugenio Rignano

Translated by Basil C. H. Harvey. With an appendix "On the Mnemonic Origin and Nature of Affective Tendencies." **Cloth, \$3.00 net**

Darwin and After Darwin

By George J. Romanes

An exposition of the Darwinian theory and a discussion of post-Darwinian Questions. **Three volumes, \$4.00 net.**

Part I. The Darwinian Theory. **Cloth, \$2.00.**

Part II. Post-Darwinian Questions: Heredity and Utility. **Cloth, \$1.50.**

Part III. Post-Darwinian Questions: Isolation and Physiological Selection. **Cloth, \$1.00.**

An Examination of Weismannism

By George J. Romanes

Cloth, \$1.00 net; paper, 40c net.

**Send for complete list.
OPEN COURT PUBLISHING CO.
(Scientific and Educational Books)
122 S. Michigan Ave.
Chicago**

TRANSCRIBER'S NOTES

Footnotes have been moved to the end of the text just after the appendix.

Other than that, printer's inconsistencies in spelling, punctuation, and ligature usage have been retained.

*** END OF THE PROJECT GUTENBERG EBOOK A MECHANICO-PHYSIOLOGICAL THEORY OF ORGANIC EVOLUTION ***

Updated editions will replace the previous one—the old editions will be renamed.

Creating the works from print editions not protected by U.S. copyright law means that no one owns a United States copyright in these works, so the Foundation (and you!) can copy and distribute it in the United States without permission and without paying copyright royalties. Special rules, set forth in the General Terms of Use part of this license, apply to copying and distributing Project Gutenberg™ electronic works to protect the PROJECT GUTENBERG™ concept and trademark. Project Gutenberg is a registered trademark, and may not be used if you charge for an eBook, except by following the terms of the trademark license, including paying royalties for use of the Project Gutenberg trademark. If you do not charge anything for copies of this eBook, complying with the trademark license is very easy. You may use this eBook for nearly any purpose such as creation of derivative works, reports, performances and research. Project Gutenberg eBooks may be modified and printed and given away—you may do practically ANYTHING in the United States with eBooks not protected by U.S. copyright law. Redistribution is subject to the trademark license, especially commercial redistribution.

START: FULL LICENSE

THE FULL PROJECT GUTENBERG LICENSE

PLEASE READ THIS BEFORE YOU DISTRIBUTE OR USE THIS WORK

To protect the Project Gutenberg™ mission of promoting the free distribution of electronic works, by using or distributing this work (or any other work associated in any way with the phrase "Project Gutenberg"), you agree to comply with all the terms of the Full Project Gutenberg™ License available with this file or online at www.gutenberg.org/license.

Section 1. General Terms of Use and Redistributing Project Gutenberg™ electronic works

1.A. By reading or using any part of this Project Gutenberg™ electronic work, you indicate that you have read, understand, agree to and accept all the terms of this license and intellectual property (trademark/copyright) agreement. If you do not agree to abide by all the terms of this agreement, you must cease using and return or destroy all copies of Project Gutenberg™ electronic works in your possession. If you paid a fee for obtaining a copy of or access to a Project Gutenberg™ electronic work and you do not agree to be bound by the terms of this agreement, you may obtain a refund from the person or entity to whom you paid the fee as set forth in paragraph 1.E.8.

1.B. "Project Gutenberg" is a registered trademark. It may only be used on or associated in any way with an electronic work by people who agree to be bound by the terms of this agreement. There are a few things that you can do with most Project Gutenberg™ electronic works even without complying with the full terms of this agreement. See paragraph 1.C below. There are a lot of things you can do with Project Gutenberg™ electronic works if you follow the terms of this agreement and help preserve free future access to Project Gutenberg™ electronic works. See paragraph 1.E below.

1.C. The Project Gutenberg Literary Archive Foundation ("the Foundation" or PGLAF), owns a compilation copyright in the collection of Project Gutenberg™ electronic works. Nearly all the individual works in the collection are in the public domain in the United States. If an individual work is unprotected by copyright law in the United States and you are located in the United States, we do not claim a right to prevent you from copying, distributing, performing, displaying or creating derivative works based on the work as long as all references to Project Gutenberg are removed. Of course, we hope that you will support the Project Gutenberg™ mission of promoting free access to electronic works by freely sharing Project Gutenberg™ works in compliance with the terms of this agreement for keeping the Project Gutenberg™ name associated with the work. You can easily comply with the terms of this agreement by keeping this work in the same format with its attached full Project Gutenberg™ License when you share it without charge with others.

1.D. The copyright laws of the place where you are located also govern what you can do with this work. Copyright laws in most countries are in a constant state of change. If you are outside the United States, check the laws of your country in addition to the terms of this agreement before downloading, copying, displaying, performing, distributing or creating derivative works based on this work or any other Project Gutenberg™ work. The Foundation makes no representations concerning the copyright status of any work in any country other than the United States.

1.E. Unless you have removed all references to Project Gutenberg:

1.E.1. The following sentence, with active links to, or other immediate access to, the full Project Gutenberg™ License must appear prominently whenever any copy of a Project Gutenberg™ work (any work on which the phrase "Project Gutenberg" appears, or with which the phrase "Project Gutenberg" is associated) is accessed, displayed, performed, viewed, copied or distributed:

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

1.E.2. If an individual Project Gutenberg™ electronic work is derived from texts not protected by U.S. copyright law (does not contain a notice indicating that it is posted with permission of the copyright holder), the work can be copied and distributed to anyone in the United States without paying any fees or charges. If you are redistributing or providing access to a work with the phrase "Project Gutenberg" associated with or appearing on the work, you must comply either with the requirements of paragraphs 1.E.1 through 1.E.7 or obtain permission for the use of the work and the Project Gutenberg™ trademark as set forth in paragraphs 1.E.8 or 1.E.9.

1.E.3. If an individual Project Gutenberg™ electronic work is posted with the permission of the copyright holder, your use and distribution must comply with both paragraphs 1.E.1 through 1.E.7 and any additional terms imposed by the copyright holder. Additional terms will be linked to the Project Gutenberg™ License for all works posted with the permission of the copyright holder found at the beginning of this work.

1.E.4. Do not unlink or detach or remove the full Project Gutenberg™ License terms from this work, or any files containing a part of this work or any other work associated with Project Gutenberg™.

1.E.5. Do not copy, display, perform, distribute or redistribute this electronic work, or any part of this electronic work, without prominently displaying the sentence set forth in paragraph 1.E.1 with active links or immediate access to the full terms of the Project Gutenberg™ License.

1.E.6. You may convert to and distribute this work in any binary, compressed, marked up,

nonproprietary or proprietary form, including any word processing or hypertext form. However, if you provide access to or distribute copies of a Project Gutenberg™ work in a format other than “Plain Vanilla ASCII” or other format used in the official version posted on the official Project Gutenberg™ website (www.gutenberg.org), you must, at no additional cost, fee or expense to the user, provide a copy, a means of exporting a copy, or a means of obtaining a copy upon request, of the work in its original “Plain Vanilla ASCII” or other form. Any alternate format must include the full Project Gutenberg™ License as specified in paragraph 1.E.1.

1.E.7. Do not charge a fee for access to, viewing, displaying, performing, copying or distributing any Project Gutenberg™ works unless you comply with paragraph 1.E.8 or 1.E.9.

1.E.8. You may charge a reasonable fee for copies of or providing access to or distributing Project Gutenberg™ electronic works provided that:

- You pay a royalty fee of 20% of the gross profits you derive from the use of Project Gutenberg™ works calculated using the method you already use to calculate your applicable taxes. The fee is owed to the owner of the Project Gutenberg™ trademark, but he has agreed to donate royalties under this paragraph to the Project Gutenberg Literary Archive Foundation. Royalty payments must be paid within 60 days following each date on which you prepare (or are legally required to prepare) your periodic tax returns. Royalty payments should be clearly marked as such and sent to the Project Gutenberg Literary Archive Foundation at the address specified in Section 4, “Information about donations to the Project Gutenberg Literary Archive Foundation.”
- You provide a full refund of any money paid by a user who notifies you in writing (or by e-mail) within 30 days of receipt that s/he does not agree to the terms of the full Project Gutenberg™ License. You must require such a user to return or destroy all copies of the works possessed in a physical medium and discontinue all use of and all access to other copies of Project Gutenberg™ works.
- You provide, in accordance with paragraph 1.F.3, a full refund of any money paid for a work or a replacement copy, if a defect in the electronic work is discovered and reported to you within 90 days of receipt of the work.
- You comply with all other terms of this agreement for free distribution of Project Gutenberg™ works.

1.E.9. If you wish to charge a fee or distribute a Project Gutenberg™ electronic work or group of works on different terms than are set forth in this agreement, you must obtain permission in writing from the Project Gutenberg Literary Archive Foundation, the manager of the Project Gutenberg™ trademark. Contact the Foundation as set forth in Section 3 below.

1.F.

1.F.1. Project Gutenberg volunteers and employees expend considerable effort to identify, do copyright research on, transcribe and proofread works not protected by U.S. copyright law in creating the Project Gutenberg™ collection. Despite these efforts, Project Gutenberg™ electronic works, and the medium on which they may be stored, may contain “Defects,” such as, but not limited to, incomplete, inaccurate or corrupt data, transcription errors, a copyright or other intellectual property infringement, a defective or damaged disk or other medium, a computer virus, or computer codes that damage or cannot be read by your equipment.

1.F.2. LIMITED WARRANTY, DISCLAIMER OF DAMAGES - Except for the “Right of Replacement or Refund” described in paragraph 1.F.3, the Project Gutenberg Literary Archive Foundation, the owner of the Project Gutenberg™ trademark, and any other party distributing a Project Gutenberg™ electronic work under this agreement, disclaim all liability to you for damages, costs and expenses, including legal fees. YOU AGREE THAT YOU HAVE NO REMEDIES FOR NEGLIGENCE, STRICT LIABILITY, BREACH OF WARRANTY OR BREACH OF CONTRACT EXCEPT THOSE PROVIDED IN PARAGRAPH 1.F.3. YOU AGREE THAT THE FOUNDATION, THE TRADEMARK OWNER, AND ANY DISTRIBUTOR UNDER THIS AGREEMENT WILL NOT BE LIABLE TO YOU FOR ACTUAL, DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE OR INCIDENTAL DAMAGES EVEN IF YOU GIVE NOTICE OF THE POSSIBILITY OF SUCH DAMAGE.

1.F.3. LIMITED RIGHT OF REPLACEMENT OR REFUND - If you discover a defect in this electronic work within 90 days of receiving it, you can receive a refund of the money (if any) you paid for it by sending a written explanation to the person you received the work from. If you received the work on a physical medium, you must return the medium with your written explanation. The person or entity that provided you with the defective work may elect to provide a replacement copy in lieu of a refund. If you received the work electronically, the person or entity providing it to you may choose to give you a second opportunity to receive the work electronically in lieu of a refund. If the second copy is also defective, you may demand a refund in writing without further opportunities to fix the problem.

1.F.4. Except for the limited right of replacement or refund set forth in paragraph 1.F.3, this work is provided to you ‘AS-IS’, WITH NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE.

1.F.5. Some states do not allow disclaimers of certain implied warranties or the exclusion or

limitation of certain types of damages. If any disclaimer or limitation set forth in this agreement violates the law of the state applicable to this agreement, the agreement shall be interpreted to make the maximum disclaimer or limitation permitted by the applicable state law. The invalidity or unenforceability of any provision of this agreement shall not void the remaining provisions.

1.F.6. INDEMNITY - You agree to indemnify and hold the Foundation, the trademark owner, any agent or employee of the Foundation, anyone providing copies of Project Gutenberg™ electronic works in accordance with this agreement, and any volunteers associated with the production, promotion and distribution of Project Gutenberg™ electronic works, harmless from all liability, costs and expenses, including legal fees, that arise directly or indirectly from any of the following which you do or cause to occur: (a) distribution of this or any Project Gutenberg™ work, (b) alteration, modification, or additions or deletions to any Project Gutenberg™ work, and (c) any Defect you cause.

Section 2. Information about the Mission of Project Gutenberg™

Project Gutenberg™ is synonymous with the free distribution of electronic works in formats readable by the widest variety of computers including obsolete, old, middle-aged and new computers. It exists because of the efforts of hundreds of volunteers and donations from people in all walks of life.

Volunteers and financial support to provide volunteers with the assistance they need are critical to reaching Project Gutenberg™'s goals and ensuring that the Project Gutenberg™ collection will remain freely available for generations to come. In 2001, the Project Gutenberg Literary Archive Foundation was created to provide a secure and permanent future for Project Gutenberg™ and future generations. To learn more about the Project Gutenberg Literary Archive Foundation and how your efforts and donations can help, see Sections 3 and 4 and the Foundation information page at www.gutenberg.org.

Section 3. Information about the Project Gutenberg Literary Archive Foundation

The Project Gutenberg Literary Archive Foundation is a non-profit 501(c)(3) educational corporation organized under the laws of the state of Mississippi and granted tax exempt status by the Internal Revenue Service. The Foundation's EIN or federal tax identification number is 64-6221541. Contributions to the Project Gutenberg Literary Archive Foundation are tax deductible to the full extent permitted by U.S. federal laws and your state's laws.

The Foundation's business office is located at 809 North 1500 West, Salt Lake City, UT 84116, (801) 596-1887. Email contact links and up to date contact information can be found at the Foundation's website and official page at www.gutenberg.org/contact

Section 4. Information about Donations to the Project Gutenberg Literary Archive Foundation

Project Gutenberg™ depends upon and cannot survive without widespread public support and donations to carry out its mission of increasing the number of public domain and licensed works that can be freely distributed in machine-readable form accessible by the widest array of equipment including outdated equipment. Many small donations (\$1 to \$5,000) are particularly important to maintaining tax exempt status with the IRS.

The Foundation is committed to complying with the laws regulating charities and charitable donations in all 50 states of the United States. Compliance requirements are not uniform and it takes a considerable effort, much paperwork and many fees to meet and keep up with these requirements. We do not solicit donations in locations where we have not received written confirmation of compliance. To SEND DONATIONS or determine the status of compliance for any particular state visit www.gutenberg.org/donate.

While we cannot and do not solicit contributions from states where we have not met the solicitation requirements, we know of no prohibition against accepting unsolicited donations from donors in such states who approach us with offers to donate.

International donations are gratefully accepted, but we cannot make any statements concerning tax treatment of donations received from outside the United States. U.S. laws alone swamp our small staff.

Please check the Project Gutenberg web pages for current donation methods and addresses. Donations are accepted in a number of other ways including checks, online payments and credit card donations. To donate, please visit: www.gutenberg.org/donate

Section 5. General Information About Project Gutenberg™ electronic works

Professor Michael S. Hart was the originator of the Project Gutenberg™ concept of a library of electronic works that could be freely shared with anyone. For forty years, he produced and distributed Project Gutenberg™ eBooks with only a loose network of volunteer support.

Project Gutenberg™ eBooks are often created from several printed editions, all of which are confirmed as not protected by copyright in the U.S. unless a copyright notice is included. Thus, we do not necessarily keep eBooks in compliance with any particular paper edition.

Most people start at our website which has the main PG search facility: www.gutenberg.org.

This website includes information about Project Gutenberg™, including how to make donations to the Project Gutenberg Literary Archive Foundation, how to help produce our new eBooks, and how to subscribe to our email newsletter to hear about new eBooks.