

The Project Gutenberg eBook of Index to University of Kansas Publications, Museum of Natural History, Volume 1, by University of Kansas et al.

This ebook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this ebook or online at www.gutenberg.org. If you are not located in the United States, you'll have to check the laws of the country where you are located before using this eBook.

Title: Index to University of Kansas Publications, Museum of Natural History, Volume 1

Author: University of Kansas
Editor: Donald S. Farner
Editor: E. Raymond Hall
Editor: Donald Frederick Hoffmeister
Editor: Henry Higgins Lane
Editor: A. Byron Leonard
Editor: Edward Harrison Taylor
Editor: Robert W. Wilson

Release date: August 28, 2011 [EBook #37228]
Most recently updated: January 8, 2021

Language: English

Credits: Produced by Chris Curnow, Tom Cosmas, Joseph Cooper and
the Online Distributed Proofreading Team at
<https://www.pgdp.net>

*** START OF THE PROJECT GUTENBERG EBOOK INDEX TO UNIVERSITY OF KANSAS PUBLICATIONS, MUSEUM
OF NATURAL HISTORY, VOLUME 1 ***

**UNIVERSITY OF KANSAS PUBLICATIONS MUSEUM OF
NATURAL HISTORY**

VOLUME 1

1946-1950

EDITORS

E. RAYMOND HALL

DONALD S. FARNER

A. BYRON LEONARD

DONALD F. HOFFMEISTER

EDWARD H. TAYLOR

H. H. LANE

ROBERT W. WILSON

MUSEUM OF NATURAL HISTORY
UNIVERSITY OF KANSAS
LAWRENCE, KANSAS
1950

MUSEUM OF NATURAL HISTORY
UNIVERSITY OF KANSAS
LAWRENCE, KANSAS

PRINTED BY
FERD VOILAND, JR., STATE PRINTER
TOPEKA, KANSAS
1950



CONTENTS

1. The pocket gophers (genus *Thomomys*) of Utah. By Stephen D. Durrant. Pp. 1-82, 1 figure in text. August 15, 1946.
 2. The systematic status of *Eumeces pluvialis* Cope, and noteworthy records of other amphibians and reptiles from Kansas and Oklahoma. By Hobart M. Smith. Pp. 85-89. August 15, 1946.
 3. The tadpoles of *Bufo cognatus* Say. By Hobart M. Smith. Pp. 93-96, 1 figure in text. August 15, 1946.
 4. Hybridization between two species of garter snakes. By Hobart M. Smith. Pp. 97-100. August 15, 1946.
 5. Selected records of reptiles and amphibians from Kansas. By John Breukelman and Hobart M. Smith. Pp. 101-112. August 15, 1946.
 6. Kyphosis and other variations in soft-shelled turtles. By Hobart M. Smith. Pp. 117-124, 3 figures. July 7, 1947.
 7. Natural history of the prairie vole (Mammalian genus *Microtus*). By E. W. Jameson, Jr. Pp. 125-151, 4 figures in text. October 6, 1947.
 8. The postnatal development of two broods of great horned owls (*Bubo virginianus*). By Donald F. Hoffmeister and Henry W. Setzer. Pp. 157-173, 5 figures in text. October 6, 1947.
 9. Additions to the list of the birds of Louisiana. By George H. Lowery, Jr. Pp. 177-192. November 7, 1947.
 10. A check-list of the birds of Idaho. By M. Dale Arvey. Pp. 193-216. November 29, 1947.
 11. Subspeciation in pocket gophers of Kansas. By Bernardo Villa R. and E. Raymond Hall. Pp. 217-236, 2 figures in text. November 29, 1947.
 12. A new bat (Genus *Myotis*) from Mexico. By Walter W. Dalquest and E. Raymond Hall. Pp. 237-244, 6 figures in text. December 10, 1947.
 13. *Tadarida femorosacca* (Merriam) in Tamaulipas, Mexico. By Walter W. Dalquest and E. Raymond Hall. Pp. 245-248, 1 figure in text. December 10, 1947.
 14. A new pocket gopher (*Thomomys*) and a new spiny pocket mouse (*Liomys*) from Michoacán, México. By E. Raymond Hall and Bernardo Villa-R. Pp. 249-256, 6 figures in text. July 26, 1948.
 15. A new hylid frog from eastern Mexico. By Edward H. Taylor. Pp. 257-264, 1 figure in text. August 16, 1948.
 16. A new extinct emydid turtle from the Lower Pliocene of Oklahoma. By Edwin C. Galbreath. Pp. 265-280, 1 plate. August 16, 1948.
 17. Pliocene and Pleistocene records of fossil turtles from western Kansas and Oklahoma. By Edwin C. Galbreath. Pp. 281-284, 1 figure in text. August 16, 1948.
 18. A new species of heteromyid rodent from the Middle Oligocene of northeast Colorado with remarks on the skull. By Edwin C. Galbreath. Pp. 285-300, 2 plates. August 16, 1948.
 19. Speciation in the Brazilian spiny rats (Genus *Proechimys*, Family *Echimyidae*). By João Moojen. Pp. 301-406, 140 figures in text. December 10, 1948.
 20. Three new beavers from Utah. By Stephen D. Durrant and Harold S. Crane. Pp. 407-417, 7 figures in text. December 24, 1948.
 21. Two new meadow mice from Michoacán, México. By E. Raymond Hall. Pp. 423-427, 6 figures in text. December 24, 1948.
 22. An annotated check list of the mammals of Michoacán, México. By E. Raymond Hall and Bernardo Villa-R. Pp. 431-472, 2 plates, 1 figure in text. December 27, 1949.
 23. Subspeciation in the kangaroo rat, *Dipodomys ordii*. By Henry W. Setzer. Pp. 423-573, 27 figures in text, 7 tables. December 27, 1949.
 24. Geographic range of hooded skunk, *Mephitis macroura*, with description of a new subspecies from Mexico. By E. Raymond Hall and Walter W. Dalquest. Pp. 575-580, 1 figure in text. January 20, 1950.
 25. *Pipistrellus cinnamomeus* Miller 1902 referred to the genus *Myotis*. By E. Raymond Hall and Walter W. Dalquest. Pp. 581-590, 5 figures in text. January 20, 1950.
 26. A synopsis of the American bats of the genus *Pipistrellus*. By E. Raymond Hall and Walter W. Dalquest. Pp. 591-602, 1 figure in text. January 20, 1950.
- Index pp. 605-638.

INDEX TO VOLUME 1

New systematic names are in **boldface** type

Quick Jump Menu

[A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#)

[N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [Y](#) [Z](#)

A

- absonus, *Thomomys bottae*, 71
- acadicus, *Aegolius*, 204
- Acanthis flammea flammea*, 211
- acanthopus*, *Hoplopleura*, 141
- Accipiter*,
 - cooperi*, 198
 - gentilis*, 198
 - striatulus*, 198
 - striatus*, 198
 - velox*, 198
- Acris crepitans*, 104
- Actitis macularia*, 201
- acuta*, *Anas*, 197
- acutipennis*, *Chordeiles*, 186
- acutus**, *Liomys irroratus*, 253, 455
- adocetus*, *Citellus adocetus*, 450
- Aechmophorus occidentalis*, 196
- aëdon*, *Troglodytes*, 207
- Aegolius*,
 - acadicus*, 204
 - funereus*, 203
 - richardsoni*, 203
- aegypticus*, *Trionyx*, 122
- Aëronautes saxatalis saxatalis*, 204
- affinis*, *Aythya*, 198
- Agelaius phoeniceus*, 168
- agilis*,
 - Dipodomys*, 477
 - Dipodops*, 477
- Agkistrodon mokeson*, 111
- agrestis*, *Microtus*, 142
- Agropyron repens*, 133
- Aix sponsa*, 197
- alascensis*, *Calcarius lapponicus*, 191, 212
- Alaska,
 - hermit thrush, 208
 - longspur, 191, 212
 - three-toed woodpecker, 205
- alba*,
 - Melilotus*, 133
 - Tyto*, 263
- albeola*, *Glaucionetta*, 198
- albescens*, *Myotis*, 239
- albicaudatus*, *Thomomys bottae*, 37
- albicollis*, *Zonotrichia*, 212
- albifrons*,
 - Anser*, 197
 - Petrochelidon pyrronota*, 206
- albipes*, *Sciurus*, 450
- albispinosus*, *Echimys*, 390
- albispinus*,
 - Echimys*, 388
 - Proechimys*, 390
- albiciliatus*, *Phalacrocorax auritus*, 196
- albolaryvatus*, *Dendrocopos*, 205
- Alcántar, Roberto, 435
- Alcorn, J. R., 435
- alcyon*, *Megaceryle*, 204
- alder flycatcher, 187
- Alexander, Annie M., 435
- alexandrae*, *Thomomys bottae*, 72
- alexandri*, *Archilochus*, 204
- alexandrinus*,
 - Charadrius*, 183
 - Rattus rattus*, 468
- alfalfa, 133
- algodonera*, *rata*,
 - leonada*, 465
 - setosa*, 465
- alleni*, *Liomys irroratus*, 253, 455
- almae*, *Hylocichla ustulata*, 188, 208
- alpestris*, *Eremophila*, 205
- alpine three-toed woodpecker, 205
- alticola*,
 - Melospiza lincolni*, 212
 - Vireo solitarius*, 188
- altipetens*, *Lagopus leucurus*, 200
- amátze*, 446
- Ambrosia*,
 - artemisiifolia*, 136
 - trifida*, 134
- Ambystoma*,
 - mavortium*, 103
 - texanum*, 103
 - tigrinum*, 103
- American,
 - bittern, 196
 - coot, 200
 - golden-eye, 198
 - hawk owl, 203
 - magpie, 206
 - merganser, 198
 - pintail, 197
 - raven, 206
 - redstart, 210
 - rough-legged hawk, 199
- americana*,
 - Aythya*, 197
 - Fulica*, 168, 200
 - Glaucionetta*, 198
 - Mareca*, 197
 - Recurvirostra*, 201
- arabupu**, *Proechimys*, 369
- arborea*, *Spizella*, 212
- arboricola*, *ardilla*, 450, 451
- Archilochus alexandri*, 204
- arctic,
 - horned owl, 203
 - three-toed woodpecker, 205
 - towhee, 211
- arcticus,
 - Picoïdes*, 205
 - Pipilo maculatus*, 211
- Ardea*,
 - americanus*,
 - Bufo*, 103
 - Coccyzus*, 202
 - Mergus merganser*, 198
 - Numenius*, 183, 201
 - Ammodramus*,
 - pratensis*, 191
 - savannarum*, 168, 191
 - amoena*,
 - Carphophis*, 107
 - Passerina*, 210
 - amoenissima*, *Polioptila caerulea*,

208
amphichoricus, *Proechimys*, 344
Amphispiza,
 belli, 212
 nevadensis, 212
Amyda,
 cartilagineus, 122
 ferox, 120
 mutica, 112, 119
 sinensis, 119
 spinifera, 112, 119
 steindacheneri, 119
analogus,
 Baiomys taylori, 460
 Peromyscus taylori, 460
Anas,
 acuta, 197
 carolinensis, 197
 cyanoptera, 197
 discors, 168, 197
 platyrynchos, 197
 strepera, 197
 tzitzihua, 197
anatum, *Falco peregrinus*, 199
Andropogon furcatus, 132
angustifrons, *Spilogale angustifrons*,
447
angustirostris,
 Cratogeomys, 452
 Platygeomys, 452
annectens, *Cyanocitta stelleri*, 206
annua, *Poa*, 133
Anser albifrons, 197
anthracinus, *Eumeces*, 87
Anthus,
 pacificus, 188, 208
 spinoletta, 188, 208
angulatus, *Tayassu*, 469
aparine, *Galium*, 133
apásr, 447
apatze, 446
apatzee, 447
Aphelocoma,
 coerulescens, 206
 woodhousei, 206
Apodemus sylvaticus, 142
apus, *Pipistrellus hesperus*, 597
aquaticus, *Scalopus*, 137
Aquila,
 canadensis, 199
 chrysaetos, 199

auduboni,
 Dendroica, 209
 Hylocichla guttata, 208
aura, *Cathartes*, 198
aureiventris, *Thomomys bottae*, 28
aureus, *Thomomys bottae*, 61
auritus,
 Colymbus, 196
 Phalacrocorax, 196
aurocapillus, *Seiurus*, 189
australis, *Pipistrellus hesperus*, 597
avocet, 201
Aythya,
 affinis, 198
 americana, 197
 collaris, 197
 marila, 198
 valisineria, 197

B

baileyi, *Myotis*, 587
Baiomys,
 analogus, 460

herodias, 196
treganzai, 196
ardilla,
 arboricola, 450, 451
 de pedregal, 449
arescens, *Proechimys*, 366
argentatus,
 Larus, 202
 Myotis, 239
Aristada oligantha, 132
arizonae, *Spizella passerina*, 212
armadillo, 470
arnyi, *Diadophis punctatus*, 107
arrocera,
 pigmea, *rata*, 465
 tropical, *rata*, 464
artemisiae, *Molothrus ater*, 210
artemisiifolia, *Ambrosia*, 136
Articholaelaps,
 glasgowi, 142
 sigmodoni, 142
Artibeus,
 hirsutus, 442
 planirostris planirostris, 442
artichoke, *Jerusalem*, 135
arvensis, *Sonchus*, 136
Arvey, M. Dale, a check-list of birds of
 Idaho, 195
Ascoschöngastia brevipes, 143
aserriensis, *Chordeiles minor*, 186
ash-throated flycatcher, 186, 205
Asio,
 flammeus, 203
 otus, 203
 wilsonianus, 203
asio, *Otus*, 203
astutus, *Bassariscus*, 447
Asyndesmus lewis, 204
Atalapha mexicana, 444
ater, *Molothrus*, 210
atrata, *Leucosticte*, 211
atratus, *Sigmodon hispidus*, 466
atricapillus, *Parus*, 206
attenuatus, *Dipodomys ordii*, 553
Audubon,
 hermit thrush, 208
 warbler, 209

Beals, Ralph L., 435
belli, *Amphispiza*, 212
bellii, *Chrysemys picta*, 112
Bendire crossbill, 211
bendirei,
 Falco columbarius, 199
 Loxia curvirostra, 211
Bent crossbill, 211
benti, *Loxia curvirostra*, 211
bernicla, *Branta*, 197
bicolor,
 Iridoprocne, 206
 Perisoreus canadensis, 206
big,
 brown bat, 444
 leaf-nosed bat, 442
birdseyi, *Thomomys bottae*, 63
bistincta, *Hyla*, 261
bittern, *American*, 196
black,
 rat, 468
 snake, 108

musculus, 460
 taylori, 460
 Baird sandpiper, 184
 bairdii, *Erolia*, 184
 Balantiopteryx plicata, 440
 bald eagle, 199
 baldpate, 197
 baileyi, *Castor canadensis*, 410
 banderanus, *Peromyscus*
 banderanus, 463
 band-tailed pigeon, 202
 bank swallow, 206
 barn,
 owl, 203
 swallow, 206
 Barrow golden-eye, 198
 bassanus, *Morus*, 180
 Bassariscus,
 astutus, 447
 consitus, 447
 bat,
 big brown, 444
 big leaf-nosed, 442
 brown, big, 444
 cave, 443
 free-tailed, Mexican, 445
 hoary, 445
 long-eared, 445
 long-tongued, 440, 441
 leaf-nosed, 441, 442
 mastiff, 445
 new from Mexico, 239
 red, 444
 sac-winged, 440
 vampire, 443
 Yuma, 443
 Batchelder woodpecker, 205

 bombifrons, *Scaphiopus*, 103
 Bombycilla,
 cedrorum, 208
 garrulus, 208
 pallidiceps, 208
 Bonasa,
 incanus, 200
 phaia, 199
 umbelloides, 199
 umbellus, 199
bonnevillei, *Thomomys bottae*, 41
 booby, red-footed, 180
 Borbolla, Prof. Daniel Rubin F. de la,
 435
 borealis,
 Lasiurus, 444
 Nuttallornis, 205
 Botaurus lentiginosus, 196
 bottae, *Thomomys*, 28
 box turtle, 111
 boylei, *Peromyscus*, 461
 boylii, *Peromyscus*, 461
 brachycephala, *Rana pipiens*, 104
 brachyrynchos, *Corvus*, 206
 Branta,
 bernicla, 197
 canadensis, 196
 canadensis hutchinsii, 182
 hutchinsii, 182, 197
 leucopareia, 197
 moffitti, 196
 nigricans, 197
 occidentalis, 196
 Brazilian spiny rats, 303
 breñero, ratón, 461

tern, 202
 black-billed cuckoo, 202
 black-bellied plover, 200
 black-capped chickadee, 206
 black-chinned hummingbird, 204
 black-eared,
 deer mouse, 464
 nuthatch, 207
 black-headed,
 jay, 206
 snake, 110
 black-necked stilt, 201
 black-throated gray warbler, 209
 blackbird,
 Brewer, 210
 yellow-headed, 210
 blackish mouse, 463
 Blarina,
 brevicauda, 137
 pergracilis, 440
 blue,
 grouse, 199
 heron, 196
 racer, 107
 blue-winged teal, 168
 bluebird,
 mountain, 208
 western, 208
 bluegrass, 132
 bluejoint, 132
 bob-white, Texas, 200
 bobcat, 449
 bobolink, 210
 Bohemian waxwing, 208
 boimensis, *Proechimys*, 350
 bolivianus, *Proechimys*, 316
bonafidei, *Proechimys*, 378
 Bonaparte gull, 202

brooksi, *Hesperiphona vespertina*, 210
 brown,
 bat, big, 444
 thrasher, 168
 brunnescens, *Lophortyx californica*,
 200
 brush mouse, 461
 Bubo,
 lagophonus, 203
 occidentalis, 203
 pacificus, 166
 virginianus, 159, 203
 wapacuthu, 203
 buccinator, *Cygnus*, 196
 Buenrostro, Sr. Efrain, 435
 buffle-head, 198
 Bufo,
 americanus, 103
 cognatus, 95, 104
 compactilis, 96
 woodhousii, 104
 bulbivorus, *Thomomys talpoides*, 3
 bull snake, 108
 bullfrog, 104
 Bullock oriole, 210
 bullocki, *Icterus*, 210
 bunting,
 eastern snow, 213
 lark, 211
 lazuli, 210
 snow, 213
 burrowing owl, 203
 burrus, *Proechimys*, 316
 bursarius, *Geomys*, 222
 bush-tit, lead-colored, 207

Breukeleman, John and Hobart M.
 Smith, selected records of reptiles
 and amphibians from Kansas, 103
brevicauda,
 Blarina, 137
 Proechimys, 349
breviceps, Geomys, 219
brevipes, *Ascoschönagastia*, 143
 Brewer,
 blackbird, 210
 sparrow, 212
breweri, *Spizella*, 212
 Brewster,
 egret, 196
 screech owl, 203
brewsteri,
Leucophoyx thula, 196
 Otus asio, 203
 broad-tailed hummingbird, 204
 broad-winged hawk, 198
 brome, smooth, 133
 Bromus,
 carinatus, 133
 inermis, 133
 bronzed grackle, 168

calendula, *Regulus*, 208
calidior, *Proechimys*, 316
 California,
 cuckoo, 202
 gull, 202
 murciélago, 444
 myotis, 444
 pygmy owl, 203
 shrike, 209
californica, *Lophortyx*, 200
californicum, *Glaucidium gnoma*,
 203
californicus,
Colymbus nigricollis, 196
Geococcyx, 184
Larus, 202
Microtus, 142
Myotis, 444
calligaster, *Lampropeltis*, 108
calliope,
 hummingbird, 204
Stellula, 204
callotis, *Lepus*, 469
calurus, *Buteo jamaicensis*, 198
Canachites franklinii, 199
 Canada goose, 196
canadensis,
Aquila chrysaëtos, 199
Branta, 182, 196
 Castor, 409
Grus, 200
Perisoreus, 206
Sitta, 207
canescens,
 Cafer cafer, 204
Didelphis (Micoureus), 439
Marmosa, 439
caniceps, *Junco*, 212
canicollis, *Proechimys*, 315
 Canis,
 cagottis, 449
 latrans, 449
cantabrigensis, *Rana sylvatica*, 104
 canvas-back, 197
 canyon wren, northern, 207

Buteo,
calurus, 198
jamaicensis, 198
lagopus, 199
lineatus texanus, 183
platypterus, 198
regalis, 199
s[ancti]-johannis, 199
swainsoni, 199
texanus, 183

C

cacomixtle, 447
caerulea, *Polioptila*, 208
 Cafer,
 cafer, 204
canescens, 204
collaris, 204
cafer, *Colaptes*, 204
cagottis,
Canis latrans, 449
Lyciscus, 449
cajennensis, *Echinomys*, 387
Calamospiza melanocorys, 211
Calaveras warbler, 209
 Calcarius,
alascensis, 191, 212
lapponicus, 191, 212

[\[Index\]](#)

Carpodacus,
 cassinii, 210
 mexicanus, 210
 solitudinis, 210
Carphophis,
 amoena, 107
 vermis, 107
cartilagineus, *Amyda*, 122
casero, ratón, 468
caspia, *Hydroprogne*, 202
 Caspian tern, 202
Cassiar junco, 191
Cassidix,
 mexicanus, 190
 prosopidicola, 190
 Cassin,
 purple finch, 210
 vireo, 209
cassinii,
Carpodacus, 210
Vireo solitarius, 209
 Castor,
 baileyi, 410
canadensis, 409
 concisor, 410
duchesnei, 413
 frondator, 409
pallidus, 409
rostralis, 411
 taylori, 410
 repentinus, 409
 cat, ring-tailed, 447
 catbird, western, 207
catenatus, *Sistrurus*, 111
catenifer, *Pituophis*, 108
catesbeiana, *Rana*, 104
Cathartes aura teter, 198
 Catherpes,
 griseus, 207
 mexicanus, 207
Catoptrophorus,
 inornatus, 201
 semipalmatus, 201
caurina,
Certhia familiaris, 2-7

[Pg 609]

caparoch, *Surnia ulula*, 203
 Capella,
 delicata, 201
 gallinago, 201
 Cardenas, General Lazaro, 435
 carilargo, *murciélago*, 441
 carinatus, *Bromus*, 133
 carissima, *Myotis lucifugus*, 585
 carolina, Porzana, 168, 200
 carolinense, *Solanum*, 135
 carolinensis,
 Anas, 197
 Dumetella, 207
 Pandion haliaetus, 199
 Sitta, 207
 Vesperugo, 599

 Certhia,
 caurina, 207
 familiaris, 207
 Chaetura, *vauxi*, 204
 chaparral, ratón de, 461
 chapmani,
 Cricetodipus, 536
 Dipodomys ordii, 536
 Perodipus, 536
 Charadrius,
 alexandrinus, 183
 hiaticula, 183
 nivosus, 183
 semipalmatus, 183
 tenuirostris, 183
 vociferus, 200
 wilsonia, 184
 chat,
 long-tailed, 209
 yellow-breasted, 189
 Chelonia, 284
 Chelydra, 284
 serpentina, 111
 Chen,
 hyperborea, 197
 rossi, 197
 Cherrie nighthawk, 186
 cherriei, *Proechimys*, 316
 chestnut-backed chickadee, 207
 chickadee,
 black-capped, 206
 chestnut-backed, 207
 Columbian black-capped, 206
 chipping sparrow, 212
 chiriquinus, *Proechimys*, 316
 Chlidonias,
 nigra, 202
 surinamensis, 202
 Chlorura *chlorura*, 211
 chlorura, *Chlorura*, 211
 Choeronycteris *mexicanus*, 441
 Chondestes,
 grammacus, 191, 211
 strigatus, 191, 211
 Chordeiles,
 acutipennis, 186
 aserriensis, 186
 hesperis, 204
 howelli, 185
 minor, 185, 186, 204
 sennetti, 186
 texensis, 186
 chrysaëolus, *Proechimys*, 316
 chrysaëtos, *Aquila*, 199
 Chrysemys,
 bellii, 112
 limnodytes, 269
 Megaceryle alcyon, 204
 caurinus, *Turdus migratorius*, 208
 cave bat, 443
 cayennensis,
 Echimys, 351
 Proechimys, 314
 cedar waxwing, 208
 cedrorum, *Bombycilla*, 208
 celata, *Vermivora*, 209
 celeripes, *Dipodomys ordii*, 549
 centralis,
 Proechimys, 316
 Thomomys bottae, 44
 Centrocercus urophasianus, 200
 Cercomys, 321

 Cinclus,
 mexicanus, 207
 unicolor, 207
 cinderensis, *Dipodomys ordii*, 540
 cineraceus,
 Dipodomys ordii, 550
 Regulus calendula, 208
 cinereoargenteus, *Urocyon*, 448
 cinereus, *Lasiurus cinereus*, 445
 cinnamomea, *Tringa solitaria*, 201
 cinnamomeus,
 Mus, 392
 Myotis, 585
 Pipistrellus, 593
 Pipistrellus, referred to the genus
 Myotis, 583
 Vespertilio, 585
 Circus,
 cyaneus, 199
 hudsonius, 199
 cismontanus, *Junco hyemalis*, 191, 212
 Citellus,
 adocetus, 450
 tridecimlineatus, 143
 variegatus, 449
 clangula, *Glaucionetta*, 198
 Clark nutcracker, 206
 cleavers, 133
 Clethrionomys *glareolus*, 142
 cliff swallow, 164, 206
 clover, 132
 clusius, *Thomomys*, 17
 clypeata, *Spatula*, 197
 Cnemidophorus *sexlineatus*, 106
 coachwhip, 108
 coats, 446
 Coccozyus,
 americanus, 202
 erythropthalmus, 202
 occidentalis, 202
 coeruleascens, *Aphelocoma*, 206
 cognatus, *Bufo*, 95, 104
 cola blanca, venado, 470
 colchicus, *Phasianus*, 200
 colimensis, *Urocyon cinereoargenteus*,
 448
 Colinus,
 texanus, 200
 virginianus, 200
 colirugosa, *murciélago*, 444
 collared,
 lizard, 105
 peccary, 469
 collaris,
 Aythya, 197
 Cafer cafer, 204
 Crotaphytus, 105

picta, 112, 270
 timida, 272
 chrysopsis, *Reithrodontomys*, 459
 cinarascens, *Myiarchus*, 186, 205

 coludo, murciélago, 445
 Columba,
 fasciata, 202
 livia, 168
 columbarius, *Falco*, 199
 Columbian,
 black-capped chickadee, 206
 sharp-tailed grouse, 200
 columbiana, *Nucifraga*, 206
 columbianus,
 Cygnus columbianus, 196
 Cricetodipus ordii, 544
 Dipodomys ordii, 544
 Pedioecetes phasianellus, 200
 Perodipus ordii, 544
 Columbigallina passerina pallescens,
 185
 Colymbus,
 auritus, 196
 californicus, 196
 grisegena, 196
 holbollii, 196
 nigricollis, 196
 comadreja, 447
 common,
 redpoll, 211
 rock wren, 207
 tern, 202
 comosa, *Falcata*, 135
 compactilis, *Bufo*, 96
 compactus,
 Dipodomys ordii, 515
 Cricetodops, 515
 Perodipus, 515
 concisor, *Castor canadensis*, 410
 conejo,
 de Florida, 468
 México, 469
 Conepatus,
 mesoleucus, 448
 nelsoni, 448
 tropicalis, 577
 confinis, *Poecetes gramineus*, 211
 consitus, *Bassariscus astutus*, 447
 constrictor, *Coluber*, 107
Contopus richardsonii richardsonii,
 205
 contortrix, *Heterodon*, 107
contractus, *Thomomys bottae*, 50
 convexus, *Thomomys bottae*, 47
Convulvulus sepium, 135
 Cooper hawk, 198
 cooperi, *Synaptomys*, 130
 cooperii, *Accipiter*, 198
 coot, 168
 American, 200
 copperhead, 111
 corax, *Corvus*, 206
 cormorant, Farallon, 196
 cornutum, *Phrynosoma*, 106
 coromandelicus, *Trionyx*, 122
Corrodopsylla hamiltoni, 140

colombianus, *Proechimys*, 316
Coluber,
 constrictor, 107
 flaviventris, 107

Corvus,
 brachyrhynchus, 206
 corax, 206
 hesperis, 206
 sinuatus, 206
Corynorhinus,
 macrotis, 445
 megalotis, 445
 mexicanus, 445
 pallescens, 445
 rafinesquii, 445
 cotton rat,
 fulvous, 465
 hispid, 465
 cottontail,
 Florida, 468
 Mexican, 469
 couesi, *Oryzomys*, 464
 cowbird, Nevada, 210
 coyote, 449
 crabgrass, 132
 Crane, Harold S., Stephen D. Durrant
 and, Three new beavers from Utah,
 409
 crane, sandhill, 200
Cratogeomys, 219
 angustirostris, 452
 gymnurus, 252, 452
 imparilis, 452
 varius, 453
 creeper, northwestern, 207
 crepitans, *Acris*, 104
Cricetodipus,
 chapmani, 536
 columbianus, 544
 compactus, 515
 longipes, 556
 ordii, 530
 palmeri, 562
 sennetti, 517
Crocethia, 201
 alba, 201
 crossbill,
 Bendire, 211
 Bent, 211
 white-winged, 211
 red, 211
Crotalus,
 horridus, 111
 viridus, 111
Crotaphytus collaris collaris, 105
 crow, western, 206
 crucifer, *Hyla*, 88
 crusgalli, *Echinochloa*, 134
Cryptotis,
 parva, 137
 pergracilis pergracilis, 440
Ctenophthalmus pseudagyrtes, 140
 cuatralvo, ratón, 461
 Cuban snowy plover, 183
 cùchjerámba, 469

[Pg 611]

cuckoo,
 black-billed, 202
 California, 202
 cuitziqui, 448

Dendragapus,
 obscurus, 199
 pallidus, 199
 richardsonii, 199
Dendroica,

[Pg 612]
[\[Index\]](#)

cumihuatz, 448
 cúmu, 451, 452, 453
 cuiniqui, 450
 cunicularia, Speotyto, 203
 cupidineus, Dipodomys ordii, 561
 Cupidinius, 480
 nebraskensis, 483
 curlew,
 long-billed, 183, 201
 northern, 201
 northern long-billed, 183
 currucoides, Sialia, 208
 curtatus, Pipilo maculatus, 211
 curvirostra, Loxia, 211
 cyaneus, Circus, 199
 cyanocephalus,
 Euphagus, 210
 Gymnorhinus, 206
 Cyanocitta,
 annectens, 206
 stelleri, 206
 cyanoptera, Anas, 197
 Cygnus,
 buccinator, 196
 columbianus, 196

D

Dalquest, Walter W., 259
 Dalquest, Walter W., and E.
 Raymond Hall, A new bat (genus
 Myotis) from Mexico, 237
 A synopsis of the American bats of
 the genus Pipistrellus, 591
 Geographic range of the hooded
 skunk, Mephitis macroura, with
 description of a new subspecies
 from Mexico, 575
 Pipistrellus cinnamomeus Miller
 1902 referred to the genus
 Myotis, 581
 Tadarida femorosacca (Merriam) in
 Tamaulipas, Mexico, 245
 dandelion, 134
 dasycnemus, Doratopsylla, 140
 Dasypus, novemcinctus, 470
 mexicanus, 470
 decumans, Proechimys, 316
 deer, white-tailed, 470
 deermouse, 461
 delawarensis, Larus, 202
 delicata, Capella gallinago, 201
 Dendrocopos,
 albolarvatus, 205
 leucurus, 205
 monticola, 204
 pubescens, 205
 villosus, 204

Dipodomys—*Concluded*

longipes, 556
 luteolus, 533
 margaritae, 496
 marshalli, 551
medius, 519
 merriami, 496
 microps, 477
 minor, 482
 mitchelli, 496
 mohavensis, 489
 monoensis, 528
 morroensis, 489, 496
 nelsoni, 496
 nexilis, 559
 nitratoides, 496
 obscurus, 521

auduboni, 209
 petechia, 209
 morcomi, 209
 nigrescens, 209
 townsendi, 209
denigratus, Proechimys, 381
 densiflorum, Lepidium, 133
 Dermacentor variabilis, 143
 desert house finch, 210
 deserti, Dipodomys deserti, 65
 Desmodus,
 murinus, 443
 rotundus, 443
 Diadophis,
 arnyi, 107
 punctatus, 107
 Dichromanassa rufescens, 181
 Didelphis,
 canescens, 439
 mesamericana, 439
 pigra, 439
 texensis, 439
 virginiana, 439
 Digitaria ischaemum, 132
 dimidiatus,
 Echimys, 371
 Proechimys, 371
 dioica, Gymnocladus, 134
 Dipodomys, 480
 Dipodomys,
 agilis, 477
 attenuatus, 553
 celeripes, 549
 chapmani, 536
 cinaraceus, 550
 cinderensis, 540
 cleomophila, 556
 columbianus, 544
 compactus, 515
 cupidineus, 561
 deserti, 65, 496
 elator, 496
 elephantinus, 496
 evexus, 518
extractus, 534
 fetusus, 541
 fremonti, 524
fuscus, 555
 gidleyi, 482
 heermanni, 496
idoneus, 546
 inaquosus, 552
 ingens, 496
 insularis, 496
 kansensis, 481
 levipes, 489

duchesnei, Castor canadensis, 413

duck,
 lesser scaup, 198
 greater scaup, 198
 harlequin, 198
 hawk, 199
 masked, 182
 ring-necked, 197
 ruddy, 198
 scaup, 198
 western harlequin, 198
 wood, 197
 Dumetella,
 carolinensis, 207
 ruficrissa, 207
 Durrant, Stephen D.,
 The pocket gophers (genus Thomomys)

[\[Index\]](#)

[Pg 613]

oklahomae, 514
ordii, 530
ornatus, 496
pallidus, 558
palmeri, 562
panamintinus, 496
panguitchensis, 496
perotensis, 496
perplexus, 489
phillipsi, 496
platycephalus, 496
priscus, 547
richardsoni, 511
sanrafaeli, 526
santiluciae, 489
sennetti, 517
spectabilis, 496
stephensi, 496
terrosus, 523
utahensis, 543
venustus, 496
Dipodops,
 agilis, 477
 ordii, 530
dipper, 207
Diprionomys, 482
discors, Anas, 168, 197
dispersal of kangaroo rats, 498
dissimilis, Thomomys bottae, 60
Dolichonyx oryzivorus, 210
domesticus, Passer, 210
dominica,
 Oxyura, 182
 Pluvialis, 184, 200
dorado, ratón, 459
Doratopsylla dasyncnemus, 140
dorsalis, Picoïdes tridactylus, 205
dove,
 ground, 185
 Mexican ground, 185
 mourning, 168, 202
 rock, 168
 western mourning, 202
dowitcher, long-billed, 201

elegans—*Concluded*
 Proechimys, 387
 Pseudemys scripta, 112
Emory rat snake, 108
emoryi, Amyda, 119
Empidonax,
 brewsteri, 205
 flaviventris, 186
 griseus, 205
 hammondi, 205
 minimus, 187
 traillii, 187
 wrighti, 205
emydid turtle, extinct from lower
Pliocene of Oklahoma, 269
English sparrow, 210
enucleator, Pinicola, 210
episcopa, Sonora, 109
Epitedia wenmanni, 140
Eptesicus,
 fuscus, 444
 miradorensis, 444
Ereunetes mauri, 201
Erolia,
 bairdii, 184
 melanotos, 201
 minutilla, 201
erythrodractylus, Vespertilio, 599

 of Utah, 3
 Three new beavers from Utah, 409
dusky horned lark, 205
dutcheri, Geomys breviceps, 224
dwarf wood rat, 467

E

eagle,
 bald, 199
 golden, 164, 199
 northern bald, 199
eared grebe, 196
eastern,
 kingbird, 205
 nighthawk, 185
 snow bunting, 213
 sparrow hawk, 199
Echimyidae, 303
Echimys,
 albispinosus, 390
 albispinus, 369
 brevicauda, 349
 cayennensis, 351
 dimidiatus, 371
 elegans, 387
 macrourus, 315
 myosuros, 351
 setosus, 385
 trinitatis, 333
Echinochloa cruscgalli, 134
Echinomys,
 cajennensis, 387
 fuliginosus, 385, 390
 leptosoma, 392
 myosuros, 392
Ectopistes migratorius, 202
egret,
 Brewster, 196
 reddish, 181
Elaphe,
 laeta, 108
 obsoleta, 108
elasson, Gavia immer, 195
elegans,
 Echimys, 387
 Loncheres, 351
 mexicanus, 199
 peregrinus, 199
 sparverius, 199
falcon, prairie, 199
fallax, Melospiza melodia, 212
familiaris, Certhia, 207
Farallon cormorant, 196
fasciata, Columba, 202
fasciatus,
 Eumeces, 106
 Nosopsyllus, 140
 Picoïdes tridactylus, 205
fedoa, Limosa, 184, 201
femorosacca, Tadarida, range of, 247
ferox, Amyda, 120
ferruginea, Neotoma, 467
ferruginosa, rata, 467
ferruginous wood rat, 467
fetus, Dipodomys ordii, 541
finch,
 black rosy, 211
 Cassin purple, 210
 desert house, 210
 gray-crowned rosy, 211
 Hepburn rosy, 211
 house, 210
 purple, 210
 rosy, 211

[\[Index\]](#)

[Pg 614]

erythrogaster,
 Hirundo rustica, 206
 Natrrix, 109
 erythroptalmus, Coccyzus, 202
 erythrorhynchus, Pelecanus, 196
 escuinapae, Lynx rufus, 449
 espinoso, ratón, 454
 Eulaelaps stabularis, 142
 Eumeces,
 anthracinus, 87
 fasciatus, 106
 obsoletus, 106
 pluvialis, 87
 septentrionalis, 106
 Eumops,
 underwoodi, 445
 sonoriensis, 446
 Euphagus cyanocephalus, 210
 European partridge, 200
 Eurycea,
 longicauda, 88
 lucifuga, 88
 melanopleura, 88
 evening grosbeak, 210
 evexus, Dipodomys ordii, 518
 evides, Peromyscus boylii, 461
 excubitor, Lanius, 209
eximius, Mephitis macroura, 579
extractus, Dipodomys ordii, 534

F

Falcata comosa, 135
 Falco,
 anatum, 199
 bendirei, 199
 columbarius, 199

 Forster tern, 202
 forsteri, Sterna, 202
 fortidens, Myotis, 585, 586
 fortis, Agelaius phoeniceus, 210
 fortuitus, Parus atricapillus, 206
 fossor, Thomomys talpoides, 21
 fox,
 squirrel, 168
 sparrow, slate-colored, 212
 foptail, 132
 Franklin,
 grouse, 199
 gull, 202
 franklinii, Canachites, 199
 fraterna, Rectofrontia, 140
 free-tailed bat, Mexican, 445
 fremonti, Dipodomys ordii, 524
 frenata, Mustela, 447
 frenatus, Putorius, 447
 frentuda, rata monterana, 467
 fringe-tailed myotis, 444
 frog,
 bull, 104
 cricket, 104
 leopard, 104
 northern cricket, 104
 wood, 104
 frondator, Castor canadensis, 409
 Fulica americana, 168, 200
 fulcarius, Phalaropus, 202
 fuliginosus,
 Echinomys, 385, 390
 Proechimys, 308
 fulva, Pluvialis dominica, 200
 fulvescens,
 Oryzomys, 465
 Reithrodontomys, 457
 fulviventor, Microtus mexicanus, 425

fisheri, Thomomys quadratus, 6
 five-lined skink, 106
 flagellum, Masticophis, 108
 flammea, Acanthis, 211
 flammeolus, Otus, 203
 flammeus, Asio, 203
 Flammulated screech owl, 203
 flavescens, Kinosternum, 111
 flavipes, Totanus, 201
 flaviventris,
 Coluber constrictor, 107
 Empidonax, 186
 flicker, red-shafted, 204
 Florentiamys, 289
 Florida,
 conejo, 468
 cottontail, 468
 floridana, Pseudemys, 112
 floridanus, Sylvilagus, 168, 468
 flycatcher,
 alder, 187
 ash-throated, 186, 205
 gray, 205
 Hammond, 205
 least, 187
 little, 205
 olive-sided, 205
 scissor-tailed, 186
 vermilion, 187
 Wright, 205
 yellow-bellied, 186
 forficata, Muscivora, 186
 formicorum, Mookomys, 481

[\[Index\]](#)

Pliocene and Pleistocene records of
 fossil turtles from Western Kansas
 and Oklahoma, 283
 Galium aparinae, 133
 gallinago, Capella, 201
 Gambel sparrow, 212
 gambeli,
 Lanius ludovicianus, 209
 Parus, 206
 Zonotrichia leucophrys, 212
 garmani, Sceloporus undulatus, 106
 garrulus, Bombycilla, 208
 garter snake, 110
 garter snakes, hybridization, 99
 gato del monte, 449
 Gavia,
 elasson, 195
 immer, 195
 stellata, 195
 gentilis,
 Accipiter, 198
 Lampropeltis triangulum, 109
 Geococcyx californicus, 184
 Geomys,
 breviceps, 219
 bursarius, 222
 dutcheri, 224
 hylaeus, 234
 illinoensis, 224
industrius, 226
 jugossicularis, 226
 llanensis, 234
 levisagittalis, 234
 lutescens, 222
 major, 229
 majusculus, 223
 vinaceus, 234
 georgianus, Scotophilus, 599

[Pg 615]

fulvous,
 cotton rat, 465
 rice rat, 465
 fulvus, Thomomys, 61
fundatus, *Microtus mexicanus*, 425,
 467
 funereus, *Aegolius*, 203
 furcatus, *Andropogon*, 132
 furvior, *Seiurus aurocapillus*, 189
 fusca, *Melanitta*, 198
 fuscescens, *Hylocichla*, 188, 208
 fusco, murciélago, 444
fuscus, *Dipodomys ordii*, 555
 fuscus, *Eptesicus*, 444
Eptesicus, 444

G

gadwall, 197
 Galbreath, Edwin C.,
 A new extinct emydid turtle from
 the lower Pliocene of Oklahoma,
 269
 A new species of heteromyid rodent
 from the middle Oligocene of
 northeast Colorado with remarks
 on the skull, 289

godwit
 Hudsonian, 201
 marbled, 184, 201
 goeldi, *Proechimys*, 338
 golden,
 eagle, 164, 199
 plover, Pacific, 200
 golden-crowned kinglet, 208
 golden-eye,
 American, 198
 Barrow, 198
 goldfinch, pale, 211
 goldmani,
Nelsonia, 467
Proechimys, 316
 goose,
 cackling, 197
 Canada, 196
 Great Basin Canada, 196
 Hutchins cackling, 182, 197
 lesser Canada, 197
 lesser snow, 197
 Ross, 197
 snow, lesser, 197
 white-cheeked, 196
 white-fronted, 197
 gopher, pocket, 451, 452, 453
 Gopherus, 184
 gorgonae, *Proechimys*, 316
 goshawk, western, 198
 gracilis,
Tantilla, 110
Thomomys talpoides, 6
 grackle,
 bronzed, 168
 Mesquite great-tailed, 190
 grahami, *Natrix*, 109
 gramineus, *Poocetes*, 211
 granosa, *Trionys*, 122
 grasshopper sparrow, 168, 191
gratiosus, *Proechimys*, 379
 gratus, *Peromyscus truei*, 462
 gray,
 fox, 448
 oven-bird, 189
 owl, 203
 titmouse, 207

getulus, *Lampropeltis*, 109
 giant ragweed, 134
 glareolus, *Clethrionomys*, 142
 glasgowi, *Articholaelaps*, 142
 glass-snake lizard, 106
 Glaucidium,
 californicum, 203
 gnoma, 203
 Glaucionetta,
 albeola, 198
 americana, 198
 clangula, 198
 islandica, 198
 Glossophaga,
 leachii, 440
 soricina, 440
 glossy ibis, 181, 196
 gnatcatcher, western, 208
 gnoma, *Glaucidium*, 203

[\[Index\]](#)

horned, 196
 pied-billed, 196
 western, 196
 green-tailed towhee, 211
 gregoryi, *Heliscomys*, 481
 Grinnell, 207
 chickadee, 207
 water-thrush, 209
 grinnelli, *Parus gambeli*, 207
 gris, zorro, 448
 grisegena, *Colymbus*, 196
 griseus,
Catherpes mexicanus, 207
Limnodromus, 201
Parus inornatus, 207
 Grison, 437
 grosbeak,
 evening, 210
 pine, 210
 Rocky Mountain, 210
 western evening, 210
 ground snake, 109
 grouse,
 blue, 199
 Columbian, 200
 dusky, 199
 Franklin, 199
 gray ruffed, 199
 hoary ruffed, 199
 Idaho ruffed, 199
 Oregon dusky, 199
 Richardson, 199
 ruffed, 199
 sage, 200
 sharp-tailed, 200
 Grus,
 canadensis, 200
 tabida, 200
 guairae, *Proechimys*, 316
 gularis, *Proechimys*, 316
 gull,
 Bonaparte, 202
 California, 202
 Franklin, 202
 ring-billed, 202
 Thayer, 202
 guttata, *Hylocichla*, 208

[Pg 616]

- gray-headed junco, 212
Great Salt Lake horned lark, 206
great,
 blue heron, 196
 gray owl, 203
 horned owl, 203
 horned owl, postnatal development **H**
 of, 159
 scaup duck, 198
great-tailed grackle, 190
greater yellow-legs, 201
grebe,
 eared, 196
 Holboell, 196
- Hall, E. Raymond, Two new meadow mice from Michoacán, Mexico, 425
Hall, E. Raymond and Bernardo Villa R.,
 A new pocket gopher (*Thomomys*) and a new spiny pocket mouse (*Liomys*) from Michoacán, 249
 An annotated check list of the mammals of Michoacán, México, 431
 Subspeciation in pocket gophers of Kansas, 219
Hall, E. Raymond and Walter W. Dalquest,
 A new bat (genus *Myotis*) from Mexico, 239
 A synopsis of the American bats of the genus *Pipistrellus*, 591
 Geographic range of the hooded skunk, *Mephitis macroura*, with description of a new subspecies from Mexico, 575
 Pipistrellus cinnamomeus Miller 1902 referred to the genus *Myotis*, 581
 Tadarida femorosacca (Merriam) in Tamaulipas, Mexico, 245
Hall,
 Benjamin D., 435
 E. Raymond, 425
 Hubert H., 435
 Mary F., 435
 William Joel, 435
hamiltoni, *Corrodopsylla*, 140
harlequin duck, 198
Harris sparrow, 212
Hatt, Robert T., 436
hawk,
 American rough-legged, 199
 broad-winged, 198
 Cooper, 198
 duck, 199
 eastern sparrow, 199
 marsh, 199
 owl, 203
 pigeon, 199
 red-tailed, 163, 198
 rough-legged, 199
 sharp-shinned, 198
 sparrow, 163, 199
 Swainson, 198
 Texas red-shouldered, 183
 western pigeon, 199
 western red-tailed, 198
Helianthus, *tuberosus*, 135
Heliscomys, 481
 gregoryi, 291, 481
 hatcheri, 291
 senex, 293
- guyannensis, *Proechimys*, 355
Gymnocladus dioica, 134
Gymnorhinus cyanocephalus, 206
gymnurus,
 Cratogeomys, 252, 452
 Platygeomys, 452
- haemastica, *Limosa*, 201
hairy woodpecker, 204
Haldea striatula, 110
Haliaeetus,
 leucocephalus, 199
 washingtoniensis, 199
haliaetus, *Pandion*, 199
- tenuiceps**, 289
 vetus, 293
Helmitheros vermivorus, 189
hendeei, *Proechimys*, 315
hermit thrush, 208
hernandezii, *Procyon lotor*, 446
herodias, *Ardea*, 196
heron,
 black-crowned night, 196
 blue, 196
 great blue, 196
 night, 196
hesperis, *Corvus brachyrhynchos*, 206
hesperomydis, *Hoplopleura*, 141
Hesperiphona,
 brooksi, 210
 vespertina, 210
hesperus,
 Pipistrellus, 596
 Scotophilus, 596
 Vesperugo, 596
Heterodon,
 contortrix, 107
 nasicus, 107
heteromyid rodent, new species from Oligocene of Colorado, 289
Heteromyidae, defined, 480
Heteromys, 289
hiaticula, *Charadrius*, 183
hilda, *Proechimys*, 316
Himantopus mexicanus, 201
himantopus, *Micropalama*, 201
hirsuta, *Hoplopleura*, 141
hirsutus, *Artibeus*, 442
Hirundo,
 erythrogaster, 206
 rustica, 206
hirundo, *Sterna*, 202
hispid cotton rat, 465
hispidus, *Sigmodon*, 137, 138, 465
Histrionicus,
 histrionicus, 198
 pacificus, 198
histrionicus, *Histrionicus*, 198
hoactli, *Nycticorax nycticorax*, 196
hoary bat, 445
Hoffmeister, D. F. and Henry W. Setzer,
 The postnatal development of two broods of great horned owls (*Bubo virginianus*), 157
hog-nosed snake, 107
Holboell grebe, 196
holbollii, *Colymbus grisegena*, 196
holbrookii, *Lampropeltis getulus*, 109
Holbrookia maculata maculata, 105
honeysuckle, 132
hooded skunk, 448
 geographic range of, with description of a new subspecies, 577

[\[Index\]](#)

[Pg 617]

Hoplopleura,
 acanthopus, 141
 hesperomydis, 141
 hirsuta, 141
 horned,
 grebe, 196
 lark, 205
 lizard, 106
 horridus, Crotalus, 111
 horse nettle, 134
 house,
 finch, 210
 mouse, 468
 wren, western, 207
 howardi, Orchopeas, 140
 Howell nighthawk, 185
 howelli,
 Chordeiles minor, 185
 Thomomys bottae, 57
 hoyi, Pseudemys floridana, 112
 hudsonia, Pica pica, 206
 Hudsonian godwit, 201
 hudsonius, Circus cyaneus, 199
 humeralis, Tayassu angulatus, 469
 hummingbird,
 black-chinned, 204
 broad-tailed, 204
 calliope, 204
 rufous, 204
 Hutchins goose, 182
 hutchinsii,
 Branta, 197
 Branta canadensis, 182
 Hutton vireo, 209
 Hydroprogne caspia, 202
 hyemalis, Junco, 191, 212
 Hyla,
 bistrincta, 261
 crucifer, 104
proboscidea, 261
 versicolor, 88
 hylaeus, Geomys bursarius, 234
 Hylatomus,
 picinus, 204
 pileatus, 204
hyleae, Proechimys, 361
 hylocetes, Peromyscus, 462
 Hylocichla,
 almae, 188, 209
 auduboni, 208
 fuscescens, 188, 208
 guttata, 208
 salicicola, 188, 208
 swainsoni, 188
 ustulata, 188, 208
 hyperborea, Chen, 197
 hypugaea, Speotyto cunicularia, 203

I

ibis,
 eastern glossy, 181
 white-faced glossy, 181, 196

juáteanapu, 469
 jugossicularis, Geomys bursarius,
 226
 Junco,
 caniceps, 212
 cismontanus, 191
 hyemalis, 191, 212
 mearnsi, 212
 montanus, 212

Icteria,
 auricollis, 209
 virens, 189, 209
 Icterus bullockii, 210
 Idaho,
 a check-list of birds of, 195
 jay, 206
idoneus, Dipodomys ordii, 546
 ignotus, Proechimys, 316
 iheringi, Proechimys, 373
 iliaca, Passerella, 212
 illinoensis, Geomys bursarius, 224
 immer, Gavia, 195
 imparilis,
 Cratogeomys gymnurus, 452
 Platygeomys gymnurus, 452
 inaquosus, Dipodomys ordii, 552
 incanus, Bonasa umbellus, 200
industrius, Geomys bursarius, 226
 inexpectatus, Reithrodontomys
 fulvescens, 458
 inornatus,
 Catoptrophorus semipalmatus, 201
 Parus, 207
 inermis, Bromus, 133
 invictus, Lanius excubitor, 209
 Inyo, 207
 chickadee, 207
 nuthatch, 207
 inyoensis, Parus gambeli, 207
 Iridoprocne bicolor, 206
 irroratus, Liomys, 253, 454
 ischaemum, Digitalis, 132
 isingu, 470
 islandica, Glaucionetta, 198
 Ixodes sculptus, 143
 Ixoreus,
 naevius, 208
 meruloides, 208

J

jabalinde collar, 469
 Jackson, H. H. T., 440
 jaeger, Pomarine, 202
 jaliscensis, Liomys irroratus, 253, 454
 Jamaicensis,
 Buteo, 198
 Oxyura, 198
 Jameson, E. W., Jr.,
 Natural history of the prairie vole
 (mammalian genus Microtus), 125
 Japanese honeysuckle, 132
 japonica, Lonicera, 132
 jay,
 black-headed, 206
 Idaho, 206
 piñon, 206
 Woodhouse, 206
 Jerusalem artichoke, 135
 jayaquihuirra, 464
 jihuázt, 449

[\[Index\]](#)

[\[Index\]](#)

Lanius,
 excubitor, 209
 gambeli, 209
 invictus, 209
 ludovicianus, 209
 lapponicus, Calcarius, 191, 212
 lark,
 bunting, 211
 dusky horned, 205

oreganus, 212
junco,
Cassiar, 191
gray-headed, 212
Montana, 212
Oregon, 212
pink-sided, 212
slate-colored, 212

K

kaibabensis, *Thomomys talpoides*, 23
kangaroo rat, subspeciation in
 Dipodomys ordii, 475
Kansas,
 amphibians and reptiles from, 87
 reptiles and amphibians, 103
Kentucky coffee tree, 134
kermiti, *Proechimys*, 345
killdeer, 200
king snake, 108
kingbird, eastern, 205
kingfisher,
 belted, 204
 western belted, 204
kinglet,
 golden-crowned, 208
 ruby-crowned, 208
Kinosternon, 283
 flavescens, 111
kochi, *Laelaps*, 142
kuaráki, 449, 450
kyphosis, 119

L

labecula, *Peromyscus maniculatus*,
 461
labradorius, *Passerculus*
 sandwichensis, 190
Lactuca scariola, 133
Ladino clover, 132
laelaps kochi, 142
laeta, *Elaphe*, 108
lagophonus, *Bubo virginianus*, 203
Lagopus,
 altipetens, 200
 leucurus, 200
lagopus, *Buteo*, 199
lamprochroma, *Eremophila alpestris*,
 205
Lampropeltis,
 calligaster, 108
 holbrooki, 109
 gentilis, 109
 getulus, 109
 sypila, 109
 triangulum, 109

leucoparia,
 Mustela frenata, 447
 Putorius frenatus, 447
leucophrys, *Zonotrichia*, 212
Leucophoyx,
 brewsteri, 196
 thula, 196
leucoptera, *Loxia*, 211
leucopus,
 Peromyscus, 137, 140
 Orchopeas, 140
Leucosticte,
 atrata, 211
 littoralis, 211
 tephrocotis, 211
leucurus,
 Dendrocopos pubescens, 205
 Lagopus, 200
levidensis, *Thomomys bottae*, 54

Great Salt Lake horned, 206
horned, 205
Oregon horned, 205
sparrow, 191, 211
Larus,
 argentatus, 202
 californicus, 202
 delawarensis, 202
 philadelphia, 202
 pipixcan, 202
 thayeri, 202
Lasionycteris noctivagans, 241
Lasiurus,
 borealis, 444
 cinereus, 445
 mexicanus, 444
laterale, *Leiopisma*, 106
latifrons, *Neotoma*, 467
latrans, *Canis*, 449
lazuli bunting, 210
leachii, *Glossophaga soricina*, 440
lead-colored bush-tit, 207
leaf-nosed bat, 441
least,
 flycatcher, 187
 sandpiper, 201
Leiopisma laterale, 106
leioprimna, *Proechimys*, 364
lenis,
 Oryzomys fulvescens, 465
 Thomomys bottae, 53
lentiginosus, *Botaurus*, 196
leonada, rata algodonera, 465
lepida, *Tachycineta thalassina*, 206
Lepidium densiflorum, 133
Leptonycteris,
 nivalis, 441
 yerbabuenae, 441
leptosoma, *Mus*, 392
Lepus callotis, 469
lesser,
 Canada goose, 197
 loon, 195
 scaup duck, 198
 snow goose, 197
 yellow-legs, 201
lettuce, wild, 133
leucocephalus, *Haliaeetus*, 199
leucomystax, *Proechimys*, 352
leucopareia, *Branta canadensis*, 197

plains, 106
 Texas horned, 106
llanensis, *Geomys bursarius*, 234
Lobipes, lobatus, 202
lobatus, *Lobipes*, 202
Loncheres,
 elegans, 387
 myosuros, 351
long-billed,
 curlew, 201
 dowitcher, 201
 marsh wren, 207
long-eared,
 bat, 445
 owl, 203
long-tailed, 206
 chickadee, 206
long-tongued bat, 440, 441
longicauda, *Eurycea*, 88

[\[Index\]](#)

[\[Index\]](#)

[Pg 620]

levipes, *Peromyscus boylii*, 462
 levis, *Thomomys talpoides*, 24
 levisagittalis, *Geomys bursarius*, 234
 Lewis woodpecker, 204
 lewis, *Asyndesmus*, 204
 Liatrus, 135
 liebre, 469
 limicola, *Rallus*, 200
liminalis, *Proechimys*, 343
 limnaeus, *Seiurus noveboracensis*,
 189
Limnodromus,
 griseus, 201
 scolopaceus, 201
limnodytes, *Chrysemys*, 269
Limosa,
 fedoa, 184, 201
 haemastica, 201
 Lincoln sparrow, 212
 lincolni, *Melospiza*, 212
 lineatum, *Tropidoclonion*, 110
 lined snake, 110
Liponyssus occidentalis, 142
Liomys,
 acutus, 253, 455
 alleni, 253, 455
 irroratus, 253
 jalicensis, 454
 jaliscensis, 253, 455
 parviceps, 454
 pictus, 289, 454
 plantinarenensis, 454
Lissemys, 122
Listrophorus, 143
 little flycatcher, 205
littoralis, *Leucosticte tephrocotis*,
 211
livia, *Columba*, 168
 lizard,
 collared, 105
 earless, 105
 horned, 106
 northern plains, 106

Lynx,
 escuinapae, 449
 rufus, 449
 ruffus, 449

M

M. Dale Arvey, A check list of the
 birds of Idaho, 195
 MacFarlane screech owl, 203
macfarlanei, *Otus asio*, 203
 Macgillivray warbler, 209
macrootis, *Corynorhinus*, 445
macroura,
 Mephitis, 577
 Mephitis macroura, 448
 Zenaidura, 168, 202
macularia, *Actitis*, 201
maculata, *Holbrookia*, 105
maculatus, *Pipilo*, 211
 magpie, American, 206
 mallard, 197
 major, *Geomys bursarius*, 229
majusculus, *Geomys bursarius*, 223
 manchado, *zorillo*, 447
maniculatus, *Peromyscus*, 137, 461
 apache, 446
 marbled godwit, 184, 201
 marchiana, *Thamnophis*, 99
morcomi, *Dendroica petechia*, 209
Mareca americana, 197
marginella, *Zenaidura macroura*,

longicaudatus, *Proechimys*, 351
longipes,
 Cricetodipus, 556
 Dipodomys ordii, 556
 Dipodops, 556
 Perodipus, 556
 longspur, Alaskan, 191, 212
Lonicera japonica, 132
 loon,
 lesser, 195
 red-throated, 195
Lophortyx,
 brunnescens, 200
 californica, 200
 lotor, *Procyon*, 446
 Louisiana, birds of, 179
louisianensis, *Triturus viridescens*, 103
 Lowery, George H., Jr., Additions to the
 list of the birds of Louisiana, 179
Loxia,
 bendirei, 211
 benti, 211
 curvirostra, 211
 leucoptera, 211
lucifuga, *Eurycea*, 88
lucifugus, *Myotis*, 583
ludoviciana, *Piranga*, 210
ludovicianus,
 Lanius, 209
 Microtus, 129
 Luna, P., 440
luteolus,
 Dipodomys ordii, 533
 Perodipus ordii, 533
lutescens,
 Geomys bursarius, 222
 Setaria, 132
lutosus, *Myotis yumanensis*, 443
Lutra, 437

megalotis,
 Reithrodontomys, 137, 455
 Corynorhinus, 445

Melanitta,
 fusca, 198
 perspicillata, 198
melanocephalus, *Pheucticus*, 210
melanocorys, *Calamospiza*, 211
melanoleucus, *Totanus*, 201
melanophrys, *Peromyscus*, 463
melanopleura, *Eurycea longicauda*, 88
melanotis,
 Sigmodon, 465
 Sitta pygmaea, 207
 Peromyscus, 464
melanotos, *Erolia*, 201
Melilotus alba, 133
melodia, *Melospiza*, 212
Melospiza,
 alticola, 212
 fallax, 212
 lincolni, 212
 melodia, 212
 merrilli, 212
Mephitis,
 eximius, 579
 macroura, 577
 macroura macroura, 448
 mephitis, 578
 milleri, 578

[Pg 621]

[\[Index\]](#)

202
 marila, *Aythya*, 198
Marmosa canescens canescens, 439
 marsh,
 hawk, 199
 mouse, 461
 wren, western long-billed, 207
 marshalli, *Dipodomys ordii*, 551
 mascotensis, *Sigmodon hispidus*, 465
 masked duck, 182
 massasauga, 111
 Masticophis,
 flagellum, 108
 testaceous, 108
 mastin, murciélago, 445
 mastiff bat, 445
 mauri, *Ereunetes*, 201
 mavortium, *Ambystoma tigrinum*,
 103
 maximus, *Pipistrellus hesperus*, 598
 meadow mouse, 168
 Mexican, 467
 meadowlark, 158
 western, 190, 210
 mearnsi, *Junco oreganus*, 212
 Medicago sativa, 133
 mediogriseus, *Passerculus*
sandwichensis 190
medius, *Dipodomys ordii*, 519
 Megaceryle,
 alcyon, 204
 caurina, 204

 mexicanus—*Concluded*
 Cinclus, 207
 Corynorhinus megalotis, 445
 Corynorhinus rafinesquii, 445
 Dasypus novemcinctus, 470
 Falco, 199
 Himantopus, 201
 Lasiurus borealis, 444
 Microtus, 425, 467
 Molossus, 445
 Myotis californicus, 444
 Oryzomys couesi, 465
 Sialia, 208
 Microdipodops, 480
 Micropalama himantopus, 201
 Microtus,
 agrestis, 141
 californicus, 142
 fulviventer, 425
 fundatus, 425, 467
 ludovicianus, 129
 mexicanus, 425, 467
 ochrogaster, 128, 168
 pennsylvanicus, 128
 phaeus, 426, 468
 salvus, 426, 467
 Michoacán,
 Mexico, an annotated check list of
 the mammals of, 435
 squirrel, 450
 Microhyla olivacea, 105
 migratorius,
 Ectopistes, 202
 Turdus, 168, 188, 208
 milk snake, 109
 milleri, *Mephitis macroura*, 578
 millet, wild, 134
 Mimus polyglottos, 168
 mincae, *Proechimys*, 315
 minimus,
 Empidonax, 187
 vittata, 578
 mephitis, *Mephitis*, 577
 merganser,
 American, 198
 Mergus, 198
 red-breasted, 198
 merriami,
 Pipistrellus hesperus, 597
 Vesperugo, 597
 Merrill song sparrow, 212
 merrilli,
 Eremophila alpestris, 205
 Melospiza melodia, 212
 meruloides, *Ixoreus naevius*, 208
 mesamericana, *Didelphis*, 438
 mesoleucus, *Conepatus*, 448
 mesquite great-tailed grackle, 190
 metorito, 467
 Mexican,
 cottontail, 469
 free-tailed bat, 445
 meadow mouse, 467
 mexicana,
 Choeronycteris, 441
 Tadarida, 445
 Mexicano, conejo, 469
 mexicanus,
 Atalapha, 444
 Carpodacus, 210
 Cassidix, 190
 Catherpes, 207

 monoensis,
 Dipodomys ordii, 528
 Perodipus, 528
 Montana,
 horned owl, 203
 junco, 212
 montane, Lincoln sparrow, 212
 montana, *Pinicola enucleator*, 210
 montanus,
 Dipodomys ordii, 538
 Junco oreganus, 212
 Oreoscoptes, 208
 Perodipus, 538
 monticola, *Dendrocopos villosus*, 204
 montera, rata,
 frentuda, 467
 minúscula, 467
 Moojen, João, Speciation in the Brazilian
 spiny rats (genus *Proechimys*, family
 Echimyidae), 301
 Mookomys formicorum, 481
 moorei, *Thomomys talpoides*, 19
 Mountain vireo, 188
 mountain, 206
 bluebird, 208
 chickadee, 206
 song sparrow, 212
 montañero, ratón, 464
 moreno, ratón, 457
 morning glory, wild, 135
 Morus bassanus, 180
 mourning dove, 168, 202
 mouse,
 black-eared, 464
 blackish, 463
 brush, 461
 deer, 461
 fulvous harvest, 457
 harvest, 455
 house, 468
 marsh, 461

Psaltriparus, 207
Thomomys bottae, 32
minor, Chordeiles, 185, 186, 204
minúscula, rata montera, 467
minutilla, Erolia, 201
miradorensis,
 Eptesicus, fuscus, 444
 Scotophilus, 444
misíc pápu, 449
mockingbird, 168
mofeta rayada, 448
moffitti, Branta canadensis, 196
mohavensis, Dipodomys
panamintinus, 489
mokeson, Agkistrodon, 111
molaris, Nasua narica, 446
Molossus mexicanus, 445
Molothrus,
 artemisiae, 210
 ater, 210

murciélago—*Concluded*
 mastin, 445
 narigudo, 445
 pardo, 445
 rojizo, 440
 sacoptero, 440
 siricotéro, 440
 vespertino, 443
 Yuma, 444
 zapotero, 442
murine opossum, 439
murinus, Desmodus rotundus, 443
Mus,
 alexandrinus, 468
 cinnamoneus, 392
 leptosoma, 392
 musculus, 468
musaraña, 439
 colicorta, 440
Muscivora forficata, 186
musculus,
 Baiomys, 460
 Mus, 468
 Peromyscus, 460
 Sitomys, 460
musk turtle, 111
Mustela,
 frenata, 447
 leucoparia, 447
mutica, Amyda, 112, 119
Myadestes townsendi, 208
Myiarchus cinerascens cinerascens,
 186, 205
Myocoptes, 143
myosuros,
 Echimys, 351
 Echinomys, 392
 Loncheres, 351
 Proechimys, 392
Myotis,
 albescens, 239
 argentatus, 239
 baileyi, 587
 californicus, 444
 carissima, 585
 cinnamomeus, 585
 fortidens, 585, 586
 lucifugus, 583
 lutosus, 443
 mexicanus, 444
 occultus, 587
 ruber, 585

meadow, 168, 467
Mexican meadow, 467
northern pigmy, 460
northern spiny pocket, 454
piñon, 462
pygmy, 460
spiny pocket, 454
Tarascan, 463
tropical pygmy, 460
volcano harvest, 459
western harvest, 455
western spiny pocket, 454
woods, 462
mud turtle, 111
murciélago,
 California, 444
 carilargo, 441
 colirugosa, 444
 coludo, 445
 fusco, 444
 lenguilarga, 441

narigudo, murciélago, 445
nasicus, Heterodon, 107
Nasua,
 molaris, 446
 narica, 446
Natrix,
 erythrogaster, 109
 grahamii, 109
 rhombifera, 109
 sipedon, 109
 transversa, 109
Navy, United States, 479
nebraskensis, Cupidiniimus, 483
nebulosa, Strix, 203
neglecta, Sturnella, 190, 210
negra, rata, 468
nelsoni,
 Conepatus mesoleucus, 448
 Reithrodontomys fulvescens, 457
Nelsonia goldmani, 467
nemoralis, 450
Pitymys, 128
Neotoma,
 ferruginea, 467
 latifrons, 467
 tenuicauda, 467
nesiotes, Proechimys, 363
nesophilus, Thomomys bottae, 34
nettle, horse, 134
Nevada,
 cowbird, 210
 red-wing, 210
 savannah sparrow, 211
 sparrow, 211
 towhee, 211
nevadensis,
 Agelaius phoeniceus, 210
 Amphispiza belli, 212
 Parus atricapillus, 206
 Passerculus sandwichensis, 190, 211
Newfoundland,
 oven-bird, 189
 robin, 188
newt, 103
nexilis, Dipodomys ordii, 559
nicholi, Thomomys bottae, 66
niger, Sciurus, 168
nighthawk,
 Cherrie, 186
 eastern, 185
 Howell, 185
 Pacific, 204

- thysanodes, 444
 velifer, 443, 588
 yumanensis, 443
 myotis,
 California, 444
 fringe-tailed, 444
 Yuma, 443
- N**
- naevius, *Ixoreus*, 208
 narica, *Nasua*, 446
- nivalis,
 Leptonycteris nivalis, 441
 Plectrophenax, 213
 nivosus, *Charadrius alexandrinus*,
 183
 noctivagans, *Lasionycteris*, 241
 norteño, ratón, 454
 pigmeo, 460
 northern,
 bald eagle, 199
 canyon wren, 207
 cliff swallow, 206
 curlew, 201
 pileolated warbler, 210
 phalarope, 202
 pygmy mouse, 460
 sage sparrow, 212
 spiny pocket mouse, 454
 varied thrush, 208
 white-headed woodpecker, 205
 northwestern,
 creeper, 207
 horned owl, 203
 long-billed marsh wren, 207
 marsh wren, 207
 shrike, 209
 norvegicus, *Rattus*, 168
 Norway rat, 168
Nosopsyllus fasciatus, 140
 notabilis, *Seiurus noveboracensis*,
 209
 noveboracensis, *Seiurus*, 189, 209
 novemcinctus, *Dasypus*, 470
 nuchalis, *Sphyrapicus varius*, 2-4
Nucifraga columbiana, 206
 Numenius,
 americanus, 183, 201
 parvus, 183, 201
 nutcracker, Clark, 206
 nuthatch,
 black-eared, 207
 Inyo, 207
 red-breasted, 207
 Nuttall poorwill, 204
 nuttallii, *Phalaenoptilus*, 204
 Nuttallornis borealis, 205
Nyctea scandiaca, 203
 Nycticorax,
 hoactli, 196
 nycticorax, 196
 nycticorax, *Nycticorax*, 196
- O**
- o'connelli, *Proechimys*, 316
 obscuro, ratón, 463
 obscurus,
 Dendragapus, 199
 Dipodomys ordii, 521
 Perodipus, 521
 Pipistrellus subflavus, 600
 obsoleta, *Elaphe*, 108
 obsoletus,
 Eumeces, 106
- Sennett, 186
 nigra, *Chlidonias*, 202
 nigrescens, *Dendroica*, 209
 nigricans, *Branta bernicla*, 197
 nigriceps, Tantilla, 110
 nigricollis, *Colymbus*, 196
 nigrideus, *Turdus migratorius*, 188
 nigrita, *Pseudacris*, 104
 nigrofulvus, *Proechimys*, 316
- occidentalis,
 Aechmophorus, 196
 Branta canadensis, 196
 Bubo virginianus, 203
 Coccyzus americanus, 202
 Geothlypis, 189, 209
 Liponyssus, 142
 Sialia mexicanus, 208
 occultus, 587
 ocelot, 449
 ochracea, *Spizella arborea*, 212
 ochraceus, *Proechimys*, 316
 ochrogaster, *Microtus*, 128, 168
 ocuis, *Thomomys talpoides*, 17
 ocotero, ratón, 462
Odocoileus,
 sinaloae, 470
 virginianus, 470
 odoratus, *Sternotherus*, 111
 officinale, *Taraxacum*, 134
 Oklahoma, amphibians and reptiles from,
 87
 oklahomae, *Dipodomys ordii*, 514
 oligantha, *Aristada*, 132
 olivacea, *Microhyla*, 105
 olivaceus, *Regulus satrapa*, 208
 olive-backed,
 thrush, 188
 thrush, western, 208
 olive-sided flycatcher, 205
 oquirrhensis, *Thomomys talpoides*, 11
Ophisaurus ventralis, 106
Oporornis, 209
 opossum, 438
 murine, 439
 orange-crowned warbler, 209
 Orchopeas,
 howardi, 140
 leucopus, 140
 wickhami, 140
 ordi, *Perodipus*, 530
 ordii,
 Cricetodipus, 530
 Dipodomys ordii, 530
 Dipodops, 530
 Perodipus, 530
 oreganus, *Junco*, 212
 Oregon,
 horned lark, 205
 junco, 212
 orejudo, ratón, 455
Oreoscoptes montanus, 208
Oreortyx picta picta, 200
 orestera, *Vermivora celata*, 209
 oriole, Bullock, 210
 oris, *Proechimys*, 365
 ornata, *Terrapene*, 111
 oryzivorus, *Dolichonyx*, 210
Oryzomys,
 couesi, 464
 fulvescens, 465

[\[Index\]](#)

[Pg 624]

[\[Index\]](#)

Salpinctes, 207
occidental, ratón espinoso, 454

Oryzomys—*Concluded*
lenis, 465
mexicanus, 465
regillus, 464
osgoodi, Thomomys bottae, 56
osprey, 199
Otus,
asio, 203
brewsteri, 203
flammeolus, 203
macfarlanei, 203
otus, Asio, 203

oven-bird,
gray, 189
Newfoundland, 189
owl,
American hawk, 203
Arctic horned, 203
barn, 163, 203
Brewster screech, 203
burrowing, 203
California pygmy, 203
Flammulated screech, 203
gray, 203
great horned, 159, 203
great gray, 203
hawk, 203
horned, great, 159, 203
long-eared, 164, 203
MacFarlane screech, 203
Montana horned, 203
northwestern horned, 203
pygmy, 203
Richardson, 203
saw-whet, 204
screech, 164, 203
short-eared, 203
snowy, 203
western burrowing, 203

Oxyura,
dominica, 182
jamaicensis, 198
rubida, 198

P

pachita, Proechimys, 316
Pacific,
golden plover, 200
nighthawk, 204
pacificus,
Anthus spinoletta, 208
Histrionicus histrionicus, 198
Troglodytes troglodytes, 207
painted turtle, 112
pale goldfinch, 211
paleontology of kangaroo rats, 480
pallescens,
Columbigallina passerina, 185
Corynorhinus pallescens, 445
pallid black-capped, 206
chickadee, 206
pallidiceps, Bombycilla garrulus, 208
pallidus, Castor canadensis, 409

peppergrass, 133
Perdix perdix perdix, 200
perdix, Perdix, 200
peregrinus, Falco, 199
perfulvus, Peromyscus, 461
pergracilis,
Blarina, 440
Cryptotis, 440

pallidus, Dendragapus obscurus, 199
Dipodomys ordii, 558
Spinus tristis, 211
palmeri,
Cricetodipus ordii, 562
Dipodomys ordii, 562
Perodipus ordii, 562
palustris, Telmatodytes, 207
panamensis, Proechimys, 316
Pandion,
carolinensis, 199
haliaetus, 199
panema, Proechimys, 380
panguitchensis, Dipodomys ordii, 527
paratus, Proechimys, 382
pardo, murciélago, 445
parietalis, Thamnophis sirtalis, 110
parkmanii, Troglodytes aëdon, 207
parowanensis, Thomomys talpoides, 22
partridge, European, 200
Parus,
atricapillus, 206
fortuitus, 206
gambeli, 206
grinnelli, 207
griseus, 207
inornatus, 207
inyoensis, 207
nevadensis, 206
rufescens, 207
septentrionalis, 206
parva, Cryptotis, 137
parviceps, Liomys pictus, 454
parvissima, Rana, 105
parvus, Numenius americanus, 183, 201
passenger pigeon, 202
Passer domesticus, 210
Passerculus,
labradorius, 190
mediogriseus, 190
nevadensis, 190, 211
sandwichensis, 190, 211
Passerella,
iliaca, 212
schistacea, 212
Passerina amoena, 210
passerina,
Columbigallina, 185
Spizella, 212
pavidus, Peromyscus, 462
peccary, collared, 469
pectoral sandpiper, 201
Pedioecetes,
columbianus, 200
phasianellus, 200
Pelecanus erythrorhynchos, 196
pelican, white, 196
pennsylvanicus, Microtus, 128

[Pg 625]

[\[Index\]](#)

phaia, Bonasa umbellus, 199
Phalacrocorax,
auritus, 196
albociliatus, 196
Phalaenoptilus nuttallii nuttallii, 204
phalarope,
northern, 202
red, 202

[Pg 626]

Perisoreus,
 bicolor, 206
 canadensis, 206
 Perodipus,
 chapmani, 536
 columbianus, 544
 compactus, 515
 longipes, 525
 luteolus, 533
 monoensis, 528
 montanus, 518
 obscurus, 521
 ordi, 530
 ordii, 556
 palmeri, 562
 richardsoni, 518
 sennetti, 517
 utahensis, 543
 Perognathinae, 480
 Peromyscopsylla scotti, 140
 Peromyscus,
 banderanus, 463
 boylei, 461
 boylli, 461
 evides, 461
 gratus, 462
 hylocetes, 462
 labecula, 461
 leucopus, 137
 levipes, 462
 maniculatus, 137, 461
 melanophrys, 463
 melanotis, 464
 pavidus, 462
 perfulvus, 13
 sagax, 462
 sonoriensis, 461
 spicilegus, 461
 truei, 462
 vicinior, 463
 zamorae, 463
 zelotes, 462
 perpallidus, Thomomys, 28
 perplexis, Dipodomys agilis, 489
 perspicillata, 198
 petechia, Dendroica, 209
 Petrochelidon,
 albifrons, 206
 pyrronota, 206
 pewee, western wood, 205
 pheasant, ring-necked, 200
 phaeus, Microtus mexicanus, 425,
 467

Pipilo,
 arcticus, 211
 curtatus, 211
 maculatus, 211
 Pipistrellus,
 apus, 597
 australis, 597
 cinnamomeus, 583, 593
 hesperus, 596
 maximus, 598
 merriami, 597
 obscurus, 600
 santarosae, 598
 subflavus, 584, 599
 synopsis of the American bats of
 the genus, 593
 veracruzis, 601
 pipit, western, 188, 208
 pipixcan, Larus, 202
 Piranga ludoviciana, 210

Wilson, 184, 202
 Phalaropus fulicarius, 202
 phasianellus, Pedioecetes, 200
 Phasianus colchicus, 200
 Pheucticus melanocephalus, 210
 philadelphia, Larus, 202
 phoebe, Say, 205
 phoeniceus, Agelaius, 168, 210
 Phrynosoma cornutum, 106
 Phyllomys, 310
 phylogeny of kangaroo rats, 484
 Pica,
 hudsonica, 206
 pica, 206
 pica, Pica, 206
 picinus, Hylatomus pileatus, 204
 Picoïdes,
 arcticus, 205
 dorsalis, 205
 fasciatus, 205
 tridactylus, 205
 picta,
 Chrysemys, 112, 270
 Oreortyx, 200
 pictus, Liomys, 289, 454
 pied-billed grebe, 196
 pigeon,
 band-tailed, 202
 hawk, 199
 passenger, 202
 pigmea, rata arrocera, 465
 pigmeo norteño, ratón, 460
 pigra, Didelphis virginiana, 439
 pileated woodpecker, western, 204
 pileatus, Hylatomus, 204
 pileolata, 210
 pileolated warbler, 210
 pillus, Thomomys umbrinus, 251
 pilot black snake, 108
 pine,
 grosbeak, Rocky Mountain, 210
 siskin, western, 211
 pinetorum, Pitymys, 128
 Pinicola,
 enucleator, 210
 montana, 210
 pink-sided junco, 212
 piñon mouse, 462
 piñonero, ratón, 462
 pintail, American, 197
 pinus, Spinus, 211
 pipiens, Rana, 104

Pluvialis,
 dominica, 184, 200
 fulva, 200
 pluvialis, Eumeces, 85
 Poa,
 annua, 133
 pratensis, 132
 pocket gopher,
 Michoacán, 453
 new from Mexico, 251
 plains, 452
 southern, 451
 pocket gophers of,
 Kansas, 219
 Utah, 3
 pocket mouse,
 northern spiny, 454
 spiny, 454
 western spiny, 454
 podiceps, Podilymbus, 196

Pituophis,
 catenifer, 108
 sayi, 108
 Pitymys,
 nemoralis, 128
 pinetorum, 128
 pizote, 446
 planirostre, Phyllostoma, 442
 planirostris,
 Artibeus, 442
 Thomomys bottae, 66
 plantinarenis, Liomys pictus, 454
 platycephalus, Selasphorus, 204
 Platygeomys,
 angustirostris, 452
 gymnurus, 452
 imparilis, 452
 tylorhinus, 452
 varius, 453
 Platypeltis, 121
 platypterus, Buteo, 198
 platyrhynchos, Anas, 197
 Plectrophenax, 213
 plegadis,
 falcinellus, 181
 mexicana, 181
 plicata, Balantiopteryx, 440
 plover,
 American golden, 184
 black-bellied, 200
 Cuban snowy, 183
 golden, 184, 200
 Pacific, golden, 200
 semipalmated, 183
 snowy, 183
 western snowy, 183
 Wilson, 184
 plumbeus, Psaltriparus minimus, 207
 plumed quail, 200

Proechimys—*Concluded*

brevicauda, 349
 burrus, 316
 calidior, 316
 canicollis, 315
 cayennensis, 314
 centralis, 316
 cherriei, 316
 chiriquinus, 316
 chrysaеolus, 316
 colombianus, 316
 decumanus, 316
denigratus, 381
 dimidiatus, 371
 elegans, 387
 fuliginosus, 308
 goeldi, 338
 goldmani, 316
 gorgonae, 316
gratiosus, 379
 guairae, 316
 gularis, 316
 guyannensis, 355
 hendeei, 315
 hilda, 316
 hoplomyoides, 315
hyleae, 361
 ignotus, 316
 iheringi, 373
 kermi, 345
leioprinna, 364
 leucomystax, 352
liminalis, 343

Podilymbus podiceps, 196
 poliopus, 451
 Proechimys, 316
 Polioptila,
 amoenissima, 208
 caerulea, 208
 polyglottos, Mimus, 168
 Pomarine jaeger, 202
 pomarinus, Stercorarius, 202
 Poecetes,
 confinis, 211
 gramineus, 211
 poorwill, Nuttall, 204
 Porzana carolina, 168, 200
 postnatal development, horned owl, 159
 Potos, 437
 prairie,
 falcon, 199
 threeawn, 132
 pratincola, Tyto alba, 203
 pratensis,
 Ammodramus savannarum, 191
 Poa, 132
 priscus, Dipodomys ordii, 547
proboscidea, Hyla, 259
 Procyon,
 hernandezii, 446
 lotor, 446
 Prodipodomys, 480
 kansensis, 481
 minor, 484
 Proechimys,
 albispinus, 388
amphichoricus, 344
arabupu, 369
 arescens, 366
 boimensis, 350
 bolivianus, 316
bonafidei, 378

villicauda, 355

warreni, 316
 propinquus, Turdus migratorius, 208
 prosopidicola, Cassidix mexicanus, 190
 proximus, Thamnophis sauritus, 110
 Pseudacris,
 nigrita, 104
 triseriata, 104
 pseudagyrtes, Ctenophthalmus, 140
 Pseudemys, 270, 283
 elegans, 112
 floridana, 112
 hoyi, 112
 scripta, 112, 270
 ptarmigan, white-tailed, 200
 pubescens, Dendrocopos, 205
pullus, Thomomys umbrinus, 251, 451
 Troglodytes troglodytes, 188
 pulverius, Telmatodytes palustris, 207
 punctatus, Diadophis, 107
 purple finch, Cassin, 210
 pusilla, Wilsonia, 190, 210
 pygmaeus, Thomomys talpoides, 14
 pygmy owl, 203
 pygmy mouse,
 northern, 460
 tropical, 460
 Pyrocephalus,
 mexicanus, 187
 rubinus, 187
 pyrronota, Petrochelidon, 206
 quadratus, Thomomys, 6

longicaudatus, 351
mincae, 315
myosuros, 392
nesiotes, 363
nigrofulvus, 316
ochraceus, 316
o'connelli, 316
oris, 365
pachita, 316
panamensis, 316
panema, 380
paratus, 382
poliopus, 316
rattinus, 316
ribeiroi, 361
riparum, 367
roberti, 353
rosa, 316
rubellus, 316
securus, 316
semispinosus, 342
sertonius, 391
setosus, 385
simonsi, 316
steerei, 338
trinitatis, 316
urichi, 316
vacillator, 316

rat—*Concluded*
kangaroo, subspeciation in, 475
Norway, 168
rice, 464
snake, 108
tropical rice, 464
white-throated wood, 467
wood, 467
rata,
 algodonera, 465
 arrocera tropical, 464
 leonada, algodonera, 465
 minuscula, montera, 467
 montera, 467
 negra, 468
 pigmea, arrocera, 465
 setosa, algodonera, 465
 tropical, arrocera, 464
ratón
 breñero, 461
 chaparral, de, 461
 cuatralvo, 461
 dorado, 459
 montañero, 464
 moreno, 457
 norteño, 454
 norteño pigmeo, 460
 oscuro, 463
 ocotero, 462
 occidental espinoso, 454
 orejudo, 455
 pigmeo, 460
 piñonero, 462
 Tarasco, 463
 tlacuache, 439
 tropical pigmeo, 460
 volcanes, 466
rats, spiny, 303
rattinus, Proechimys, 316
rattlesnake, 111
 prairie, 111
 timber, 111
Rattus,
 alexandrinus, 468

quail,
 plumed, 200
 California, 200
querula, Zonotrichia, 212
Quiscalus versicolor, 168

R

rabbit,
 jack, 469
 white-sided jack, 469
raccoon, 446
racer, blue, 107
radix, Thamnophis, 99, 110
rafinesquii, Corynorhinus, 445
ragweed, giant, 134
rail, Virginia, 200
Rallus limicola, 200
Rana,
 brachycephala, 104
 cantabrigensis, 104
 catesbeiana, 104
 parvissima, 104
 sylvatica, 104
rat,
 black, 468
 dwarf wood, 467
 ferruginous wood, 467
 fulvous cotton, 465
 fulvous rice, 465
 hispid cotton, 465

red-wing, 168, 210
 Nevada, 210
 thick-billed, 210
reddish egret, 181
redhead, 197
redpoll, common, 211
redstart, American, 210
regalis, Buteo, 199
regillus, Oryzomys couesi, 464
Regulus,
 calendula, 208
 cineraceus, 208
 olivaceus, 208
 satrapa, 208
Reithrodontomys,
 chrysopsis chrysopsis, 459
 fulvescens, 457
 inexpectatus, 458
 megalotis, 137, 455
 nelsoni, 457
 saturatus, 455
 seclusus, 459
 tenuis, 457
 toltecus, 458
 zacatecae, 456
repens, Agropyron, 133
repentinus, Castor canadensis, 409
restrictus, Sylvilagus floridanus, 469
rhombifera, Natrix, 109
ribbon snake, 110
ribeiroi, Proechimys, 361
rice rat,
 fulvous, 465
 tropical, 464
Richardson owl, 203
richardsoni,
 Aegolius funereus, 203
 Dipodomys ordii, 511
 Perodipus montanus, 518
richardsonii,
 Contopus, 205
 Dendragapus obscurus, 199
ridgwayi, Vermivora ruficapilla, 209
ring-billed gull, 202

[\[Index\]](#)

[Pg 629]

norvegicus, 168
rattus, 468
rattus, Rattus, 468
raven, American, 206
ravus, Thomomys talpoides, 15
Recurvirostra americana, 201
red, 211
 bat, 444
 phalarope, 202
red-breasted,
 merganser, 198
 nuthatch, 207
red-eyed vireo, 209
red-naped sapsucker, 204
red-shouldered hawk, 183
red-tailed hawk, 198
red-throated loon, 195

Rocky Mountain,
 grosbeak, 210
 hairy woodpecker, 204
 orange-crowned warbler, 209
 pine grosbeak, 210
 yellow warbler, 209
rojizo, murciélago, 444
rosa, Proechimys, 316
Ross goose, 197
rossi, Chen, 197
rostralis, Castor canadensis, 411
rosy finch, 211
 black, 211
 gray-crowned, 211
 Hepburn, 211
rotundus, Desmodus, 443
rough-leg, ferruginous, 199
rough-legged hawk, 199
rough-winged swallow, 206
rubellus, Proechimys, 316
ruber, Myotis, 585
rubida, Oxyura jamaicensis, 198
ruby-crowned kinglet, 208
ruddy duck, 198
rufescens,
 Dichromanassa, 181
 Parus, 207
 Thomomys, 3
ruffed grouse, 199
ruffus, Lynx, 449
ruficapilla, Vermivora, 209
ruficollis, Stelgidopteryx, 206
ruficrissa, Dumetella carolinensis,
 207
rufous hummingbird, 204
rufum, Toxostoma, 168
rufus,
 Lynx, 449
 Selasphorus, 204
rustica, Hirundo, 206
rutcilla, Setophaga, 210

S

sac-winged bat, 440
sacoptero, murciélago, 440
sagax, Peromyscus, 462
sage,
 grouse, 200
 sparrow, 212
 thrasher, 208
salamander,
 narrow-mouthed, 103
 Tiger, 103
salicicola, Hylocichla fuscescens,
 188, 208
Salpinctes obsoletus obsoletus, 207

ring-necked
 duck, 197
 pheasant, 200
 snake, 107
ring-tailed cat, 447
riggsi, Testudo, 284
Riparia riparia, 206
riparia, Riparia, 206
riparum, Proechimys, 367
road-runner, 184
roberti, Proechimys, 353
robin, 168, 188, 208
robustus, Thomomys bottae, 30
rock,
 dove, 168
 squirrel, 449
 wren, 207

pectoral, 201
solitary, 201
spotted, 201
stilt, 201
western, 201
western solitary, 201
sandwichensis, Passerculus, 190, 211
sanrafaeli, Dipodomys ordii, 526
santarosae, Pipistrellus hesperus, 598
sapsucker,
 red-naped, 204
 Williamson, 204
sarisi, 464
sauritus, Thamnophis, 110
sativa, Medicago, 133
satrapa, Regulus, 208
saturatus, Reithrodontomys megalotis,
 455
Saussure shrew, 439
saussurei, Sorex, 439
savannah sparrow, 190, 211
savannarum, Ammodramus, 168, 191
saw-whet owl, 204
saxatalis, Aëronautes, 204
Say phoebe, 205
saya, Sayornis, 205
sayi, Pituophis catenifer, 108
Sayornis saya, 205
scandiaca, Nyctea, 203
Scalopus aquaticus, 137
Scaphiopus, bombifrons, 103
scariola, Lactuca, 133
scaup,
 greater, 198
 lesser, 198
Sceloporus,
 garmani, 106
 undulatus, 106
Scirpus, 132
scissor-tailed flycatcher, 186
schistacea, Passerella iliaca, 212
Sciurus,
 albipes, 450
 nemoralis, 450
 niger, 168
 poliopus, 450
 senex, 451
 variegatus, 449
scolopaceus, Limnodromus griseus, 201
scoter,
 surf, 198
 white-winged, 198
Scotophilus,
 georgianus, 599
 hesperus, 596
 miradorensis, 444

- salvus**, *Microtus mexicanus*, 426, 467
s[ancti].-johannis, *Buteo lagopus*, 199
sanctiluciae, *Dipodomys venustus*, 489
sanderling, 201
sandhill crane, 200
sandpiper,
 Baird, 184
 least, 201
- sculptus, *Ixodes*, 143
seclusus, *Reithrodontomys chrysopsis*, 459
securus, *Proechimys*, 316
Seiurus,
 cinereus, 189
 furvior, 189
 limnaeus, 189
 notabilis, 209
 noveboracensis, 189, 209
Selasphorus,
 platycephalus, 204
 rufus, 204
semipalmated plover, 183
semipalmatus,
 Catoptrophorus, 201
 Charadrius hiaticula, 183
semispinosus, *Proechimys*, 342
senex, 451
Sennett nighthawk, 186
sennetti,
 Chordeiles minor, 186
 Cricetodipus, 517
 Dipodomys ordii, 517
 Perodipus, 517
sepium, *Convolvulus*, 135
septentrionalis,
 Eumeces, 106
 Parus atricapillus, 206
serpentina, *Chelydra*, 111
serrana, tuza, 451
serrator, *Mergus*, 198
serripennis, *Stelgidopteryx ruficollis*, 206
sertonius, *Proechimys*, 391
Setaria,
 lutescens, 132
 viridis, 132
Setophaga *ruticilla*, 210
setosa, *rata algodonera*, 465
setosus,
 Echimys, 385
 Proechimys, 385
Setzer, Henry W.,
 Subspeciation in the kangaroo rat,
 Dipodomys ordii, 475
 The postnatal development of two
 broods of great horned owls
 (*Bubo virginianus*), 159
sevieri, *Thomomys bottae*, 45
sexlineatus, *Cnemidophorus*, 106
sharp-shinned hawk, 198
sharp-tailed grouse, 200
short-eared owl, 203
shoveller, 197
shrew,
 Saussure, 439
 short-tailed, 440
shrike,
 California, 209
 northwestern, 209
scotti, *Peromyscopsylla*, 140
screech owl, 203
scripta, *Pseudemys*, 112, 270
- Sialia,
 currucoides, 208
 mexicanus, 208
 occidentalis, 208
Sigmodon,
 atratus, 466
 hispidus, 137, 138, 465
 mascotensis, 465
 melanotis, 465
sigmodoni, *Articholaelaps*, 142
simonsi, *Proechimys*, 316
sinaloae, *Odocoileus virginianus*, 470
sinensis, *Amyda*, 119
sinuatus, *Corvus corax*, 206
sipedon, *Natrix*, 109
siricotéro, murciélago, 440
sirtalis, *Thamnophis*, 110
siskin, western pine, 211
Sitta,
 canadensis, 207
 carolinensis, 207
 caurina, 207
 melanotis, 207
 pygmaea, 207
 tenuissimus, 207
skink,
 common five-lined, 106
 five-lined, 106
 Sonoran, 106
skunk,
 hooded, 448
 spotted, 447
slate-colored,
 fox sparrow, 212
 junco, 212
Smith, Hobart M.,
 Hybridization between two species of
 garter snakes, 99
 Kyphosis and other variations in soft-
 shelled turtles, 119
 The systematic status of *Eumeces*
 pluvialis Cope, and noteworthy
 records of other amphibians and
 reptiles from Kansas and Oklahoma,
 87
 The tadpoles of *Bufo cognatus* Say, 95
Smith, Hobart M., John Breukelman and,
 Selected records of reptiles and
 amphibians from Kansas, 103
smooth brome, 133
snake,
 black, 108
 black-headed, 110
 bull, 108
 common bull, 108
 common water, 109
 diamond-backed water, 109
 Emory rat, 108
 garter, 110
 Graham, 109

snake—*Concluded*
 ground, 110
 Great Plains black-headed, 110
 hog-nosed, 107
 king, 108
 lined, 110
 milk, 109
 pilot black, 108
 plains garter, 110
 prairie ring-necked, 107
 rat, 108
 rattle, 111
 red milk, 109
 red-sided garter, 110
 ribbon, 110
 ring-necked, 107
 southern ground, 110
 speckled king, 109
 water, 109
 western milk, 109
 western ribbon, 110
 western worm, 107
 worm, 107
 yellow-bellied king, 108
 yellow-bellied water, 109
 snapping turtle, 111
 snipe, Wilson, 201
 snow bunting, eastern, 213
 snowy,
 owl, 203
 plover, 183
 soft-shelled turtle, 112, 119
Solanum carolinense, 135
 solitaire, Townsend, 208
 solitaria, *Tringa*, 201
 solitarius, *Vireo*, 188, 209
 solitary sandpiper, 201
 solitudinis, *Carpodacus mexicanus*,
 210
Sonchus arvensis, 136
 Song sparrow, 212
 Merrill, 212
 Mountain, 212
 Sonora episcopa, 109
 Sonoran skink, 106
 sonoriensis,
 Eumops, 446
 Peromyscus, 461
 sora, 168, 200
Sorex saussurei, 439
 soricina, *Glossophaga*, 440
 southern pocket gopher, 451
 spadefoot, 103
 sparrow,
 Brewer, 212
 chipping, 212
 English, 210
 fox, 212
 Gambel, 212
 grasshopper, 168
 Harris, 212

stansburyi, *Thomomys bottae*, 36
 starling, 168, 209
 steerei, *Proechimys*, 316
Steganopus tricolor, 184, 202
 steindachneri, *Amyda*, 119
Stelgidopteryx,
 ruficollis, 206
 serripennis, 206
 stellata, *Gavia*, 195
 stelleri, *Cyanocitta*, 206
Stercorarius pomarinus, 202

lark, 211
 Lincoln, 212
 Merrill song, 212
 montane Lincoln, 212
 mountain song, 212
 Nevada savannah, 211
 northern sage, 212
 sage, 212
 savannah, 211
 slate-colored fox, 212
 song, 212
 tree, 212
 vesper, 211
 western chipping, 212
 white-crowned, 212
 white-throated, 212
 sparrow hawk, 199
 sparrow hawks, 164
 sparverius, *Falco*, 199
Spatula clypeata, 197
 speargrass, 133
 speckled king snake, 109
 Speotyto,
 cunicularia, 203
 hypugaea, 203
Sphyrapicus,
 nuchalis, 204
 thyroideus, 204
 varius, 204
 spicilegus, *Peromyscus*, 461
 spike-flower, 135
 Spilogale,
 angustifrons, 447
 gracilis, 447
 spinifera, *Amyda*, 112, 119
Spinus,
 pallidus, 211
 pinus vagrans, 211
 tristis pallidus, 211
 vagrans, 211
 spinoletta, *Anthus*, 208
 spiny pocket mouse, 454
Spizella,
 arborea ochracea, 212
 arizonae, 212
 breweri, 212
 ochracea, 212
 passerina, 212
 sponsa, *Aix*, 197
 spotted,
 sandpiper, 201
 skunk, 447
 towhee, 211
Squatarola squatarola, 200
 squatarola, *Squatarola*, 200
 squirrel,
 fox, 168
 ground, 450
 lesser tropical ground, 450
 rock, 449
 tropical ground, 450
 stabularis, *Eulaelaps*, 142

T

tabida, *Grus canadensis*, 200
 Tachycineta,

Sterna,
forsteri, 202
hirundo, 202
Sternotherus odoratus, 111
stilt, black-necked, 201
stilt sandpiper, 201
strepera, Anas, 197
striatula, Haldea, 110
striatulus, *Accipiter gentilis*, 198
striatus, *Accipiter*, 198
Strix nebulosa nebulosa, 203
Sturnella, 168
neglecta, 190, 210
Sturnus vulgaris, 168, 209
subcinctus, *Sylvilagus floridanus*, 468
subflavus,
Pipistrellus, 584
Pipistrellus hispidus, 599
vespertilio, 599
subspeciation,
in kangaroo rat, *Dipodomys ordii*, 475
in pocket gophers of Kansas, 219
Sula sula, 180
sula, *Sula*, 180
supernus, *Thomomys bottae*, 251
surinamensis, *Chlidonias nigra*, 202
Surnia,
caparoch, 203
ulula, 203
Swainson hawk, 198
swainsoni,
Buteo, 198
Hylocichla ustulata, 188
swallow,
bank, 206
barn, 206
cliff, 164, 206
northern cliff, 206
rough-winged, 206
tree, 206
violet-green, 206
swan,
trumpeter, 196
whistling, 196
sweet clover, 133
swift,
Vaux, 204
white-throated, 204
sylvatica, *Rana*, 104

Terrapene,
ornata, 111
triunguis, 112
terrosus, *Dipodomys ordii*, 523
testaceous, *Masticophis flagellum*, 108
teter, *Cathartes aura*, 198
Testudo riggsi, 284
texanum, *Ambystoma*, 103
texanus, *Colinus virginianus*, 200
Texas bob-white, 200
texensis,
Chordeiles acutipennis, 186
Didelphis mesamericana, 439
thalassina, *Tachycineta*, 206
Thamnophis,
marciana, 99
parietalis, 110
proximus, 110
radix, 99, 110
sauritus, 110
sirtalis, 110
lepida, 206
thalassina, 206
Tadarida,
femorosacca, range of, 247
mexicana, 445
tadpoles of *Bufo cognatus*, 95
talpoides, *Thomomys*, 6, 138
tanager, western, 210
Tantilla,
gracilis, 110
nigriceps, 110
tantilla, 110
Tarascan,
Empire, 435
mouse, 463
trascensis, *Zygozomys trichopus*, 453
Trasco, ratón, 463
Taraxacum officinale, 134
Taxidea, 447
Tayassu,
angulatus, 469
humeralis, 469
Taylor, Edward H., A new hylid frog from eastern Mexico, 259
taylori,
Baiomys, 460
Castor canadensis, 410
Peromyscus, 460
Tayra, 437
teal,
blue-winged, 168, 197
cinnamon, 197
green-winged, 197
Telmatodytes,
palustris, 207
pulverius, 207
tenuicauda, *Neotoma ferruginea*, 467
tenuiceps, *Heliscomys*, 289
tenuirostris, *Charadrius alexandrinus*, 183
tenuis, *Reithrodontomys fulvescens*, 457
tenuissima, *Sitta carolinensis*, 207
tephrocotis, *Leucosticte*, 211
tergeminus, *Sistrurus catenatus*, 111
tern,
black, 202
Caspian, 202
common, 202
Forster, 202
ravus, 15
robustus, 30
rufescens, 3
sevieri, 45
stansburyi, 36
supernus, 251
talpoides, 6, 138
tivius, 49
tolucae, 252
trumbullensis, 65
uinta, 13
umbrinus, 3, 251, 451
umbrinus, new from Mexico, 251
virgineus, 64
wahwahensis, 58
wasatchensis, 8
thrasher,
brown, 168
sage, 208
threeawn, 132
three-toed woodpecker,
Alaska, 205

Thayer gull, 202
 thayeri, *Larus argentatus*, 202
 thick-billed red-wing, 210
 Thomomys,
 absonus, 71
 albicaudatus, 37
 alexandrae, 72
 aureus, 61
 aureiventris, 28
 birdseyei, 63
bonnevillei, 41
 bottae, 28
 bulbivorus, 3
 centralis, 44
 clusius, 17
contractus, 50
 convexus, 47
 dissimilis, 60
 fisheri, 60
 fossor, 21
 fulvus, 61
 gracilis, 6
 howelli, 57
 kaibabensis, 23
 lenis, 53
 levidensis, 54
 levis, 24
 minimus, 32
 moorei, 19
 nesophilus, 34
 nicholi, 66
 ocius, 17
 of Utah, 3
 osgoodi, 56
 oquirrhensis, 11
 parowanensis, 22
 perpallidus, 28
 planirostris, 66
pullus, 251, 451
 pygmaeus, 14
 quadratus, 6

Townsend,
 solitaire, 208
 warbler, 209
 Toxostoma rufum, 168
 traillii, *Empidonax*, 187, 205
 transversa, *Natrix erythrogaster*,
 109
 tree sparrow, western, 212
 tree swallow, 206
 treganzai, *Ardea herodias*, 196
 triangulum, *Lampropeltis*, 109
 trichas, *Geothlypis*, 189, 209
 trichopus, *Zygoeomys*, 453
 tricolor, *Steganopus*, 184, 202
 tridactylus, *Picoides*, 205
 tridecimlineatus, *Citellus*, 143
 trifida, *Ambrosia*, 134
 Trifolium, 136
 Trifolius, 132
 trinitatis,
Echimys, 333
Proechimys, 316
 Tringa,
 cinnamomea, 201
 solitaria, 201
 Trionyx, 122
 triseriata, *Pseudacris nigrita*, 104
 tristis, *Spinus*, 211
 Triturus,
 louisianensis, 103
 viridescens, 103
 triunguis,

alpine, 205
 arctic, 205
 thrush,
 Alaska hermit, 208
 Audubon hermit, 208
 hermit, 208
 northern varied, 208
 olive-backed, 208
 varied, 208
 western olive-backed, 208
 willow, 188, 208
 thula, *Leucophoyx*, 196
 thyroideus, *Sphyrapicus*, 204
 thysanodes, *Myotis thysanodes*, 444
 tigrinum, *Ambystoma*, 103
 timida, *Chrysemys*, 272
 titmouse, gray, 207
 tivius, *Thomomys bottae*, 49
 tlacuache, 438
 ratón, 439
 toad,
 American, 103
 common tree, 104
 Great Plains, 104
 narrow-mouthed, 105
 Rocky Mountain, 104
 tolmiei, *Oporornis*, 209
 toltecus, *Reithrodontomys fulvescens*,
 458
 tolucae, *Thomomys umbrinus*, 252
 toothed turtle, 112
 towhee,
 arctic, 211
 green-tailed, 211
 Nevada, 211
 spotted, 211
 townsendi,
Dendroica, 209
Myadestes, 208

common snapping, 111
 extinct emydid from Lower Pliocene of
 Oklahoma, 269
 mud, 111
 musk, 111
 ornate box, 111
 painted, 112
 scribe, 112
 snapping, 111
 soft-shelled, 112, 119
 spineless soft-shelled, 112
 spiny soft-shelled, 112
 toothed, 112
 yellow mud, 111
 turtles, fossil from Kansas and
 Oklahoma, 283
 tuza,
 de Michoacán, 452
 llanera, 452
 serrana, 451
 tylorhinus, *Platygeomys*, 452
 Tyrannus tyrannus, 205
 tyrannus, *Tyrannus*, 205
 tzitzihua, *Anas acuta*, 197

U

uakuí, 450, 451
 Uikúri, 438
 uinta, *Thomomys talpoides*, 13
 ulula, *Surnia*, 203
 umbelloides, *Bonasa umbellus*, 199
 umbellus, *Bonasa*, 199
 umbrinus,

Amyda, 122
 Terrapene, 112
 Troglodytes,
 aëdon, 207
 pacificus, 207
 parkmanii, 207
 pullus, 188
 troglodytes, 188, 207
 troglodytes, Troglodytes, 188, 207
 tropical,
 arrocera, rata, 464
 pigmeo ratón, 460
 pigmy mouse, 460
 rice rat, 464
 tropicalis, Conepatus, 577
 Tropidoclonion lineatum, 110
 truei, Peromyscus, 462
 trumbullensis, Thomomys bottae, 65
 tuberosus, Helianthus, 135
 tularemia, 479
 Turdus,
 caurinus, 208
 migratorius, 168, 188, 208
 nigriceus, 188
 propinquus, 208
 turkey vulture, 198
 turtle,
 box, 111
 Carolina, 112
 common musk, 111

varius,
 Cartogeomys, 453
 Platygeomys, 453
 Sphyrapicus, 204
 Vaux swift, 204
 vauxi, Chaetura, 204
 velifer, Myotis, 443, 588
 velox, Accipiter striatus, 198
 venado cola blanca, 470
 ventralis, Ophisaurus, 106
 veracruzis,
 Pipistrellus subflavus, 601
 Vesperugo, 601
 vermis, Carphophis amoena, 107
 Vermivora,
 celata, 209
 orestera, 209
 ridgwayi, 209
 ruficapilla, 209
 vermivorus, Helmitheros, 189
 versicolor,
 Hyla, 104
 Quiscalus, 168
 vesper sparrow, 211
 Vespertilio cinnamomeus, 585
 vespertina, Hesperiphona, 210
 vespertino, murciélagos, 443
 Vesperugo,
 carolinensis, 599
 erythrodyctylus, 599
 hesperus, 596
 merriami, 597
 subflavus, 599
 veracruzis, 601
 vicinior, Peromyscus banderanus,
 463
 Villa R., Bernardo, 219, 251
 Villa R., Bernardo and E. Raymond
 Hall, 435
villicauda, Proechimys, 355

Thomomys, 251, 451
 Thomomys talpoides, 3
 underwoodi, Eumops, 445
 undulatus, Sceloporus, 106
 unicolor, Cinclus mexicanus, 207
 United States Navy, office of research
 and invention, 479
 urichi, Proechimys, 316
 Urocyon,
 cinereoargenteus, 448
 colimensis, 448
 urophasianus, Centrocercus, 200
 ustulata, Hylocichla, 188, 208
 Utah, The pocket gophers (genus
 Thomomys) of, 1
 utahensis,
 Dipodomys ordii, 525, 543
 Eremophila alpestris, 206
 Perodipus montanus, 538
 Perodipus ordii, 543

V

vacillator, Proechimys, 316
 vagrans, Spinus pinus, 211
 valisineria, Aythya, 197
 vampire bat, 443
 vampiro, 443
 variabilis, Dermacentor, 143
 varied thrush, northern, 208
 variegatus,
 Citellus variegatus, 449
 Sciurus, 449

[\[Index\]](#)

virginiana, Didelphis, 439
 virginianus,
 Bubo, 159, 203
 Colinus, 200
 Odocoileus, 470
 viridescens, Triturus, 103
 viridis, Setaria, 132
 viridus, Crotalus, 111
 vittata, Mephitis macroura, 578
 vociferus, Charadrius, 200
 volcanes, ratón los, 466
 vulgaris, Sturnus, 168, 209
 vulture,
 turkey, 198
 western turkey, 198

[Pg 636]

W

wahwahensis, Thomomys bottae, 58
 wapacuthu, Bubo virginianus, 203
 warbler,
 Audubon, 209
 Black-throated gray, 209
 Calaveras, 209
 Macgillivray, 209
 northern pileolated, 210
 orange-crowned, 209
 pileolated, 210
 Rocky Mountain orange-crowned, 209
 Townsend, 209
 yellow, 209
 warbling vireo, 209
 warreni, Proechimys, 316
wasatchensis, Thomomys talpoides, 8
 washingtoniensis, Haliaeetus
 leucocephalus, 199
 water snake, 109
 water-thrush,
 British Columbia, 189
 Grinnell, 209
 northern, 189
 waxwing,

[\[Index\]](#)

villosus, Dendrocopos, 204
vinaceus, Geomys bursarius, 234
violet-green swallow, 206
virens, Icteria, 189, 209
Vireo,
 alticola, 188
 cassinii, 209
 gilvus, 209
 huttoni, 209
 olivaceus, 209
 solitarius, 188, 209
 swainsonii, 209
vireo,
 Cassin, 209
 Hutton, 209
 mountain, 188
 red-eyed, 209
 warbling, 209
 western warbling, 209
virgineus, Thomomys bottae, 64
Virginia rail, 200

western—*Concluded*
 meadowlark, 190, 210
 mourning dove, 202
 olive-backed thrush, 208
 pigeon hawk, 199
 pileated woodpecker, 204
 pine siskin, 211
 pipit, 188, 208
 red-tailed hawk, 198
 ruby-crowned kinglet, 208
 sandpiper, 201
 solitary, 201
 spiny pocket mouse, 454
 tanager, 210
 tree sparrow, 212
 turkey vulture, 198
 vesper sparrow, 211
 warbling vireo, 209
wenmanni, Epitedia, 140
white pelican, 196
white-cheeked goose, 196
white-crowned sparrow, 212
white-faced glossy ibis, 196
white-headed woodpecker, 205
white-sided jack rabbit, 469
white-tailed,
 deer, 470
 ptarmigan, 200
white-throated,
 sparrow, 212
 swift, 204
 wood rat, 467
white-winged crossbill, 211
wild,
 lettuce, 133
 millet, 134
 morning glory, 135
willet, western, 201
Williamson sapsucker, 204
willow thrush, 188, 208
Wilson,
 phalarope, 184, 202
 plover, 184
 snipe, 201
 warbler, 190
Wilsonia,
 pileolata, 210
 pusilla, 190, 210
wilsonia, Charadrius, 184
wilsonianus, Asio otus, 203
winter wren, 207
wood duck, 197

Bohemian, 208
 cedar, 208
weasel, 447
western,
 belted kingfisher, 204
 bluebird, 208
 burrowing owl, 203
 catbird, 207
 chipping sparrow, 212
 crow, 206
 gnatcatcher, 208
 golden-crowned kinglet, 208
 goshawk, 198
 grebe, 196
 grosbeak, 210
 harlequin duck, 198
 house wren, 207
 lark sparrow, 211

Woodhouse jay, 206
woodhousei, Aphelocoma coerulescens,
206
woodhousii, Bufo, 104
woodpecker,
 Alaska three-toed, 205
 alpine three-toed, 205
 arctic three-toed, 205
 Batchelder, 205
 hairy, 204
 Lewis, 204
 northern white-headed, 205
 pileated, 204
 Rocky Mountain hairy, 204
 three-toed, 205
 western pileated, 204
 white-headed, 204
wood mouse, 462
worm-eating warbler, 189
worm snake, 107
wren,
 canyon, 207
 common rock, 207
 house, 207
 long-billed, 207
 northern canyon, 207
 northwestern long-billed, 207
 rock, 207
 southern winter, 188
 western house, 207
 western winter, 207
 winter, 188, 207

Y

yellow warbler, 209
yellow-bellied,
 flycatcher, 186
 king snake, 108
yellow-breasted chat, 189
yellow-headed blackbird, 210
yellow-legs,
 greater, 201
 lesser, 201
yellow-throat, western, 189, 209
yerbabuena, Leptonycteris nivalis, 441
Yuma,
 murciélago, 443
 myotis, 443
yumanensis, Myotis, 443

Z

zacatecae, Reithrodontomys megalotis,
456
zamora, Peromyscus melanophrys, 463

[Pg 637]

[\[Index\]](#)

[\[Index\]](#)

wood pewee, 205
wood rat,
dwarf, 467
ferruginous, 467
white-throated, 467

zapotero, murciélago, 442
zelotes, *Peromyscus*, 462
Zenaidura,
macroura, 168, 202
marginella, 202

Zonotrichia,
albicollis, 212
gambeli, 212
leucophrys, 212
querula, 212
zorrillo, 448
manchado, 447
real, 448
zorro gris, 448
Zygogeomys,
tarascensis, 453
trichopus, 453

[Pg 638]



23-2413

Transcriber's Notes

To facilitate locating entries, a "jump" list was created and each section where a new letter of the alphabet begins was labeled and a link back to the list was added to the left column. In transcribing this publication, the following errors were corrected. Seven misplaced entries were moved to their correct alphabetical location. Five other typographical errors were corrected (as listed below).

Reodered Entries

Page	Text Moved
------	------------

616	gray, titmouse
618	inexpectatus, <i>Reithrodontomys fulvescens</i>
622	mexicanus, <i>Cassidix</i>
630	sanctiluciae, <i>Dipodomys venustus</i>
631	Sitta, pygmaea
632	sparrow, English
632	sparrow, vesper

Typographical Corrections

Page	Correction
------	------------

i	Missing period in E. Raymond Hall added
612	Raymon = Raymond
625	sandwichensis not indented
628	repeated "pullus" removed
633	restricuts = restrictus

*** END OF THE PROJECT GUTENBERG EBOOK INDEX TO UNIVERSITY OF KANSAS PUBLICATIONS, MUSEUM OF NATURAL HISTORY, VOLUME 1 ***

Updated editions will replace the previous one—the old editions will be renamed.

Creating the works from print editions not protected by U.S. copyright law means that no one owns a United States copyright in these works, so the Foundation (and you!) can copy and distribute it in the United States without permission and without paying copyright royalties. Special rules, set forth in the General Terms of Use part of this license, apply to copying and distributing Project Gutenberg™ electronic works to protect the PROJECT GUTENBERG™ concept and trademark. Project Gutenberg is a registered trademark, and may not be used if you charge for an eBook, except by following the terms of the trademark license, including paying royalties for use of the Project Gutenberg trademark. If you do not charge anything for copies of this eBook, complying with the

trademark license is very easy. You may use this eBook for nearly any purpose such as creation of derivative works, reports, performances and research. Project Gutenberg eBooks may be modified and printed and given away—you may do practically ANYTHING in the United States with eBooks not protected by U.S. copyright law. Redistribution is subject to the trademark license, especially commercial redistribution.

START: FULL LICENSE
THE FULL PROJECT GUTENBERG LICENSE
PLEASE READ THIS BEFORE YOU DISTRIBUTE OR USE THIS WORK

To protect the Project Gutenberg™ mission of promoting the free distribution of electronic works, by using or distributing this work (or any other work associated in any way with the phrase “Project Gutenberg”), you agree to comply with all the terms of the Full Project Gutenberg™ License available with this file or online at www.gutenberg.org/license.

Section 1. General Terms of Use and Redistributing Project Gutenberg™ electronic works

1.A. By reading or using any part of this Project Gutenberg™ electronic work, you indicate that you have read, understand, agree to and accept all the terms of this license and intellectual property (trademark/copyright) agreement. If you do not agree to abide by all the terms of this agreement, you must cease using and return or destroy all copies of Project Gutenberg™ electronic works in your possession. If you paid a fee for obtaining a copy of or access to a Project Gutenberg™ electronic work and you do not agree to be bound by the terms of this agreement, you may obtain a refund from the person or entity to whom you paid the fee as set forth in paragraph 1.E.8.

1.B. “Project Gutenberg” is a registered trademark. It may only be used on or associated in any way with an electronic work by people who agree to be bound by the terms of this agreement. There are a few things that you can do with most Project Gutenberg™ electronic works even without complying with the full terms of this agreement. See paragraph 1.C below. There are a lot of things you can do with Project Gutenberg™ electronic works if you follow the terms of this agreement and help preserve free future access to Project Gutenberg™ electronic works. See paragraph 1.E below.

1.C. The Project Gutenberg Literary Archive Foundation (“the Foundation” or PGLAF), owns a compilation copyright in the collection of Project Gutenberg™ electronic works. Nearly all the individual works in the collection are in the public domain in the United States. If an individual work is unprotected by copyright law in the United States and you are located in the United States, we do not claim a right to prevent you from copying, distributing, performing, displaying or creating derivative works based on the work as long as all references to Project Gutenberg are removed. Of course, we hope that you will support the Project Gutenberg™ mission of promoting free access to electronic works by freely sharing Project Gutenberg™ works in compliance with the terms of this agreement for keeping the Project Gutenberg™ name associated with the work. You can easily comply with the terms of this agreement by keeping this work in the same format with its attached full Project Gutenberg™ License when you share it without charge with others.

1.D. The copyright laws of the place where you are located also govern what you can do with this work. Copyright laws in most countries are in a constant state of change. If you are outside the United States, check the laws of your country in addition to the terms of this agreement before downloading, copying, displaying, performing, distributing or creating derivative works based on this work or any other Project Gutenberg™ work. The Foundation makes no representations concerning the copyright status of any work in any country other than the United States.

1.E. Unless you have removed all references to Project Gutenberg:

1.E.1. The following sentence, with active links to, or other immediate access to, the full Project Gutenberg™ License must appear prominently whenever any copy of a Project Gutenberg™ work (any work on which the phrase “Project Gutenberg” appears, or with which the phrase “Project Gutenberg” is associated) is accessed, displayed, performed, viewed, copied or distributed:

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

1.E.2. If an individual Project Gutenberg™ electronic work is derived from texts not protected by U.S. copyright law (does not contain a notice indicating that it is posted with permission of the copyright holder), the work can be copied and distributed to anyone in the United States without paying any fees or charges. If you are redistributing or providing access to a work with the phrase “Project Gutenberg” associated with or appearing on the work, you must comply either with the requirements of paragraphs 1.E.1 through 1.E.7 or obtain permission for the use of the work and the Project Gutenberg™ trademark as set forth in paragraphs 1.E.8 or 1.E.9.

1.E.3. If an individual Project Gutenberg™ electronic work is posted with the permission of the copyright holder, your use and distribution must comply with both paragraphs 1.E.1 through 1.E.7 and any additional terms imposed by the copyright holder. Additional terms will be linked to the Project Gutenberg™ License for all works posted with the permission of the copyright holder found at the beginning of this work.

1.E.4. Do not unlink or detach or remove the full Project Gutenberg™ License terms from this work, or any files containing a part of this work or any other work associated with Project Gutenberg™.

1.E.5. Do not copy, display, perform, distribute or redistribute this electronic work, or any part of this electronic work, without prominently displaying the sentence set forth in paragraph 1.E.1 with active links or immediate access to the full terms of the Project Gutenberg™ License.

1.E.6. You may convert to and distribute this work in any binary, compressed, marked up, nonproprietary or proprietary form, including any word processing or hypertext form. However, if you provide access to or distribute copies of a Project Gutenberg™ work in a format other than “Plain Vanilla ASCII” or other format used in the official version posted on the official Project Gutenberg™ website (www.gutenberg.org), you must, at no additional cost, fee or expense to the user, provide a copy, a means of exporting a copy, or a means of obtaining a copy upon request, of the work in its original “Plain Vanilla ASCII” or other form. Any alternate format must include the full Project Gutenberg™ License as specified in paragraph 1.E.1.

1.E.7. Do not charge a fee for access to, viewing, displaying, performing, copying or distributing any Project Gutenberg™ works unless you comply with paragraph 1.E.8 or 1.E.9.

1.E.8. You may charge a reasonable fee for copies of or providing access to or distributing Project Gutenberg™ electronic works provided that:

- You pay a royalty fee of 20% of the gross profits you derive from the use of Project Gutenberg™ works calculated using the method you already use to calculate your applicable taxes. The fee is owed to the owner of the Project Gutenberg™ trademark, but he has agreed to donate royalties under this paragraph to the Project Gutenberg Literary Archive Foundation. Royalty payments must be paid within 60 days following each date on which you prepare (or are legally required to prepare) your periodic tax returns. Royalty payments should be clearly marked as such and sent to the Project Gutenberg Literary Archive Foundation at the address specified in Section 4, “Information about donations to the Project Gutenberg Literary Archive Foundation.”
- You provide a full refund of any money paid by a user who notifies you in writing (or by e-mail) within 30 days of receipt that s/he does not agree to the terms of the full Project Gutenberg™ License. You must require such a user to return or destroy all copies of the works possessed in a physical medium and discontinue all use of and all access to other copies of Project Gutenberg™ works.
- You provide, in accordance with paragraph 1.F.3, a full refund of any money paid for a work or a replacement copy, if a defect in the electronic work is discovered and reported to you within 90 days of receipt of the work.
- You comply with all other terms of this agreement for free distribution of Project Gutenberg™ works.

1.E.9. If you wish to charge a fee or distribute a Project Gutenberg™ electronic work or group of works on different terms than are set forth in this agreement, you must obtain permission in writing from the Project Gutenberg Literary Archive Foundation, the manager of the Project Gutenberg™ trademark. Contact the Foundation as set forth in Section 3 below.

1.F.

1.F.1. Project Gutenberg volunteers and employees expend considerable effort to identify, do copyright research on, transcribe and proofread works not protected by U.S. copyright law in creating the Project Gutenberg™ collection. Despite these efforts, Project Gutenberg™ electronic works, and the medium on which they may be stored, may contain “Defects,” such as, but not limited to, incomplete, inaccurate or corrupt data, transcription errors, a copyright or other intellectual property infringement, a defective or damaged disk or other medium, a computer virus, or computer codes that damage or cannot be read by your equipment.

1.F.2. LIMITED WARRANTY, DISCLAIMER OF DAMAGES - Except for the “Right of Replacement or Refund” described in paragraph 1.F.3, the Project Gutenberg Literary Archive Foundation, the owner of the Project Gutenberg™ trademark, and any other party distributing a Project Gutenberg™ electronic work under this agreement, disclaim all liability to you for damages, costs and expenses, including legal fees. YOU AGREE THAT YOU HAVE NO REMEDIES FOR NEGLIGENCE, STRICT LIABILITY, BREACH OF WARRANTY OR BREACH OF CONTRACT EXCEPT THOSE PROVIDED IN PARAGRAPH 1.F.3. YOU AGREE THAT THE FOUNDATION, THE TRADEMARK OWNER, AND ANY DISTRIBUTOR UNDER THIS AGREEMENT WILL NOT BE LIABLE TO YOU FOR ACTUAL, DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE OR INCIDENTAL DAMAGES EVEN IF YOU GIVE NOTICE OF THE POSSIBILITY OF SUCH DAMAGE.

1.F.3. LIMITED RIGHT OF REPLACEMENT OR REFUND - If you discover a defect in this electronic work within 90 days of receiving it, you can receive a refund of the money (if any) you paid for it by sending a written explanation to the person you received the work from. If you received the work on a physical medium, you must return the medium with your written explanation. The person or entity that provided you with the defective work may elect to provide a replacement copy in lieu of a refund. If you received the work electronically, the person or entity providing it to you may choose to give you a second opportunity to receive the work electronically in lieu of a refund. If the second copy is also defective, you may demand a refund in writing without further opportunities to fix the problem.

1.F.4. Except for the limited right of replacement or refund set forth in paragraph 1.F.3, this work is provided to you ‘AS-IS’, WITH NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE.

1.F.5. Some states do not allow disclaimers of certain implied warranties or the exclusion or limitation of certain types of damages. If any disclaimer or limitation set forth in this agreement violates the law of the state applicable to this agreement, the agreement shall be interpreted to make the maximum disclaimer or limitation permitted by the applicable state law. The invalidity or unenforceability of any provision of this agreement shall not void the

remaining provisions.

1.F.6. INDEMNITY - You agree to indemnify and hold the Foundation, the trademark owner, any agent or employee of the Foundation, anyone providing copies of Project Gutenberg™ electronic works in accordance with this agreement, and any volunteers associated with the production, promotion and distribution of Project Gutenberg™ electronic works, harmless from all liability, costs and expenses, including legal fees, that arise directly or indirectly from any of the following which you do or cause to occur: (a) distribution of this or any Project Gutenberg™ work, (b) alteration, modification, or additions or deletions to any Project Gutenberg™ work, and (c) any Defect you cause.

Section 2. Information about the Mission of Project Gutenberg™

Project Gutenberg™ is synonymous with the free distribution of electronic works in formats readable by the widest variety of computers including obsolete, old, middle-aged and new computers. It exists because of the efforts of hundreds of volunteers and donations from people in all walks of life.

Volunteers and financial support to provide volunteers with the assistance they need are critical to reaching Project Gutenberg™'s goals and ensuring that the Project Gutenberg™ collection will remain freely available for generations to come. In 2001, the Project Gutenberg Literary Archive Foundation was created to provide a secure and permanent future for Project Gutenberg™ and future generations. To learn more about the Project Gutenberg Literary Archive Foundation and how your efforts and donations can help, see Sections 3 and 4 and the Foundation information page at www.gutenberg.org.

Section 3. Information about the Project Gutenberg Literary Archive Foundation

The Project Gutenberg Literary Archive Foundation is a non-profit 501(c)(3) educational corporation organized under the laws of the state of Mississippi and granted tax exempt status by the Internal Revenue Service. The Foundation's EIN or federal tax identification number is 64-6221541. Contributions to the Project Gutenberg Literary Archive Foundation are tax deductible to the full extent permitted by U.S. federal laws and your state's laws.

The Foundation's business office is located at 809 North 1500 West, Salt Lake City, UT 84116, (801) 596-1887. Email contact links and up to date contact information can be found at the Foundation's website and official page at www.gutenberg.org/contact

Section 4. Information about Donations to the Project Gutenberg Literary Archive Foundation

Project Gutenberg™ depends upon and cannot survive without widespread public support and donations to carry out its mission of increasing the number of public domain and licensed works that can be freely distributed in machine-readable form accessible by the widest array of equipment including outdated equipment. Many small donations (\$1 to \$5,000) are particularly important to maintaining tax exempt status with the IRS.

The Foundation is committed to complying with the laws regulating charities and charitable donations in all 50 states of the United States. Compliance requirements are not uniform and it takes a considerable effort, much paperwork and many fees to meet and keep up with these requirements. We do not solicit donations in locations where we have not received written confirmation of compliance. To SEND DONATIONS or determine the status of compliance for any particular state visit www.gutenberg.org/donate.

While we cannot and do not solicit contributions from states where we have not met the solicitation requirements, we know of no prohibition against accepting unsolicited donations from donors in such states who approach us with offers to donate.

International donations are gratefully accepted, but we cannot make any statements concerning tax treatment of donations received from outside the United States. U.S. laws alone swamp our small staff.

Please check the Project Gutenberg web pages for current donation methods and addresses. Donations are accepted in a number of other ways including checks, online payments and credit card donations. To donate, please visit: www.gutenberg.org/donate

Section 5. General Information About Project Gutenberg™ electronic works

Professor Michael S. Hart was the originator of the Project Gutenberg™ concept of a library of electronic works that could be freely shared with anyone. For forty years, he produced and distributed Project Gutenberg™ eBooks with only a loose network of volunteer support.

Project Gutenberg™ eBooks are often created from several printed editions, all of which are confirmed as not protected by copyright in the U.S. unless a copyright notice is included. Thus, we do not necessarily keep eBooks in compliance with any particular paper edition.

Most people start at our website which has the main PG search facility: www.gutenberg.org.

This website includes information about Project Gutenberg™, including how to make donations to the Project Gutenberg Literary Archive Foundation, how to help produce our new eBooks, and how to subscribe to our email newsletter to hear about new eBooks.