

The Project Gutenberg eBook of Sertum Anglicum, seu, Plantae Rariores quae in Hortis Juxta Londinum, by Charles Louis L'Héritier de Brutelle

This ebook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this ebook or online at www.gutenberg.org. If you are not located in the United States, you'll have to check the laws of the country where you are located before using this eBook.

Title: Sertum Anglicum, seu, Plantae Rariores quae in Hortis Juxta Londinum

Author: Charles Louis L'Héritier de Brutelle

Release date: February 20, 2012 [EBook #38937]
Most recently updated: January 8, 2021

Language: Latin

Credits: Produced by Omaio Systems

*** START OF THE PROJECT GUTENBERG EBOOK SERTUM ANGLICUM, SEU, PLANTAE RARIORES QUAE IN HORTIS JUXTA LONDINUM ***

[Transcriber's note: Spelling (including typographic errors) in the original has been preserved without correction, for instance on one occasion *umbrella* replaces *umbella*. This HTML document contains URL fragment identifiers of the form #Agenus and #Agenus_asespecies, in all such URLs the rendering of taxonomic names conforms to current standards. Although the title page bears the date 1788, the work was issued in parts beginning with the text and first plates in 1789; further sets of plates were issued up to 1792; plates 35 to 43 were never published. At some time early in the 19th century the work was re-issued, still with date 1788, but with type reset to 20 pages and lacking the astronomical symbols.]

{i}

CAR. LUD. L'HÉRITIER, DOM. DE BRUTELLE,
in Aulâ Juvam. Par. Reg. Consil.

SERTUM ANGLICUM

SEU

PLANTAE RARIORES

QUAE IN HORTIS JUXTA LONDINUM

IMPRIMIS

IN HORTO REGIO KEWENSI

EXCOLUNTUR,

Ab anno 1786 ad annum 1787 observatae.

* * * * *

PARISIIS,
TYPIS PETRI-FRANCISCI DIDOT.

(PARISIIS, apud	(LUD. NIC. PRÉVOST.
	(THEOPHIL. BARROIS.
<i>Prostat</i> (LONDINI, apud	PETR. ELMSLY.
(VIENNAE et LIPSIAE, apud	RUD. GRAEFFER.
(ARGENTORATI, apud	AMAND. KOENIG.

1788.

{ii}

[blank]

{iii}

Deduxit me in Angliam et hortorum celebritas, et inprimis absolutissimum illud Linnaei herbarium vivum, quod in immortalem summi Viri famam, perpetuamque artis botanicae disciplinam consitum est.

Indefesso quindecim mensium labore, plantas delineandas curavi in suo genere pretiosissimas, non sine magnâ hortorum admiratione, qui et affluentî plantarum copiâ et industriâ colendi, famâ gaudent non immeritâ.

In praesenti fasciculo colliguntur plantae selectae et rariores; uberrimam profecto segetem, quae peregrationis curas tanto cum foenore compensavit! Alias in alia opera remitto, in quibus unaquaeque propriis lineamentis, cum plantis congeneribus adumbrabitur.

Genti autem Anglicae hoc plantarum suarum Sertilegium speciatim offero et dedico. In illos enim laus debet redundare e quibus profecta est. Suadet etiam gratissima animi recordatio quae semper infra beneficium erit. Juvat enim praedicare, et meminisse amo, quam omnes me comiter exceperint; quam viri doctissimi in explicandâ divitiarum ubertate, se praebuerint faciles et commodos, quam studiosi praesertim homines artis botanicae officiosam mihi operam navaverint.

Accipiant igitur Angli Botanici, iique soli, nova quae in hoc opusculo descripsi genera, non ingratum, ut spero, nec ignotum munusculum. Velint meo labori arridere; mihiq; liceat, ut hoc opus illorum nomine insignitum et vere splendidum, testetur gratum animum aeternumque memorem. Dabam Parisiis 20â Aprilis 1788.

{iv}

O vale of bliss! Of softly-swelling hills!
On which the *Power of Cultivation* lies,
And joys to see the wonders of his toil.

.....
.....
.....
.....

Happy BRITANNIA! where the QUEEN OF ARTS,
Inspiring vigour, LIBERTY abroad,
Walks, unconfi'd, even to thy farthest cotes,
And scatters plenty with unsparing hand.

THOMS. seas.

{1}

SYNOPSIS OPERIS.

TETRANDRIA.

[WITHERINGIA.](#)

CALYX quadridentatus. *Corolla* campanulata. *Nectarium* quadrilobum, corollae adnatum, polymorphum. *Stamina* corollae inserta. *Antherae* lateribus dehiscentes. *Germen* superum. *Bacca* polysperma.

[WITHERINGIA solanacea. Tab. 1.](#)

HABITAT in ... 2

[Transcriber's note: Tab. 1. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



Jac. Sowerby del.

Fr. Hubert sculp.

WITHERINGIA folanacea.

CHLORANTHUS.

PERIANTHIUM duplex. *Exterius*: mera Bractea. *Proprium*: Squamula semisupera, lateri germinis adnata. *Corolla* semisupera, lateralis, dimidiata, trifida, lateri germinis insidens. *Filamenta* nulla. *Antherae* corollae adnatae. *Germen* semiinferum, petaligerum. *Stylus* nullus. *Stigma* capitatum. *Bacca* 1-sperma.

CHLORANTHUS inconspicuus. Tab. 2.

Tchu-lan *Chinensibus* vulgo.

HABITAT in Chinâ. †

[Transcriber's note: Tab. 2. In this e-text the figure has been relocated here, in the original work all plates followed the text.]

P. foliis subulatis subciliatis, paniculis longius pedunculatis.

Polemonium *roëллоides* erectum, caule filiformi, foliis lanceolatis ciliatis, paniculâ pauciflorâ pedunculatâ nudâ. *Linn suppl.* 139?

HABITAT ad Promontorium bonae spei. Andreas Augé.

Calyces lineares, acutissimi.

Polemonium roëллоides L. *germine infero columnari genus Prismaticarpi certe agnoscit, sed omisi dum in Angliâ degebam, cum speciebus novi generis conferre.*

3. PRISMATOCARPUS *altiflorus*.

P. foliis subulatis subciliatis confertissimis, pedunculo longissimo aphylo, germinibus tomentosis.

HABITAT ad Caput bonae spei. Fr. Masson.

P. interruptus, paniculatus *et altiflorus similes foliis et habitu Lepidii subulati.*

Margines foliorum rigidiusculis aculeis muricato-ciliati.

4. PRISMATOCARPUS *fruticosus*.

P. foliis lineari-subulatis muticis, paniculis terminalibus pedunculatis, caule fruticoso.

Campanula *fruticosa* capsulis quinquelocularibus columnaribus, caule fruticoso, foliis lineari-subulatis, pedunculis longissimis. *Linn. spec.* 238.

HABITAT ad Promontorium bonae spei. Masson. h

5. PRISMATOCARPUS *crispus*.

P. foliis linearibus undulatis, caule florifero laxo ramoso, germinibus longissimis.

HABITAT ad Promontorium bonae spei. Augé. Masson.

Calyces subulati. Folia margine revoluta, uti caulis villosa. Facies absolute Campanulae undulatae, quae solo germine, ut in aliis Campanulis, turbinato brevi distinctissima.

6. PRISMATOCARPUS *nitidus*. [Tab. 3.](#)


P. foliis lanceolatis glaberrimis, floribus terminalibus sessilibus, corollis calyce duplo longioribus.

HABITAT ad Promontorium bonae spei. Masson.

Facies fere Jussievae.

Differt a congeneribus quae flore sunt sessili caulibus basi fruticulosis.

[Transcriber's note: Tab. 3. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



Jac. Sowerby del.

Fillet sculp

CAMPANULA Prismaticarpus.

{3}

7. PRISMATOCARPUS *Speculum*.

P. foliis ovatis, floribus subaxillaribus sessilibus, calycibus corollâ duplo longioribus, caulibus diffusis ramosissimis.

Campanula *Speculum* caule ramosissimo diffuso, foliis oblongis subcrenatis floribus solitariis, capsulis prismaticis. *Linn. ups.* 41.

Onobrychis altera Belgarum et Dodonaei. *Lob. ic.* 418.

Onobrychis prima Dodonaei. *Dalech. hist.* 1. 490.

Viola arvensis. *Tab. ic.* 304.

Pentagonion, viola pentagonia. *Tab. ic.* 316. (optima.)

Campanula arvensis minima. *Dod. pempt.* 168. *Mor. hist.* 2. sect. 5. 457. t. 2. f. 21.

Onobrychis arvensis, vel campanula arvensis erecta. *Bauh. pin.* 215.

Avicularia Sylvii quibusdam. *Bauh. hist.* 2. 800.

Speculum Veneris majus. *Park. theat.* 1331.

Legousia arvensis. *Dur. burg.* 37.

HABITAT in Europae mediae et australis segetibus. ☉

Calyces omnium longiores, nunc lanceolati in junioribus, nunc lineares in senioribus plantis.

9. PRISMATOCARPUS *hybridus*.

P. foliis oblongis, floribus terminalibus approximatis sessilibus, corollis subclandestinis, caulibus erectis.

Campanula *hybrida* caule basi subramoso stricto, foliis oblongis crenatis, calycibus aggregatis corollâ longioribus, capsulis prismaticis. *Linn. spec.* 239.

Speculum Veneris minus. *Germ. em.* 439. 2. *Park. theat.* 1331.
Campanula arvensis minima erecta. *Mor. hist.* 2. *sect.* 5. 457. *t.* 2. *f.* 22.
HABITAT in Helvetiâ, Angliâ, Galliâ, Carnioliâ *inter segetes.* ☉

9. PRISMATOCARPUS *Pentagonia*.

P. foliis obovatis, rameis lanceolatis, calycibus pilosis corollâ brevioribus.

Campanula *Pentagonia* caule subdiviso ramosissimo, foliis linearibus acuminatis. *Linn. cliff.* 66.

Campanula pentagonia, flore amplissimo, thracica. *Tourn. inst.* 112.

HABITAT in Thraciâ. ☉

Planta *pedalis, ramosa pubescens.* Folia *inferiora* Bellidis, *petiolata, subintegra s. vix obsolete crenulata: caulina subsessilia, obverse oblonga, subintegra: ramea sessilia, oblonga s. lanceolata, obtusa.* Flores *majusculi.* Germina *corollis longiora.* Calyces *lineares, acuti, pilosiusculi, patentés nec revoluti ut in P. Speculo.*

{4}

LIGHTFOOTIA.

CALYX *semisuperus, pentaphyllus.* Corolla *pentapetala.* Valvulae *staminiferae ut in Campanulâ.* Germen *inferum simul et superum.* Stigma *tri-quinquefidum.* Capsula *tri-quinquelocularis, totvalvis.* Semina *plurima.*

A Campanulâ *differt corollâ pentapetalâ, nec non capsulâ multivalvi.*

1. LIGHTFOOTIA *oxycoccoides.* [Tab. 4.](#)

L. foliis petalisque lanceolatis.


Lobelia *tenella* caulibus prostratis filiformibus fruticulosus, foliis ovato-lanceolatis glabris utrinque bidentatis. *Linn. mant.* 120. 518.

Campanula *tenella* caulibus diffusis filiformibus, foliis ovatis subunidentatis reflexis, floribus solitariis terminalibus. *Linn. suppl.* 141.

Lobelia parviflora. *Berg. cap.* 354.

HABITAT ad Promontorium bonae spei. *Masson.* ☽

[Transcriber's note: Tab. 4. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



Jac. Sowerby del.

Jaillet sculp.

LIGHTFOOTIA oxycoccoides.

2. LIGHTFOOTIA *subulata*. [Tab. 5.](#)

L. foliis subulatis, petalis linearibus.

HABITAT ad Promontorium bonae spei. Masson.

[Transcriber's note: Tab. 5. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



Jac. Swartz del.

Molliere sculp.

LIGHTFOOTIA subulata.


ROËLLA.

ROËLLA *decurrens*. [Tab. 6.](#)

R. herbacea, foliis lanceolatis ciliatis decurrentibus.

HABITAT ad Caput bonae spei. Masson. ☉

[Transcriber's note: Tab. 6. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



Jacq. Sowerby del.

Jaillot sculp.

ROËLLA decurrens.

HAMELIA.

1. HAMELIA *patens*. L.

H. foliis subtus tomentosis, tubo corollae cylindrico.

H. *patens* racemis patentibus. *Jacq. amer.* 72. t. 50. *Linn. spec.* 246.H. *erecta* racemis erectis. *Jacq. amer.* 71?

HABITAT in Hispaniolâ. h

2. HAMELIA *grandiflora*. [Tab. 7.](#)

H. foliis laevigatus, tubo corollae ventricoso.

Nerio affinis arbor, versicolorâ materie, lauri folio lucido, flore pentapetaloide sulphureo amplo.

Sloan. hist. 2. 63. t. 183. f. 2.

HABITAT in Jamaicâ. h

[Transcriber's note: Tab. 7. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



fac. Sowerby del.

HAMELIA grandiflora.

Guillet sculp.

{5}

RHAMNUS.

CALYX campanulatus, quinquefidus. *Petala* squamiformia, saepe nulla. *Stamina* petalis cucullata. *Germen* subimmersum. *Stylus* et *Fructus* varii in diversi.

* *Squamulas* linnaeanas *Rhamni* petala affirmat analogia. Ita colligendum est ex *Ceanotho*, necnon e *R. Zizipho* et *Paliuro*.

1. RHAMNUS *hybridus*.

R. inermis, floribus androgynis, foliis oblongis acuminatis serratis vix perennantibus.

HABITAT in Hortis. †

Hanc plantam ultra decennium obtinui e seminibus *R. alpini*. Matrem absolute feminam separatamque a maribus quotannis observavi. *R. Alaternus* certe pater fuit. Semina in nonnullis Galliae provinciis copiose sata plantam hybridam nec ludentem constanter reddidere.

A Parente utroque tenet. Herba matris. Folia inter R. alpinum et Alaternum media, substantiâ R. Alaterni proxima, et fere perennantia. Flores androgyni patris, nec dioici ut in matre.

2. RHAMNUS *alnifolius*.

R. inermis, floribus hermaphroditis, foliis ovalibus acuminatis serratis subtus reticulatis.

HABITAT in Americâ septentrionali. †

R. alpini facie sat proximus: sed folia laxius nervosa, magis reticulata, tantummodo glabra nec lucida ut in R. alpino.

3. RHAMNUS *volubilis*. L.

R. inermis, caule volubili, foliis integerrimis ovatis striatis. *Lin. suppl.* 152.

Arbor cheusanensis baccifera, Frangulae foliis venosa, fructu parvo pyramidali calyculato, ossiculo oblongo binucleo. *Plukn. amalth.* 25. t. 368. f. 3.

Carpini angustioribus eleganter venosis foliis, planta convolvulacea ex. provinciâ Caroliniensi. *Plukn. amalth.* 52. t. 435. f. 3.

Frutex anonymus foliis dilute virentibus alternis petiolatis lanceolato-oblongis. *Clayt. virg.* 2. 33. R. scandens. *Hill. kew.* 453. t. 20.

HABITAT in Carolinâ. *Garden.* Lodoisiâ. †

R. volubilis et lineatus admodum affines. *Utrisque flores squamis petaloideis Rhamni, drupae dispermae nucleis bilocularibus Corni.*

4. RHAMNUS *latifolius*. [Tab. 8.](#)

R. inermis, floribus monogynis hermaphroditis, calycibus villosis, foliis

{6}

ellipticis integerrimis.

HABITAT in montibus St. Miguel ex Azoribus. *Masson.* †

R. Frangulae *simillimus, sed major: calyces villosi, in R. Frangulâ glabri: squamulae petaloideae sessiles, in R. Frangulâ subunguiculatae.*

[Transcriber's note: Tab. 8. In this e-text the figure has been relocated here, in the original work all plates followed the text.]

8.



P. J. Redouté del.

F. Hubert sculp.

RHAMNUS *latifolius*.

5. RHAMNUS *prinoides*. [Tab. 9.](#)

R. inermis, floribus polygamis, stylo subtriplici, foliis ovatis serratis.

Celtis foliis subrotundis dentatis, flore viridi, fructu luteo. Burm. afr. 242. t. 18.
HABITAT ad Promontorium bonae spei. Augé. Masson. h

[Transcriber's note: Tab. 9. In this e-text the figure has been relocated here, in the original work all plates followed the text.]

9.



Acc. Sowerby del.

Guillet sculp.

RHAMNUS prinoides.

6. RHAMNUS *micranthus*. *L.* erit *Celtis micrantha* in florâ peruanâ.

CEANOTHUS.

CEANOTHUS *reclinatus*.

C. foliis ovatis integris multinervibus, ramis dependentibus.

Rhamnus arborescens minor, foliis ovatis venosis, pedunculis umbellatis alaribus, fructibus sphaericis. Brown. jam. 172. t. 29. f. 2.

HABITAT in Jamaicâ. Guillelmus Wright. h

Fructu exsucco absolute Ceanothi, petalisque fornicatis brevioribus tamen quam in C. americano, potius retuli ad Ceanothum quam ad Rhamnum: sed et totum Ceanothi genus rectius ad Rhamnum retrahendum erit.

CELASTRUS.

1. CELASTRUS *corniculatus*.

C. foliis ovalibus integerrimis perennantibus, capsulâ tricorni.

Evonymus africanus, foliis laurinis, fructu aculeato. Breyn. ic. tab. 22. f. 3.

Evonymus foliis subrotundis integris, fructu corniculato. Burm. afr. t. 97. f. 1.

HABITAT ad Promontorium bonae spei. h
Facies Eucleae.

2. *CELASTRUS cassinoides*. [Tab. 10.](#)

C. inermis, foliis ovatis utrineque acutis laxe dentatis perennantibus, floribus axillaribus.

HABITAT in Maderâ, Nivariâ. Masson. h

[Transcriber's note: Tab. 10. In this e-text the figure has been relocated here, in the original work all plates followed the text.]

10.



P. J. Rolandi del.

B. Hubert sculp.

C E L A S T R U S *cassinoides.*

3. *CELASTRUS phyllacanthus*.

C. spinis foliosis, foliis lanceolatis serratis perennantibus, floribus lateralibus.

{7}

HABITAT in Senegâ. Adanson. h

In horto parisiensi floret, sed nondum fructus dedit.

4. *CELASTRUS octogonus*.

C. inermis, foliis ellipticis angulatis subnervibus perennantibus, capsulis bivalvibus monospermis.

HABITAT in Peruâ. Dombey. h

Folia glauca. Flores forte polygami, hermaphroditis aut femineis rarissimis. Semen arillatum, bisulcum. Dantur et aliae species Peruanæ et Cilenses quae similiter gaudent capsulâ tantum bivalvi.

5. *CELASTRUS undulatus*.

C. inermis, foliis suboppositis lanceolatis undulatis, capsulis bivalvibus polyspermis.

Bois de joli coeur *Gallis vulgo*.

HABITAT in Borboniâ. *Phil. Commerson. †*

Folia lanceolata, acuminata, subuninervia, undulata, margine exalbido revoluta. Petala spathulata. Stigma obsolete capitatum. Capsula unilocularis, bivalvis, polysperma. Semina 8-12, nuda nec arillata.

Planta antisiphylitica. *Commerson.*

Pericarpio et seminibus paululum recedit a *Celastro*, nec satis ut novum constituat genus.

Vigebat olim in horto parisiensi, nunc in horto *Jacobi LEE*, hortulani angli.

HEXANDRIA.

PITCAIRNIA.

CALYX tripartitus, subinferus. *Petala* 3, linearia, convoluta. *Squama* nectarifera ad basim petali.

Filamenta receptaculo inserta. *Germen* semisuperum, trigonum. *Stylus* trisulcus. *Stigma*

trifidum, spirale. *Capsula* semiinfera, trigona, tricocca, introrsum trifariam dehiscens. *Semina* numerosissima, utrinque membranaceo-appendiculata, receptaculo affixa.

PITCAIRNIA bromeliaefolia. Tab. 11.

HABITAT in Jamaicâ. ♀

Genus Bromeliae et Tillandsiae medium.

[Transcriber's note: Tab. 11. In this e-text the figure has been relocated here, in the original work all plates followed the text.]




TRADESCANTIA *discolor*. [Tab. 12.](#)

T. spathâ triphyllâ compressâ, floribus subexsertis, foliis lanceolatis subtus violaceis.

HABITAT in Americâ calidâ. ㄹ

[Transcriber's note: Tab. 12. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



CRINUM.

COROLLA supera, infundibuliformis, semisexfida. *Tubus* cylindricus. *Limbus* rotatus, aequalis, sexpartitus: *laciniis* linearibus. *Filamenta* fauci inserta, laciniis opposita. *Germen* inferum. *Stylus* filiformis. *Stigma* subtrifidum. *Capsula* trilocularis, trivalvis, polysperma.

Character sistit in tubo cylindrico, limboque aequali. Defectu nectarii tantummodo differt a Pancratis.

1. CRINUM *asiaticum*. L.

C. radice bulbosâ, foliis carinatis.

C. foliis carinatis. Linn. zeyl. 127. *Mill. ic.* 73. *t.* 110.

Lilium zeylanicum umbelliferum et bulbiferum. Herm. lugd.b. 682. *t.* 683.

Belutta-pola-taly. Rheed. mal. 11. 75. *t.* 38.

Radix toxicaria. Rhumph. 6. 155. *t.* 69. (forte potius synonymon sequentis.)

HABITAT in Malabariâ, Zeylonâ, Tranquebariâ, Americâ calidâ. ㄹ

Stamina vix declinata.

2. CRINUM *americanum*. L.

C. radice fasciculari.

C. corollarum apicibus introrsum unguiculatis. Linn. spec. 419.

Lilio-asphodelus americanus sempervirens maximus polyanthos albus. Comm. rar. 14. *t.* 14. *Dill. elth.* 1. 194. *t.* 161.

Lilio-asphodelus americanus sempervirens minor albus. Comm. rar. 15. *t.* 15.

HABITAT in Americâ calidâ.

3. CRINUM *nervosum*.

C. foliis subrotundis nervosis, filamentis basi dilatatis.

Caepa sylvestris. *Rhumph. amb.* 6. 160. t. 70. f. 1.

HABITAT in Philippinis. *Poivre*.

Folia *cordato-rotundata, integra, acuminata, nervosa: nervis concentricis*. Scapus

{9}

multiflorus polyphyllus. Flores *longius pedunculati*. Corollae *infundibuliformes: tubo filiformi; limbo sexpartito; laciniis lanceolatis, acutis, patentibus*. Filamenta *faucci inserta, laciniis opposita brevioraque, basi ampliata lata, libera recta nec declinata mihi visa*.

Crinum latifolium L. est [Amaryllis latifolia](#).

----- zeylanicum L.

----- [zeylanica](#).

----- africanum L.

[Agapanthus umbellatus](#).

----- tenellum L.

Leucoium *ex sententiâ Linnaei 2i et Solandri, vel forte novum genus*.

----- obliquum L.

[Amaryllis umbrella](#).

----- speciosum L.

----- [speciosa](#).

----- lineare L.

mihi ignotum.

----- angustifolium L.

[Amaryllis cylindracea](#).

----- falcatum. *Jacq.*

----- [falcata](#).

AMARYLLIS.

COROLLA supera, subhexapetaloides. *Tubus* infundibuliformis, aut subnullus. *Limbus* campanulatus, sexpartitus, irregularis. *Filamenta* basi laciniarum inserta, declinata, inaequalia proportione vel directione. *Germen* inferum. *Stylus* declinatus. *Stigma* trifidum. *Capsula* trilocularis, trivalvis, polysperma.

Essentiam generis administrat directio vel proportio inaequalis filamentorum.

* *Corollis regularibus, filamentis alternis brevioribus.*

1. AMARYLLIS *lutea*. L.

A. spathâ uniflorâ indivisâ, corollâ aequali sessili, stigmatibus simplicibus.

A. spathâ uniflorâ, corollâ aequali, staminibus declinatis. *Linn. cliff.* 135.

A. spathâ uniflorâ, corollâ aequali, staminibus strictis. *Linn. syst.* 236.

Narcissus autumnalis major. *Clus. hist.* 1. 163. t. 164.

Colchicum luteum majus. *Bauh. pin.* 69. *Rudb. elys.* 2. p. 129. f. 1.

Lilio-narcissus virginicus. *Weinm. phyt.* 3. p. 276. t. 652. f. C.

HABITAT Monspelii, in Hispaniâ, Italiâ, Thraciâ. ☞

A genere paululum recedit.

2. AMARYLLIS *tubispatha*.

A. spathâ monophyllâ tubulosâ bifidâ uniflorâ, pedunculo spathâ duplo longiore.

HABITAT in Bonariâ. *Commerson*.

{10}

Scapus *uniflorus, erectus, quadripollicaris*. Spatha *medium fere scapum occupans, tubulosa, cylindracea, bifida, laciniis oppositis*. Flos *longius pedunculatus, erectus*. Filamenta *alterna 3 breviora mihi visa*. Folia *in speciminibus Commersonianis non exstabant*.

3. AMARYLLIS *tubiflora*.

A. spathâ uniflorâ diphyllâ, corollâ infundibuliformi, tubo longissimo.

Lilio-narcissus croceus monanthos. *Feuill. obs.* 3. 29. tab. 20.

Narcissus peruvianus montanus. *Feuill. mss.* 48.

HABITAT Limae, Chancaae in arenosis. *Dombey*.

Filamenta aequalia dicit Dombeyus: subaequalia mihi visa, sed specimen haud optimum observavi.

4. AMARYLLIS *spiralis*. [Tab. 13](#).

A. spathâ diphyllâ pauciflorâ, pedunculis filiformibus longissimis, foliis subulatis.

HABITAT in arenosis Capitis bonae spei. *Bruguere*.

Corolla *sexpartita, limbo patentissimo aequali, tubo brevi*. Filamenta *erecta, alterna breviora*.

Scapus *basi tortilis*.

[Transcriber's note: Tab. 13. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



J. G. Brugniere del.

M. L. de la Roche sculp.

AMARYLLIS spiralis.

** *Limbo corollae campanulato irregulari, genitalibus declinatis.*

5. AMARYLLIS *Atamasco*. L.

A. spathâ uniflorâ bifidâ, corollâ subaequali, genitalibus declinatis.

A. spathâ uniflorâ, corollâ aequali, pistillo refracto. *Linn. cliff.* 135.

Lilio-narcissus indicus pumilus monanthos albus. *Mor. hist.* 2. p. 366. *sect.* 4. t. 24. f. 4.

Lilio-narcissus s. narcissus liliflorus carolinianus, flore albo singulari cum rubedine diluto. *Plukn. almag.* 220. t. 142. f. 3.

Lilio-narcissus vernus angustifolius, flore purpurascente. *Barrel. ic.* 994.

Lilio-narcissus minimus, foliis gramineis. *Rudb. elys.* 2. 94. t. 16.

Lilio-narcissus indicus albus. *Weinm. phyt.* 3. p. 276. t. 652. f. 6.

Lilio-narcissus virginianus. *Catesb. car.* 3. p. 12. t. 12.

Lilio-narcissus VI. *Trew. seligm. tab.* 37.

HABITAT in Americâ septentrionali. ☞

6. AMARYLLIS *maculata*.

A. spathâ uniflorâ diphyllâ lineari, flore pedunculato, genitalibus declinatis.

HABITAT in Chile. *Dombey.*

Scapus *punctis lineatis maculatus*. Corolla *campanulata*.

{11}

7. AMARYLLIS *chilensis*.

A. spathâ uni-biflorâ subbifoliâ lanceolatâ, floribus pedunculatis, foliis linearibus.

Lilio-narcissus monanthos coccineus. *Feuill. obs.* 3. t. 21. (absque foliis.) *mss.* p. 50. (cum foliis.)

HABITAT in Chile. *Dombey.*

Flores *A. Belladonnae aut reginae, purpurei.*

8. AMARYLLIS *clavata.*

A. spathâ uniflorâ diphyllâ subulatâ, corollâ clavatâ.

HABITAT in Africâ *australi.*

Flos *pedicellatus.* Tubus *basi angustus, non dilatatus.* Limbus *brevissimus.*

Folia non vidi, nec stamina observare licuit: an hujus vel praecedentis sectionis incertum remanet.

9. AMARYLLIS *formosissima. L.*

A. spathâ indivisâ uniflorâ, corollâ bilabiâtâ sexpartitâ, petalis inferioribus genitalibusque dependentibus.

A. spathâ uniflorâ, corollâ inaequali, genitalibus declinatis. *Linn. cliff.* 135. *act. holm.* 1742. 93. t. 6.

A. spathâ uniflorâ, corollâ inaequali, petalis tribus genitalibusque declinatis. *Linn. spec.* 420.

Narcissus latifolius indicus rubro flore. *Clus. hist.* 1. 157. *cur.* 12. *Bauh. hist.* 2. 609.

Narcissus indicus flore sanguineo. *Swertz. flor.* t. 28.

Narcissus indicus totus ruber. *Bauh. pin.* 49.

Lilio-narcissus jacobaeus latifolius indicus, rubro flore. *Mor. hist.* 2. p. 366. *sect.* 4. t. 10. f. 31.

Lilio-narcissus indicus ruber monanthos jacobaeus. *Barrel. icon.* t. 1035.

Lilio-narcissus jacobaeus, flore sanguineo nutante. *Dill. elth.* 195. t. 162.

Lilio-narcissus indicus totus ruber vulgo jacobaeus. *Weinm. phyt.* 3. p. 276. t. 652. f. A.

Narcissus jacobaeus. *Trew. seligm.* t. 24.

HABITAT in Mexico. ☞

Corollam polypetalam mentitur, sed Petala reverâ basi unita, staminaque iis inserta ut in congeneribus: tria inferiora dependentia. Faux obsolete ramentacea.

10. AMARYLLIS *reginae.*

A. spathâ subbiflorâ, corollis basi tubulosis campanulatis quinquepartitis,

{12}

fauce tubi hirsutâ.

Lilium americanum puniceo flore, Belladonna dictum. *Herm. par.* p. 194. t. 194.

Lilio-narcissus indicus, seu narcissus liliflorus aureus striis argenteis pictus, floribus amplis cernuis gemellis, caule magno caepae fistuloso. *Plukn. almag.* 220. t. 246. f. 2.

Lilio-narcissus polyanthos, flore incarnato, fundo ex luteo albescente. *Sloan. cat.* 115. *Mer. sur.* 22. t. 22. *Seb. thes.* 25. t. 17. f. 1.

A. spathâ multiflorâ, corollis campanulatis marginibus reflexis, genitalibus declinatis. *Mill. ic.* 16 t. 23.

Lilio-narcissus II. *Trew. seligm.* t. 18.

A. dubia. *Linn. amoen.* 8. 254.

HABITAT in Jamaicâ, Surinamo. ☞

11. AMARYLLIS *speciosa.*

A. spathâ subbiflorâ, corollis erectis basi tubulosis campanulatis semiquinquefidis, fauce tubi glabrâ.

Crinum *speciosum* foliis uniformibus, corollis campanulatis, tribus laciniis alternis calloso-unguiculatis. *Linn. suppl.* 195.

HABITAT in Africâ *australi.* *Masson.*

Quam plurimum affinis praecedenti. An satis distincta?

12. AMARYLLIS *reticulata.* [Tab. 14.](#)

A. spathâ submultiflorâ, corollis nutantibus basi tubulosis limbo reticulatis, foliis oblongis.

HABITAT in Brasiliâ?

Petalis transverse venosis distincta. Faux glabra.

[Transcriber's note: Tab. 14. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



13. AMARYLLIS *Belladonna*.

A. floribus umbellatis pedunculatis subhexapetalis, foliis canaliculatis.

Lilio-narcissus rubens indicus. *Ald. farn.* 83. t. 82.

Lilio-narcissus pumilus indicus polyanthos. *Corn. can.* 153. t. 154.

Narcissus indicus liliaceus diluto colore purpurascens. *Ferr. flor.* 117. tab. 121. 123.

Narcissus indicus liliaceus saturo colore purpurascens. *Ferr. flor.* t. 119.

Narcissus indicus polyanthos liliaceo flore. *Rudb. elys.* 2. p. 48. f. 7. (figura Ferrarii.)

Lilio-asphodelus capensis, flore roseo. *Pet. gaz. n.* 497. t. 85. f. 5.

Lilio-narcissus jacobaeus phoeniceus indicus polyanthos. *Barrel. rar.* 69. t. 1036.

{13}

Lilio-narcissus indicus saturate purpurascens polyanthos Belladoniformis italicus. *Barrel. rar.* 70. t. 1039.

Lilio-narcissus indicus dilute purpurascens, Belladona italorum vulgarior. *Barrel. rar.* 70. t. 1040.

Lilio-narcissus indicus, flore elegantissime purpurascens. *Weinm. phyt.* 3. pag. 276. t. 653. f. A.

A. spathâ multiflorâ, corollis campanulatis aequalibus, genitalibus declinatis. *Mill. ic.* 15 t. 23.

A. Belladonna. *Mill. illust.*

HABITAT ad Promontorium bonae spei. ☞

Laciniae *alternae extrorsum manifestissime uncinatae*. Stigma *trifidum*.

14. AMARYLLIS *vittata*. [Tab. 15.](#)

A. spathâ multiflorâ, floribus pedunculatis subhexapetalis, petalis exterioribus margine liberis.

HABITAT in ... ☞

Petala *inferne connata in tubum carnosum, sed margines exteriorum ad basin liberi*.

[Transcriber's note: Tab. 15. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



15. AMARYLLIS *falcata*.

A. floribus umbellatis longius pedunculatis sexpartitis, foliis falcatis margine cartilagineo muricato discolore.

Crinum falcatum. *Jacq. hort.* 3. 34. t. 60.

HABITAT ad Promontorium bonae spei.

16. AMARYLLIS *longifolia*. L.

A. floribus umbellatis pedunculatis basi tubulosis sexpartitis, foliis scapo duplo longioribus.

A. spathâ multiflorâ, corollis campanulatis aequalibus, genitalibus declinatis, scapo compresso longitudine umbellae. *Linn. spec.* 421.

Lilio-narcissus africanus platycaulis humilis, flore purpurascens odorato. *Comm. hort.* 1. 71. t. 36.

Lilium africanum humile, longissimis foliis, polyanthos saturato colore purpurascens. *Herm. par. pag. et tab.* 195.

Lilio-narcissus africanus laticaulis humilis. *Rudb. elys.* 2. p. 180. f. 8. (icon Commelini.)

HABITAT ad Promontorium bonae spei.

17. AMARYLLIS *zeylanica*. L.

A. spathâ multiflorâ, corollis reclinatis, tubo filiformi longissimo, laciniis uncinatis.

A. *zeylanica* spathâ multiflorâ, corollis campanulatis aequalibus, genitalibus

{14}

declinatis, scapo tereti ancipiti. *Linn. spec.* 421.

Crinum *zeylanicum* foliis scabro-dentatis, scapo compressiusculo. *Linn. syst.* 236.

Lilio-narcissus ceylanicus latifolius, flore niveo externe lineâ purpureâ striato. *Comm. hort.* 1. 73. t. 37.

Lilio-narcissus zeylanicus latifolius. *Rudb. elys.* 2. 181. f. 9. (icon Commelini.)

Tulipa javana. *Rhumph. amb.* 5. 306. t. 105.

Lilio-narcissus africanus, scillae foliis, flore niveo lineâ purpureâ striato. *Ehret. pict.* 5. f. 2? *Trew. ehret.* 3. tab. 13?

A. *bulbisperma* spathâ multiflorâ, corollis campanulatis aequalibus, genitalibus declinatis,

pericarpio bulbigero. *Burm. prodr.* 19.

HABITAT in Indiâ orientali. ๓

Pericarpia vivipara.

18. AMARYLLIS *revoluta.*

A. spathâ multiflorâ, corollis breviter pedicellatis basi tubulosis reclinatis, laciniis corollae revolutis, foliis linearibus.

HABITAT ad Promontorium bonae spei.

19. AMARYLLIS *latifolia.*

A. spathâ multiflorâ, floribus pedicellatis subreclinatis basi tubulosis, foliis oblongo-lanceolatis. *Crinum latifolium* foliis ovato-lanceolatis acuminatis sessilibus planis. *Linn. sp.* 419.

Sjovanna-pola-tali. Rheed. mal. 11. 77. t. 39.

HABITAT in Indiâ orientali.

Plantam non vidi.

20. AMARYLLIS *aurea.* [Tab. 15 bis.](#)

A. spathâ multiflorâ, corollis basi tubulosis sexpartitis, laciniis linearibus undulatis, genitalibus corollâ longioribus.

HABITAT in Chinâ. ๓

Folia lato-linearia, laete viridia. Scapus pedalis, quinque-sexflorus. Flores breviter pedicellati, fulvi. Petala angusta, inferne distantia, undulata. Stigma simplex.

[Transcriber's note: Tab. 15 bis. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



21. AMARYLLIS *orientalis* L.

A. umbellâ multiflorâ, floribus longissime pedunculatis sexpartitis, germinibus cuneiformibus triangularibus, foliis ovatis.

A. spathâ multiflorâ, corollis inaequalibus, foliis linguiformibus. *Linn. spec.* 422.

Narcissus indicus orientalis. Swert. flor. 31. f. 1.

Narcissus indicus, flore liliaceo, sphaericus. Ferr. flor. 125. t. 129. 131. 133.

Lilio-narcissus indicus maximus sphaericus, floribus plurimis rubris liliaceis. *Mor. hist.* 2. p. 368. *sec. 4. t. 10. f. 35.* (figura Ferrarii.)

Brunsvigia. *Heist. monogr. cum iconibus.*

HABITAT in Indiâ orientali. ☞

22. AMARYLLIS *ciliaris*. L.

A. spathâ multiflorâ, corollâ sexpartitâ reflexâ, foliis ciliatis. *Linn. suppl.* 195.

A. *ciliaris* spathâ multiflorâ, foliis ciliatis. *Linn. spec.* 422

A. *guttata* spathâ multiflorâ, foliis ciliatis. *Linn. syst.* 237.

Haemanthus *ciliaris* foliis linguiformibus ciliatis. *Linn. spec.* 413.

Bulbus oblongus aethiopicus, foliis guttatis et ciliis instar pilosis. *Breyn. cent.* 89. t. 39.

Lilium africanum sphaericum, floribus obsolete puniceis minoribus, foliis guttatis ad margines ciliis instar pilosis, bulbo oblungo. *Herm. lugdb.* 375.

Lilio-narcissus sphaericus aethiopicus, foliis guttatis et ciliis instar pilosis. *Plukn. almag.* 220.

HABITAT ad Promontorium bonae spei. ☞

An sit Amaryllis, vel potius Haemanthus, an duae sint reverâ plantae adhuc incertum est. Unicam scilicet breynianam vivam nec florentem novi.

23. AMARYLLIS *Umbella*. [Tab. 16.](#)

A. umbellâ reclinatâ, corollis incurvis infundibulo-tubulosis, limbo sexfido erecto, genitalibus inclusis.

Crinum *obliquum* foliis lanceolatis obliquis, laciniis corollae alternis extus glandulosis. *Linn. suppl.* 195.

HABITAT ad Promontorium bonae spei. Masson. ☞

Flores *cernui*. Tubus *corollae turbinatus*. Limbus *campanulatus, erectus*.

[Transcriber's note: Tab. 16. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



24. AMARYLLIS *cylindracea*.

A. spathâ multiflorâ, corollis infundibuliformibus, tubo elongato cylindrico subincurvo, foliis

linearibus.

Crinum *angustifolium* foliis linearibus obtusis, corollis cylindricis, laciniis alternis interglandulosis. *Linn. suppl.* 195.

HABITAT ad Promontorium bonae spei. *Masson, Oldenburg.*

*** *Corollis radiatis, tubo subnullo.*

25. AMARYLLIS *sarniensis*. *L.*

A. spathâ multiflorâ, corollis subhexapetalis lineari-lanceolatis, genitalibus rectiusculis exsertis.

{16}

A. spathâ multiflorâ, corollis revolutis, genitalibus strictis. *Linn. ups.* 75. *Thunb. jap.* 131.

A. spathâ multiflorâ, corollis aequalibus patentissimis revolutis, genitalibus longissimis. *Linn. cliff.* 135.

Narcissus japonicus rutilo flore. *Corn. can.* 157. *t.* 158. *Ehret. pict. t.* 9.

Lilio-narcissus japonicus rutilo flore. *Mor. hist.* 2. *p.* 367. *Seb. thes.* 1. 25. *t.* 17. *f.* 3.

Seki san. *Kaempf. amoen.* 872.

Lilio-narcissus 4. *Trew. seligm. t.* 30.

HABITAT in Japoniâ. ad Caput bonae spei. *Masson, Oldenburg.* ㄹ

26. AMARYLLIS *radiata*.

A. spathâ multiflorâ, corollis subhexapetalis linearibus undulatis revolutis, genitalibus deflexis divergentibus, corollâ duplo longioribus.

Lilio-narcissus V. *Trew. seligm. t.* 35. (nisi exhibeat quamdam *A. sarniensis* varietatem.)

HABITAT in ... ㄹ

27. AMARYLLIS *cinnamomea*. [Tab. 17.](#)

A. spathâ multiflorâ, corollis subhexapetalis lanceolatis undulatis, genitalibus erectis corollâ brevioribus.

Caneel bloem *Belgis vulgo.*

HABITAT ad Promontorium bonae spei. *Bruguiere.* ㄹ

Flores *dimidio minores quam in A. undulatâ.* Petala *duplo latiora quorum exteriora magis revoluta.* Stigma *simplex.* Haemanthi *affinis.*

[Transcriber's note: Tab. 17. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



AMARYLLIS cinnamomea.

28. AMARYLLIS *undulata*. L.

A. spathâ multiflorâ, corollis subhexapetalis linearibus canaliculatis undulatis, genitalibus deflexis corollâ brevioribus.

A. spathâ multiflorâ, corollis patulis, petalis undulatis mucronatis basi dilatatis. *Linn. syst.* 237.

A. undulata. *Hill. kew.* 352. *tab.* 14. *Jacq. hort.* 3. 11. *tab.* 13. *Meerb. icon.* 13. *J.F. Mill. ic.* 8.

HABITAT ad Promontorium bonae spei. ☞

Stigma capitatum. Pericarpium viviparum.

A. *spiralis* tubo brevissimo limboque rotato aequali hîc collocari poterat, sed staminibus alternis brevioribus ad primam sectionem revocavi.

Amaryllis capensis L. est *Hypoxis stellata*. *Linn. suppl.* 197.

----- *disticha* L. Haemanthus?

{17}

AGAPANTHUS.

SPATHA polyphylla. *Corolla* infera, infundibuliformis, regularis, sexpartita. *Tubus* brevis. *Laciniae* oblongae s. spathulatae, patentes. *Filamenta* tubo superne inserta, laciniis opposita, declinata. *Antherae* biloculares, peltatae. *Germen* superum, trigonum. *Stylus* staminibus conformis. *Stigma* subcapitatum. *Capsula* triangularis, trilocularis, trivalvis. *Semina* plurima, apice imbricata alata.

AGAPANTHUS *umbellatus*.

Crinum africanum foliis sublanceolatis planis, corollis obtusis. *Linn. spec.* 419.

Hyacinthus africanus tuberosus, flore caeruleo umbellato. *Breyn. prodr.* 1. 25. *icon.* 23. *t.* 10. *f.* 1. *Trew. comm. litter. anno* 1744. *p.* 351. *t.* 4. *f.* 3. 9. 10. *Comm. hort.* 2. 133. *t.* 67. *Seb. thes.* 1. 29. *t.* 19. *f.* 4.

Hyacintho affinis, tuberosâ radice, africana, umbellâ caeruleâ inodorâ. *Plukn. almag.* 187. *t.* 295. *f.* 1.

Polyanthes floribus umbellatis. *Linn. vir.* 29. *cliff.* 126. *Mill. ic.* 140. *t.* 210. *Ehret. pict. t.* 10.

HABITAT ad Promontorium bonae spei. ♪

Flores absolute Hemerorallidis, sed spathâ genus distinctum.

EUCOMIS.

CALYX nullus. *Corolla* sexpartita. *Filamenta* subulata, basi dilalata, ibique coalita in *Nectarium* concavum fundo corollae adnatum. *Germen* superum. *Stigma* simplex. *Capsula* trilocularis, polysperma.

1. EUCOMIS *regia*.

E. scapo cylindrico, comâ maximâ foliosiore, foliis undulatis.

Fritillaria regia racemo comoso inferne nudo, foliis crenatis. *Linn. spec.* 435.

Corona regalis lili folio crenato. *Dill. elth.* 1. 109. *t.* 93.

Fritillaria longifolia. *Hill. kew.* 354. *t.* 15.

HABITAT ad Promontorium bonae spei. ♪

2. EUCOMIS *nana*.

E. scapo clavato, floribus confertissimis.

Fritillaria nana racemo comoso, foliis bifariis amplexicaulibus lanceolatis. *Burm. prodr.* 9.

Orchidea capensis, tulipae flore rosaceo. *Pet. gaz. t.* 85. *f.* 6.

{18}

HABITAT ad Promontorium bonae spei. Masson. ♪

Frondescentia Massoniae. Folia ovata, acuminata, subtus lineata: venis apice confluentibus.

3. EUCOMIS *punctata*. [Tab. 18.](#)

E. maculata, scapo cylindrico elongato laxifloro, foliis ensiformibus canaliculatis.

Asphodelus comosus. *Houtt. nat. hist.* 12. *pag.* 336. *tab.* 83.

HABITAT ad Promontorium bonae spei. ♪

Coma minor minusque foliosa quam in caeteris, pedunculi longiores laxiores.

E. nana minor est, E. regia media, E. punctata major.

[Transcriber's note: Tab. 18. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



OCTANDRIA.

KOËLREUTERIA.

PERIANTHIUM pentaphyllum. *Petala* 4, quorum infera 2 opposita. *Nectarium* duplex: *Squamulae* 4, bipartitae, unguibus petalorum adnatae, coronam faucis constituentes: *Glandulae* 3, inter stamina et pistillum. *Filamenta* subdeclinata, columnae genitali affixa. *Germen* triquetrum, columnâ genitali elevatum. *Stylus* trigonus. *Stigma* trifidum. *Capsula* trilocularis: *loculis* dispermis.

KOËLREUTERIA *paullinioides*. [Tab. 19.](#)

K. paniculata. *Laxm. nov. comm. petr.* 16. p. 561 t. 18.

Sapindus chinensis foliis pinnatis, foliolis laciniatis. *Murr. syst.* 315. *Linn. suppl.* 228.

HABITAT in Chinâ. †

Arbor polygama.

[Transcriber's note: Tab. 19. In this e-text the figure has been relocated here, in the original work all plates followed the text.]

КОИЛРЕУТЕРИЯ paniculata.



ICOSANDRIA.

EUCALYPTUS.

PERIANTHIUM: Operculum superum, integerrimum, truncatum. *Petalum*: Calyptra obverse hemisphaerica, margini calycis imposita, ante anthesin discedens. *Filamenta* numerosissima, calyci inserta. *Germen* inferum, turbinatum. *Stylus* unicus. *Capsula* subquadrilocularis, apice duntaxat dehiscens. *Semina* plurima, angulata.

EUCALYPTUS *obliqua*. [Tab. 20.](#)

HABITAT in Novâ Cambriâ. *Nelson. Guil. Anderson. h*

[Transcriber's note: Tab. 20. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



EUCALYPTUS obliqua.

{19}

DIDYNAMIA.

LAVANDULA.

LAVANDULA *viridis*. [Tab. 21.](#)

L. foliis sessilibus linearibus rugosis villosis margine revolutis, spicâ comosâ, bracteis indivisis.

HABITAT in Maderâ. *Masson.* †

Differt a L. *staechade foliis rugosis villosis viridibus nec tomentosis canis, bracteis comâque integris viridibus nec subtrilobis purpurascens.*

[Transcriber's note: Tab. 21. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



P. J. Rabuteau del.

Fr. Hubert sculp.

LAVANDULA viridis.

BYSTROPOGON.

CALYX monophyllus, quinesubulatus, fauce barbatus. *Corolla* ringens. *Labium superius* bifidum: *inferius* trifidum; laciniâ extimâ productiore. *Filamenta* didynama, distantia. *Germen* superum, quadripartitum. *Stigma* bifidum. *Calyx* barbâ clausus, in fundo *Semina* quatuor fovens.

1. BYSTROPOGON *pectinatum*.

B. paniculis compactis, floribus secundis, foliis ovatis.

Nepeta pectinata spicis secundis, foliis cordatis nudis, caule frutescente, corollis minutis. *Linn. spec.* 799.

Nepeta maxima, flore albo, spicâ habitiori. *Sloan. jam.* 65. *hist.* 1. 173. *t.* 108. *f.* 1. (mala, nisi erronea. In herbario *Sloanei* adglutinatur *B. pectinatum*, sed icon sistit plantam alienam ad genus *Hypteos* Jacquini forte referendam.)

Galeopsis procerior foliis ovato-acutiminatis serratis, spicis majoribus compositis terminalibus, spicillis geminatis uno versu floridis. *Brown. jam.* 259.

HABITAT in Peruâ. *Dombey*. *Jamaicâ*.

2. BYSTROPOGON *sidaefolium*.

B. paniculis laxissimis, pedunculis verticillatis filiformibus, foliis cordatis.

HABITAT in Peruâ. *Dombey*.

3. BYSTROPOGON *suaveolens*.

B. pedunculis axillaribus solitariis, calycibus truncatis aristatis, foliis cordatis.

Ballota suaveolens foliis cordatis, spicis foliosis, calycibus truncatis aristis linearibus. *Linn. spec.* 815.

Melissa jamaicana odoratissima. *Plukn. almag.* 247. t. 306. f. 3.

Melissa spicata lavandulam spirans major. *Plum. cat.* 6. ic. 155. t. 163. f. 1.

{20}

Mentastrum maximum flore caeruleo, nardi odore. *Sloan. jam.* 64. hist. 1. 171. t. 102. f. 2.

Mesosphaerum hirsutum foliis cordatis serrato-sinuatis, floribus verticaliter spicatis. *Brown. jam.* 257. t. 18. f. 3.

HABITAT in Americâ meridionali.

4. *BYSTROPOGON plumosum*. [Tab. 22.](#)

B. paniculis dichotomis, calycibus plumosis, foliis ovatis subserratis subtus tomentosis.

Mentha plumosa caule fruticoso, foliis ovatis petiolatis serratis subtus albo-tomentosis, paniculis dichotomis terminalibus. *Linn. suppl.* 273.

HABITAT in Canariis, Nivariâ. *Masson.* h

B. plumosum et *origanifolium* jugunt *B. canariense* et *punctatum* *praecedentibus*.

[Transcriber's note: Tab. 22. In this e-text the figure has been relocated here, in the original work all plates followed the text.]

22.



spec. Anonimae del.

Nullae. sculp.

BYSTROPOGON plumosum.

3. *BYSTROPOGON origanifolium*.

B. paniculis dichotomis, calycibus plumosis, foliis ovatis integerrimis subtus candidissimis.

HABITAT in Nivariâ. *Masson.* h

Admodum affinis praecedenti, sed folia integerrima subtus nivea.

6. BYSTROPOGON *canariense*.

B. pedunculis dichotomis, floribus capitatis, foliis ovatis crenatis subtus villosioribus.

Mentha floribus capitatis ex alis, foliis ovatis crenatis, caule arborescente. *Linn. cliff.* 307.

Mentha *canariensis* floribus capitatis axillaribus dichotomis, staminibus corollâ brevioribus, foliis ovatis crenatis, caule arborescente. *Linn. spec.* 807.

Mentha *canariensis* frutescens, foliis subtus lanugine candidissimâ villosis, floribus glomeratis e sinu foliorum longioribus pediculis insidentibus. *Plukn. almag.* 248. t. 307. f. 2.

Heliotropium *canariense* arborescens, scorodoniae folio. *Comm. hort.* 2. 129. t. 65.

Heliotropium *canariense* foliis ovatis crenatis oppositis, floribus capitatis alaribus dichotomis, caule arborescente. *Mill. dict.* n. 5.

HABITAT in Maderâ, Nivariâ. *Masson.* h

7. BYSTROPOGON *punctatum*. [Tab. 23.](#)

B. pedunculis dichotomis, floribus capitatis, foliis ovatis dentatis glabris punctulatis.

HABITAT in Maderâ. *Banks et Solander, Masson.* h

Laciniae calycinae non subulatae ut in caeteris; nihilominus congener.

[Transcriber's note: Tab. 23. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



P. J. Redouté del.

Fr. Robert sculp.

BYSTROPOGON punctatum.

DIGITALIS *Sceptrum*. L. [Tab. 24.](#)

D. foliis oblongis spathulatis serratis, spicis oblongis pedunculatis apice comosis, caule fruticoso.

D. *Sceptrum* fruticosa, foliis oblongis spathulatis serratis, spicis terminalibus ovatis pedunculatis comâ bractearum terminatis, calycinis foliolis subulatis, corollis quadrifidis. *Linn. suppl.* 282.

HABITAT in sylvis umbrosis Maderae. *Masson.* h

[Transcriber's note: Tab. 24. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



P. J. Redouté del.

Masson sculp.

DIGITALIS *Sceptrum*. L.

CAPRARIA.

CAPRARIA *undulata*. L. [Tab. 25.](#)


C. foliis sparsis inaequaliter approximatis ovatis integris subundulatis, racemo terminali subsimplici.

C. *undulata* foliis alternis ovatis undulatis, racemis secundis. *Linn. suppl.* 284.

HABITAT in collibus prope Swellendam ad Caput bonae spei. *Masson.* h

Folia nonnulla quasi verticillata.

[Transcriber's note: Tab. 25. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



P. J. Redouté del.

Mahnert sculp.

CAPRARIA undulata.

DIADELPHIA.

ASPALATHUS.

ASPALATHUS *pedunculata*. [Tab. 26.](#)

A. foliis fasciculatis subulatis glabris, pedunculis filiformibus folio duplo longioribus.

HABITAT ad Promontorium bonae spei. *Masson.* †

[Transcriber's note: Tab. 26. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



Acc. Swartzii pict.

Mohreri sculp.

ASPALATHUS pedunculata.

SYNGENESIA.

TANACETUM.


TANACETUM *flabelliforme*. [Tab. 27.](#)

T. corymbis simplicibus, foliis deltoidibus apice serratis.

HABITAT ad Promontorium bonae spei. *Masson.* 2

Flosculi *omnes hermaphroditi quinquefidi, sed receptaculo nudo nec paleaceo potius quadrat cum Tanaceto, quam cum Athansia.*

[Transcriber's note: Tab. 27. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



P. J. Robusci del.

Molliere sculp.


TANACETUM flabelliforme.

{22}

ARTEMISIA.

ARTEMISIA *argentea*. [Tab. 28.](#)*A. fruticosa sericea*, foliis subpalmatis pinnatisve, laciniis lato-linearibus remotis.*HABITAT* in Maderâ. *Masson.* †*Tota argentea.* Receptaculum *villosum*.

[Transcriber's note: Tab. 28. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



P. J. Redouté del.

J. B. Siquard sculp.

ARTEMISIA argentea.

RELHANIA.

CALYX communis oblongus, imbricatus, squamatus, scariosus. *Corolla* radiata. *Corollulae hermaphroditae* numerosae, in disco: *femineae* plurimae, in radio. *Filamenta* hermaphroditis quinque. *Anthera* tubulosa. *Germen* utrisque oblongiusculum. *Stylus* unicus. *Stigmata* 2, revoluta. *Calyx* immutatus in *Pericarpium*. *Semina* solitaria. *Pappus* membranaceus, multifidus vel lacerus. *Receptaculum* paleaceum.

Differt ab Athanasiâ tantum corollâ radiatâ, nec aequali. Potuissent itaque Relhaniae uti sectio distincta Athanasiis sociari, suadente Senecione aliisque generibus. Distinguitur a Leyserâ pappo membranaceo, nec plumoso: ab Osmite flosculis femineis fertilibus, calyce scarioso.

* *Floribus aggregatis.*


1. RELHANIA *squarrosa*. [Tab. 29.](#)

R. foliis oblongis acuminatis enervibus apice recurvis.

Athanasia squarrosa pedunculis unifloris lateralibus, foliis ovalibus recurvatis. *Linn. amoen.* 4. 329. et 6. 52.

HABITAT ad Promontorium bonae spei. *Masson.* h

[Transcriber's note: Tab. 29. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



Acc. Steudert del.

Steph. Piquard sculp.

RELHANIA squarrosa.

2. RELHANIA *genistifolia*.

R. foliis lanceolatis acuminatis uninerviis subimbricatis.

Athanasia *genistifolia* corymbis simplicibus, foliis lanceolatis indivisis nudis confertis. *Linn. mant.* 464.

HABITAT ad Promontorium bonae spei. *Masson, Koenig.* h

3. RELHANIA *microphylla*.

R. foliis linearibus enerviis confertissimis, floribus pedicellatis.

HABITAT ad Promontorium bonae spei. *Masson.* h

{23}

4. RELHANIA *passerinoidea*.

R. foliis linearibus enerviis, floribus subsessilibus.

HABITAT ad Caput bonae spei. *Masson.* h

Folia floresque duplo majora quam in R. microphyllâ: caules erecti, nec diffusi.

5. RELHANIA *viscosa*.

R. foliis linearibus triquetris carnosiusculis viscidis.

HABITAT ad Promontorium bonae spei. *Masson.* h

R. viscosa et passerinoidea inflorescentiâ habituque admodum affines sed in R. viscosâ folia quasi trigona, subcarnosa, adspersa glandulis pedicellatis quibus R. passerinoidea destituitur.

** *Floribus solitariis.*

6. RELHANIA *laxa*.

R. foliis linearibus villosis remotis, floribus longius pedunculatis, caule erecto.

HABITAT ad Promontorium bonae spei. *Masson.* ☉

7. RELHANIA *pedunculata*.

R. foliis linearibus villosis, floribus pedunculatis, caulibus diffusis.

Zoegea *capensis* foliis linearibus, calyce glabro basi gibbo. *Linn. suppl.* 382.

Athanasia *pumila* foliis linearibus pilosis, pedunculis unifloris folio longioribus. *Linn. suppl.* 362.

HABITAT ad Promontorium bonae spei.

8. RELHANIA *lateriflora*.

R. foliis linearibus villosis, pedunculis lateralibus folio brevioribus.

Athanasia *sessiliflora* foliis linearibus pilosis, pedunculis unifloris folio brevioribus. *Linn. suppl.*

362.

HABITAT ad Promontorium bonae spei. *Masson.*

9. RELHANIA *cuneata*.

R. foliis obovatis glabris, floribus sessilibus.

Athanasia *uniflora* foliis obovatis imbricatis glabris, floribus terminalibus sessilibus solitariis.

Linn. suppl. 362.

HABITAT ad Promontorium bonae spei. *Masson.* †

10. RELHANIA *virgata*.

R. foliis linearibus glabris, acumine recurvo folio brevioribus, floribus sessilibus.

{24}

HABITAT ad Promontorium bonae spei. *Masson.* †

Admodum affinis praecedenti, cujus forte varietas.

11. RELHANIA *paleacea*.

R. foliis linearibus triquetris subtus turionibusque canescentibus, calycibus sessilibus turbinatis.

Leysera *paleacea* foliis triquetris apice callosis recurvatis. *Linn. syst.* 561.

HABITAT ad Promontorium bonae spei. *Masson.* †

12. RELHANIA *santolinoides*.

R. foliis linearibus triquetris subtus turionibusque incanis, calycibus globosis subpetiolatis.

HABITAT ad Promontorium bonae spei. *Masson.* †

An satis distincta a R. paleacea? In utraque pappus tubulosus apice dentatus.

13. RELHANIA *pungens*.

R. foliis linearibus subpungentibus subtus striatis, floribus sessilibus.

HABITAT ad Promontorium bonae spei. *Masson.* †

14. RELHANIA *decussata*.

R. foliis triquetris linearibus acutis decussatis, floribus sessilibus.

HABITAT ad Promontorium bonae spei. *Masson.* †

15. RELHANIA *calycina*.

R. foliis lineari-lanceolatis subtrinervibus acutis, floribus sessilibus.

Osmites *calycina* foliis lanceolatis nudis, calycibus scariosis. *Linn. suppl.* 380.

HABITAT ad Promontorium bonae spei. *Masson.* †

R. pungens, decussata, calycina *gaudent calyce ampliori squamis intimis majoribus. Vix idem in*

R. paleacea.

16. RELHANIA *Bellidiastrum*.

R. foliis linearibus tomentosis, floribus sessilibus.

Osmites *Bellidiastrum* foliis linearibus tomentosis, calycibus scariosis. *Linn. spec.* 1285.

Bellidiastrum subhirsutum linifolium. *Vaill. act. par.* 1724. p. 316.

Anthemis suffruticosa, foliis linearibus triquetris tomentosis indivisis, floribus sessilibus. *Linn.*

amoen. 4. 330.

HABITAT ad Caput bonae spei. *Masson.* †

Pappus nullus. A genere sat aliena.

{25}

CINERARIA.

1. CINERARIA *humifusa*.

C. pedunculis unifloris, foliis reniformibus subangulatis, petiolis apice auriculatis nudisve.

Aster flore luteo, foliis cymbalariae. *Rai. hist.* 3. 158.

Aster africanus minimus monanthos luteus, foliolis angulosis minimis aceris formâ vel

cymbalariae. *Rai. hist.* 3. 161.

HABITAT ad Promontorium bonae spei. *Masson.* †

Affinis C. cymbalarifoliae, sed flores lutei calycesque villosos-scabriusculi, dum flores purpurei calycesque glabri in C. cymbalarifolia.

2. CINERARIA *viscosa*.

C. pedunculis unifloris, foliis pinnatifido-lobatis acutis viscidis carnulosis.

HABITAT ad Promontorium bonae spei.

Forte varietas tantum C. humifusae.

3. CINERARIA *scapiflora*.

C. pedunculis longissimis unifloris, foliis ovatis glabris duplicato-dentatis.

HABITAT ad Promontorium bonae spei. Masson.

Folia duplicato-dentata vel sublobata.

4. CINERARIA *mitellaefolia*.

C. pedunculis subbifloris, foliis cordatis glabris laxe dentatis, petiolis simplicibus.

Senecio cordifolius corollis radiantibus, foliis cordatis dentatis, calycibus simplicissimis. Linn. suppl. 372.

HABITAT ad Promontorium bonae spei.

5. CINERARIA *lanata*. [Tab. 30.](#)


C. pedunculis unifloris, foliis cordato-subrotundis septangulis subtus lanuginosis.

HABITAT in Nivariâ. Masson. h

Flores purpurei.

[Transcriber's note: Tab. 30. In this e-text the figure has been relocated here, in the original work all plates followed the text.]

30.



P. J. Redouté del.

J. B. Guéard sculp.

C I N E R A R I A *lanata*.

6. CINERARIA *populifolia*.

*C. floribus corymbosis, foliis cordatis subangulatis subtus tomentosis, petiolis apice multijugo-
appendiculatis.*

Cacalia appendiculata fruticosa tomentosa, foliis cordatis ovatis acutis angulatis subtus tomentosis, petiolis appendiculate foliosis. *Linn. suppl.* 352.

{26}

HABITAT in insularum Canariensium humidis. *Masson.* h
Flores lutei. Folia Populi albae.


7. *CINERARIA aurita.* [Tab. 31.](#)

C. floribus corymbosis, foliis cordatis subangulatis subtus tomentosis, petiolis basi biauritis.

HABITAT in Maderâ. *Masson.* h

Flores purpurei. Folia quoque populnea. Variat auriculis majoribus et minoribus.

[Transcriber's note: Tab. 31. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



8. *CINERARIA ramentosa.*

C. floribus corymbosis, foliis cordatis angulatis subtus tomentosis, petiolis superne appendiculatis, calycibus ramentosis.

Cacalia echinata herbacea, foliis reniformibus cordatis angulato-dentatis subtus tomentosis, foliolis calycinis tuberculatis. *Linn. suppl.* 353.

HABITAT in Canariis. *Masson.* h

Calyces adpersi denticulis numerosis.


9. *CINERARIA malvaefolia.* [Tab. 32.](#)

C. floribus cymosis, foliis cordatis angulatis infra subtomentosis, petiolis simplicibus.

HABITAT in Canariis et insulâ S. Miguel ex Azoribus. Masson. h

[Transcriber's note: Tab. 32. In this e-text the figure has been relocated here, in the original work all plates followed the text.]

32.



P. J. Redouté del.

Fr. Robert sculp.

C I N E R A R I A malvæfolia

10. C I N E R A R I A multiflora.

C. floribus cymosis, foliis cordato-ovatis subtus tomentosis, petiolis dimidio auritis.

HABITAT in insularum Canariensium collibus. Masson.

11. C I N E R A R I A cruenta. [Tab. 33.](#)

C. floribus cymosis, foliis cordatis angulatis subtus purpurascentibus, petiolis basi auritis.

HABITAT in Nivariâ. Masson. h

[Transcriber's note: Tab. 33. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



P. J. Redoute' del.

Molencore sculp.

C I N E R A R I A c r u e n t a .

12. CINERARIA *tussilaginis*.

C. floribus laxè paniculatis, foliis reniformi-cordatis multangulis subtus tomentosis, petiolis basi auritis.

HABITAT in Canariis, Teneriffâ. Masson. ☉

13. CINERARIA *lobata*. [Tab. 34.](#)

C. floribus subcorymbosis, foliis subrotundis multilobatis glabris, petiolis basi auritis, calycibus subcalyculatis.

HABITAT ad Promontorium bonae spei. Banks et Solander, Masson. ♯

{27}

Bracteâ unâ alterâve sub calycibus fere calyculi instar vix distinguitur a Senecione. Herba potius Cinerariae.

[Transcriber's note: Tab. 34. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



P. J. Redouté del.

Fr. Hübner sculp.

C I N E R A R I A lobata.

14. C I N E R A R I A senecionis.

C. floribus subcorymbosis, foliis sinuato-pinnatifidis glabris, caulinis sessilibus.

HABITAT ad Promorium bonae spei. *Forster.* h

Cinerariae quae calyculatae sunt, quales C. americana et lineata, forte melius ad Senecionem revocandae.

BOLTONIA.

CALYX communis subimbricatus: squamis linearibus. *Corolla* radiata. *Germina* compressa, verticalia. *Pappus* obsolete dentatus, bicornis. *Receptaculum* favosum.

In *Astere* *Calyx* imbricatus. *Pappus* pilosus. *Receptaculum* nudum ex *Linnaeo*, sed reverâ similiter alveolatum.

In *Matricariâ* *Pappus* nullus. *Receptaculum* nudum.

In *Spilantho* *Corolla* saepius uniformis. *Receptaculum* paleaceum.

1. BOLTONIA *glastifolia*. Tab. 35.

B. foliis inferioribus serratis.

Matricaria *glastifolia*. *Hill. kew.* 19. t. 3.

HABITAT in Americâ septentrionali. 2

2. BOLTONIA *asteroides*. Tab. 36.

B. foliis integerrimis.

Matricaria *asteroides* foliis lanceolatis integris glabris obliquis. *Linn. mant.* 116.

BUPHTHALMUM.

BUPHTHALMUM *sericeum*. L. Tab. 37.

B. *sericeum* foliis oppositis approximatis spatulato-oblongis sericeis, calycinis squamis setaceis hirsutis, caule arboreo. *Linn. suppl.* 379.

HABITAT Fuertae-venturae *Canariensium*. Masson. ๓

STOKESIA.

CALYX *communis* foliaceus, subimbricatus. *Corolla* flosculosa, biformis: in radio corollulae hermaphroditae, regulares; in ambitu irregulares radium

{28}

constituentes. *Filamenta* utrisque quinque. *Anthera* cylindracea. *Germen* regularibus tetragonum, irregularibus trigonum. *Stylus* filiformis. *Stigma* bipartitum, subulatum. *Pappus* filamentosus, deciduus, corollulae aequalis, regularibus quaternus, irregularibus ternus. *Receptaculum* nudum.

Affinis Carthamo, a quo differt Receptaculo nudo, Pappo quadrifilamentoso, floribus radiatis.

STOKESIA *cyanea*. Tab. 38.

Carthamus laevis. *Hill. kew.* 57. t. 5.

HABITAT in Carolinâ australi. ๑

Corolla Centaureae Cyani. *Calyx* fere Carthami.

GYNANDRIA.

LIMODORUM.

1. LIMODORUM *Tancarvilleae*.

L. scapis radicalibus terminalibusve simplicibus, floribus pedunculatis.

L. *Tancarvilleae*. *Banks. icon absque sermone*.

HABITAT in Chinâ. ๑

Etsi labium nectarii postice desinat in calcar brevissimum, a Limodoro tamen separanda non videtur.

2. LIMODORUM *tuberosum*. L.

L. scapis subsimplicibus, floribus sessilibus.

L. *tuberosum* floribus sessilibus racemosis alternis. *Linn. syst.* 594.

Helleborine americana, radice tuberosâ, foliis longis angustis, caule nudo, floribus ex rubro pallide purpurascens. *Mart. cent.* 50. t. 50. *Mill. ic. t.* 145.

HABITAT in Pennsylvaniae umbrosis. *Matthias Hultgren*. Marylandiâ. ๑

Racemi simplices in omnibus speciminibus a me visis, et in Millero, sed Martynus compositos pingit.

3. LIMODORUM *altum*. L.

L. scapis paniculatis, floribus pedunculatis.

L. *altum* floribus pedunculatis sparsis. *Linn. syst.* 594.

* *Synonymon* Plumieri excludendum, uti exhibens plantam simpliciter racemosam nec paniculatam, floribusque forte sessilibus.

HABITAT in Jamaicâ. *Houston*. ๑

{29}

MONOECIA.

GENESIPHYLLA.

* *Masculi flores*.

CALYX rotatus, sexpartitus: laciniis internis tribus majoribus. *Corolla* nulla. Nectarium: Glandulae 6, singula ad basin singulae divisurae calycis. *Filamentum* unicum, superne trifidum. *Antherae* tres, bilobae.

* *Feminei flores* masculis immixti apicem versus ejusdem folioli.

CALYX ut in mare, persistens. *Corolla* ut in mare. Nectarium: Operculum subtrigonum, cingens germen. *Germen* superum. *Styli* tres, tripartiti, subulati. *Stigmata* simplicia. *Capsula* trilocularis. *Semina* bina.

Si pro distincto genere stare non valeat, cum Phyllantho potius jungenda quam cum Xylophyllâ.

GENESIPHYLLA *asplenifolia*. Tab. 39.

Xylophylla *latifolia* foliis lanceolatis, ramis teretibus. *Linn. mant.* 251.

Filicifolia hemionitidi affinis americana epiphyllanthos, folio simpliciter pinnato, radice reptatrice carnosâ, ad foliorum crenas floridâ. *Plukn. almag.* 154. t. 46. f. 7. (folium.)

Lonchitidi affinis arbor anomala, folio alato e pinnarum crenis fructifero. *Sloan. hist.* 1. 80.

Phyllanthus foliis latioribus utrinque acuminatis apicem versus crenatis. *Brown. jam.* 188. n. 1.
* *Caetera* Linnaei synonyma scilicet Commelini, Pluknetii, Catesbei, Sebae, necnon *Phyllanthus* 2
Brownei et *Phyllanthus Epiphyllanthus* L. ad *Xylophyllam falcata* Swartzii retrahenda sunt.
HABITAT in Jamaicâ. †

DIOECIA.

TAMUS.

TAMUS *elephantipes*. Tab. 40.

T. foliis reniformibus integris.

Pes Elephantis *vulgo*.

HABITAT ad Promontorium bonae spei. *Masson.* †

Feminâ adhuc ignotâ certius pronuntiare inter Tamum et Smilacem difficillimum. Nihilominus in mare rudimentum germinis stylo coalito calyci instructum indicat germen inferum, unde suspicari licet Tamum esse.

{30}

POLYGAMIA.

MIMOSA.

1. MIMOSA *verticillata*. Tab. 41.

M. inermis, foliis verticillatis linearibus pungentibus.

HABITAT in Terrâ Van-Diemen *Novae-Hollandiae*. *Nelson.* †

In plantâ nascente folia duo vel tria primordialia bipinnata.

2. MIMOSA *Houstoni*.

M. inermis foliis bipinnatis abruptis subsexjugis, pinnulis multijugis, foliolis subconfluentibus, racemo composito terminali.

Gleditschia *inermis* caule inermi. *Linn. spec.* 1509.

Acacia americana non spinosa, flore purpureo, staminibus longissimis, siliquis planis villosis, pinnis foliorum tenuissimis. *Houst. mss. p. 22. Mill. icon.* 4. t. 5.

Mimosa. *Houst. rel.* 12. t. 26.

HABITAT in Verâ-Cruce. *Houston.* †

Folia *subtus pilosa*. Inflorescentia *ut in M. grandiflorâ, sed Flores minores. Corollae villosae, persistentes. Legumina parallelogramma, acuminata, plana, seminibus elevata, admodum tomentosa, rufa. Semina oblonga, compressa, utrinque zonâ notata, marginibus suturae utrisque alterius inserta.*

Haec est Gleditschia inermis Linnaei. Recentiores autores quales Duhamel, Du Roi, et alii, varietatem inermem Gleditschiae triacanthos pro Gleditschiâ inermi habuere.

3. MIMOSA *grandiflora*. Tab. 42.

M. inermis, foliis abrupte bipinnatis multijugis, pinnulis multijugis, foliolis distinctissimis, racemo composito terminali.

Acacia non spinosa indiae orientalis, foliis perexeguis, virgulis lanugine ferrugineâ villosis. *Plukn. amalth.* 3.

HABITAT in Indiâ orientali. †

Affinis quam plurimum M. Houstoni, a quâ differt pinnulis crebrioribus, foliolisque distinctissimis basi ovatis, dum in M. Houstoni juxta rachidem confluentibus basi truncatis foliumque pinnatifidum mentientibus.

CRYPTOGAMIA.

DICKSONIA.

FRUCTIFICATIONES subrotundae, margini averso frondis subjectae.

{31}

CALYX communis reniformis, unilocularis, florifer clausus, longitudinaliter fructifer dehiscens. *Valvula exterior* ex ipsâ substantiâ folii; *interior* membranacea. *Flosculi* ignoti. *Capsulae* numerosae, pedicellatae, *Receptaculo* longitudinali affixae. *Semina* numerosissima, minuta.

1. DICKSONIA *arborescens*. Tab. 43.

D. frondibus supradecompositis villosis, foliolis subintegris, caule arboreo.

HABITAT in insulâ Sanctâ Helenâ. *Banks et Solander.* †

2. DICKSONIA *Culcita*.

D. frondibus supradecompositis glabris, foliolis serratis.

Polydopium? *Barometis* frondibus bipinnatis, pinnis pinnatifidis lanceolatis serratis, radicibus lanatis. *Linn. spec.* 1553?

Agnus scythicus aut vegetabilis Boramets dictus autoribus fabulosis? *Scal. subt. exerc.* 181. §. 29. *Port. phyt. l. 4. c. 4. Duret. hist.* 331. *Licet. spont. l. 3. c. 45.*

The Tartarian Lamb. *Sloan. act. angl.* 1698. n. 247. pag. 461. tab. 247. f. 5? (radix obversa.)
Agnus scythicus vegetabilis Borametz dictus. *Breyn. act. angl.* 1725. n. 390. p. 353. t. 390? (radix obversa.)

* *Consul.* de Agno scythico *Deusing. diss.* 598. *Breyn. loc. cit.* et *Kaempf. amoen.* 505. Si *Baromets* et *D. Culcita* non sint eadem planta, quod, etsi patriae tam remotae, vix incertum, procul dubio Agnus scythicus alia erit Filicis species.

Feila Brom *Maderensibus vulgo.*

HABITAT in insulâ S. Miguel ex Azoribus. *Masson.* 24

E radicebus Culcitas conficiunt incolae.

Addenda et emendanda.

POLYGAMIA.

EUCLEA.

CALYX quinquedentatus, parvulus, persistens. *Corolla* monopetala, quinquepartita, calyce major, receptaculo inserta: *laciniis* ovatis, obtusis, patentibus. *Filamenta* circiter 15, brevia, receptaculo inserta. *Antherae* erectae, biloculares, tetragonae, villosiusculae, corollâ breviores. *Germen* superum, pyramidato-ovatum. *Styli* duo, longitud. staminum. *Stigmata* simplicia. *Capsula* baccata, i. e. pulpâ induta, subrotunda, tricornis, trilocularis, trivalvis. *Semina* solitaria, subrotunda, arillata, uno alterove abortiente.

{32}

Dantur flores hermaphroditi, et hermaphroditi masculi sc. germine abortivo, unde videretur polygama. Planta femina, si exstat, me fugit.

EUCLEA *racemosa.* L.

E. racemosa. *Linn. (Murr.) syst.* 747. ed. 13â. *Linn. suppl.* 67. 428. *Thunb. gen.* 5. pag. 85.

Celastrus corniculatus foliis ovalibus integerrimis perennantibus, capsulâ tricorni. pag. 6.

Evonymus africanus, foliis laurinis, fructu aculeato. *Breyn. icon.* t. 22. f. 3.

Padus foliis subrotundis, fructu racemoso. *Burm. afr.* 238. t. 84. f. 1. (Autor hîc fructum infantem forte exhibet.)

Evonymus foliis subrotundis integris, fructu corniculato. *Burm. afr.* 260. t. 97. f. 1.

HABITAT ad Promontorium bonae spei. *Masson.* 16

Capsulae absolute Celastris nisi baccatae et cornutae, unde, flore mihi ignoto, pro Celastro corniculato in hoc opere habueram. *Specimina fructifera hujus* Celastris corniculati tam similia *E. racemosae* quam ovum ovo. *Miror nihilominus, vixque crederes plantam digynam, ut Eucleam, gaudere fructu triloculari. Nec cum stylis duobus multo melius quadrat bacca monosperma quam huic generi assignat Thunbergius. Linnaeus baccam dicit bilocularem. Ulterius ergo de fructu ab autoptis inquirendum.*

WITHERINGIA.

(TETRANDRIA monogynia.)

CARACTER ESSENTIALIS.

CALYX quadridentatus. *Corolla* campanulata. *Nectarium* polymorphum, quadrilobum, corollae adnatum. *Filamenta* corollae adnata. *Antherae* lateribus dehiscentes. *Germen* superum. *Bacca* polysperma.

IN memoriam celeberr. Gulielmi WITHERING, Doct. Med. Soc. reg. Lond. Soc. auctoris operis inscripti: Botanical arrangement of British plants.

WITHERINGIA solanacea.

HABITAT in Americâ meridionali. 24

PLANTA habitu Physalidis, aut Solani.

* *Descensus.*

RADIX fasciculata, fusiformis, carnosâ, nunc subsimplex, nunc ramosa, descendens, magna, cinerea.

* *Ascensus.*

CAULES plurimi e radice, erecti, apice dichotomi, teretes lineis tribus e petiolis ultimis decurrentibus, villosi, obscure purpurascens, semipedales s. vix pedales.

RAMI tantum ad apicem; breves, patuli, caulibus conformes.

* *Frondiscentia.*

FOLIA alterna, superne ubi planta inflorescere coepit bina, petiolata, subacuminata, cordata, integra, subundulata, nervosa, rugosa: nervis subtus prominentibus, supra prominulis; costâ ad paginam pronam vix purpurascens; villosa, patentia, 3 poll. long. 2 poll. lat.

PETIOLI subtus teretes, supra plani uninerves, villosi, obscure purpurei, folio sexies breviores.

* *Inflorescentia.*

FLORES axillares, confertissimi, cernui, lutei, 6 lin. lat.


PEDUNCULI reflexi, apice incrassati, quasi clavati, petiolis longiores.

EXPLICATIO TABULAE.

PLANTA proportione naturali.

1. *Flos* antice, pr. nat.
2. ----- postice, pr. nat.
3. *Corolla* postice, pr. nat.
4. ----- secta ostendens *Stamina* et *Nectarium*, pr. nat.
5. *Stamen*, prop. nat.
6. *Pistillum*, prop. nat.

[Transcriber's note: Tab. 1. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



Jac. Sowerby del.

Fr. Hubert sculp.

WITHERINGIA foliacea.

{34}

* *Fructificatio.*

CALYX. *Perianthium* inferum, monophyllum, obsolete modiceque quadridentatum, brevissimum, nudiusculum, persistens.

COROLLA monopetala, subcampanulata, quadripartita, receptaculo inserta, calyce longe major.

Tubus brevis, subrotundus, vix tetragonus. *Laciniae* lanceolatae, acutae, patentes, subrevolutae.

NECTARIUM constans 1. *Operculo* brevissimo subvillosa corollam infra divisuras cingente. 2o.

Appendiculâ parvulâ subrotundâ corollae adnatâ utrinque ad basin singuli filamenti. 3o. *Foveolis*

4, extrorsum vix manifestis, magnâ copiâ mellis impletis, quarum limites sunt, superne operculum corollae, inferne appendix filamentorum, lateraliter ipsa filamenta.

STAMINA. *Filamenta* 4, erecta, teretiuscula, clavata, villosa, brevia, dimidia corollae adnata.

Antherae ovatae, biloculares, vix peltatae, lateribus dehiscentes, luteolae, conniventes. PISTILLUM. *Germen* superum, ovatum. *Stylus* filiformis, staminibus vix longior. *Stigma* capitatum, viride. PERICARPIUM (quale deprehenditur ex floribus). *Bacca* bilocularis? intra quam *Receptaculum* ejusdem formae, bipartitum. SEMINA numerosa, receptaculo inserta.

Patria assignatur America meridionalis. Primum floruit apud *Rob. Jac. PETRE, Parem Anglum.* Hodie viget in Horto Kewensi. Quotannis floret aestate, sed nondum fructus tulit. Hucusque avulsis a matre viviradicibus propagari videtur. In tepidario excolitur.

DIAGNOSTICON.

WITHERINGIA differt a *Solano* partium numero, antheris imperforatis, nectario: ab *Atropâ* numero quaternario, nectario: ab *Aquartiâ* calyce aequali nec laciniis alternis duplo vel triplo majoribus, limbo corollae lanceolato nec lineari longissimo, antheris latere dehiscentibus nec apice perforatis, denique nectario.

{35}

CHLORANTHUS.

NIGRINA. *Thunb. gen.*
(TETRANDRIA monogynia.)

CHARACTER ESSENTIALIS.

PERIANTHIUM duplex. *Exterius* bracteaeforme s. mera Bractea. *Proprium*: Squamula semisupera, lateri germinis exteriori adnata. *Petalum* semisuperum, dimidiatum, trifidum, lateri germinis insidens, perianthii proprii axillare, antheriferum. *Antherae* petalo adnatae. *Germen* semiinferum, petaligerum. *Stylus* nullus. *Stigma* capitatum. *Bacca* monosperma.

A *vocibus graecis* ΧΛΩΠΟΣ viridis, et ἌΝΘΟΣ flos, dixit *Olaus SWARTZ*, quia flores gaudent colore herbaceo.

CHLORANTHUS inconspicuus.

C. inconspicuus. *Swartz. act. lond. 1787. p. 359. t. 14.*
Nigrina spicata. *Thunb. gen. 3. 59. jap. 65.*
Tchin-Tchu-lan-hoa s. Tchu-lan *Sinensibus vulgo.*

HABITAT in Chinâ. †

SUFFRUTEX perennans, glaber, stolonifer, habitu *Theae*.

* *Descensus.*

RADIX *Rusci*, ramosa, alba, stolonifera.

* *Ascensus.*

CAULES e radice plurimi, basi procumbentes, dein suberecti, parce ramosi, teretes, nodosi, grisei. *Nodi* prope terram radicanes: alterni et intermedii nonnumquam aphylli, sed stipulis annulati ut caeteri.

RAMI oppositi, patuli, teretes, virides, nodosi, subarticulati: geniculis annulatis.

* *Frondescencia.*

FOLIA opposita, oblongo-ovata, acuta, crenato-serrata: serraturis apice morbificatis; margine revoluta, subrugosa: venis distantibus subtus tantum prominentibus; viridia,

[EXPLICATIO TABULAE.](#)

PLANTA proportione naturali.

1. Sectio *Spicae*, alterâ icone auctâ.
2. *Flos* introrsum, aucta.
3. ----- extrorsum, aucta.
4. *Petalum* introrsum, aucta.
5. ----- extrorsum, aucta.
6. *Germen* antice, auctum.
7. ----- lateraliter, auctum.
8. *Bacca* lateraliter, prop. nat.
9. ----- antice aucta.
10. *Semen* prop. nat.

[Transcriber's note: Tab. 2. In this e-text the figure has been relocated here, in the original work all plates followed the text.]



F. S. Redouté del.

Mollière sculp.

CHLORANTHUS inconspicuus.

{36}

concolora, glaberrima, patentia, plana, persistentia, 2-3 poll. long. 18-20 lin. lat.

PETIOLI folio quater breviores, teretes, supra unisulci, basi desinentes in anulum amplexicaulem, adnectentem.

STIPULAS utrinque duas, subulatas, erectas, persistentes.

* *Inflorescentia.*

PANICULAE terminales, erectae, laxae, bracteatae, compositae *Spicis* decussatis patulis, 1½ poll. long.

FLORES sessiles, oppositi, decussati, herbacei s. luteoli, 1 lin. long.

BRACTEAE sessiles, lanceolatae, acutae, concavae, adpressae, persistentes, sub spicis.

* *Fructificatio.*

CALYX. *Perianthium* duplex, persistens.

IMPROPRIUM (*quod melius Bracteam dicas*) *inferius* monophyllum, squamiforme, lanceolatum, acutum, patulum, bracteis caeteris conforme, breve, ½ lin. long.

PROPRIUM *superius*. *Squamula* semisupera, lateri germinis exteriori adnata, acuta, subovata, concava, brevissima.

COROLLA. *Petalum* semisuperum, laterale, perianthii proprii axillare, clivo germinis exteriori, instar receptaculi germini adnati, inter germen et perianthium proprium medii, impositum, subrotundum, dimidiatum, trifidum, trigonum, incurvum, concavum, extus convexum, crassam, concamerationis instar genitalia abscondens, antheriferum, deciduum: *laciniis* acutis, incurvis; intermediâ duplo productiore.

STAMINA. *Filamenta* nulla. *Antherae* 4, oblongiusculae, bivalves, lateri exteriori singulae lacinae corollinae introrsum adnatae, herbaceae.

PISTILLUM. *Germen* respectu perianthii proprii et corollae superum simul et inferum, obsolete

ovatum. *Stylus* nullus, seu vix ullus. *Stigma* capitatum, subbivalve, nonnunquam bilobum. PERICARPIUM. *Bacca* ovalis, stylo acuminata, nunc ad apicem nec ad latus ut in germine notata cicatrice receptaculi et petali basi pellucida, unilocularis.

* *Perianthium* proprium cicatrixque petali lapsi accrescente fructu sensim elevantur, donec apici baccae insideant; unde colligendum Germen revera inferum esse, etsi potius superum appareat. SEMEN unicum, subrotundum.

Viva allata fuit e Chinâ in Angliam a *Jac. LIND, D. M.* anno 1781. Floruit dum navis *ATLAS* adveheret. Florentem delineandam curavi in Horto *Jac. LEE*, moxque fructiferam in Horto regio Kewensi observavi. Saepissime eodem anno floret, fructusque nonnullus perficit. Excolitur in caldario, surculisque et stolonibus regeneratur.

Sinensibus misceri foliis *Theae*, *Theam*que suavius olere *Doctor Lind* narrabat, sed *Chloranthus* omnino inodorus est. In quem usum excolatur a *Sinensibus* planta minime speciosa quam in pluribus plantarum hortensium in Chinâ depictarum collectaneis vidi, adhuc latet.

*** END OF THE PROJECT GUTENBERG EBOOK SERTUM ANGLICUM, SEU, PLANTAE
RARIORES QUAE IN HORTIS JUXTA LONDINUM ***

Updated editions will replace the previous one—the old editions will be renamed.

Creating the works from print editions not protected by U.S. copyright law means that no one owns a United States copyright in these works, so the Foundation (and you!) can copy and distribute it in the United States without permission and without paying copyright royalties. Special rules, set forth in the General Terms of Use part of this license, apply to copying and distributing Project Gutenberg™ electronic works to protect the PROJECT GUTENBERG™ concept and trademark. Project Gutenberg is a registered trademark, and may not be used if you charge for an eBook, except by following the terms of the trademark license, including paying royalties for use of the Project Gutenberg trademark. If you do not charge anything for copies of this eBook, complying with the trademark license is very easy. You may use this eBook for nearly any purpose such as creation of derivative works, reports, performances and research. Project Gutenberg eBooks may be modified and printed and given away—you may do practically ANYTHING in the United States with eBooks not protected by U.S. copyright law. Redistribution is subject to the trademark license, especially commercial redistribution.

START: FULL LICENSE
THE FULL PROJECT GUTENBERG LICENSE
PLEASE READ THIS BEFORE YOU DISTRIBUTE OR USE THIS WORK

To protect the Project Gutenberg™ mission of promoting the free distribution of electronic works, by using or distributing this work (or any other work associated in any way with the phrase “Project Gutenberg”), you agree to comply with all the terms of the Full Project Gutenberg™ License available with this file or online at www.gutenberg.org/license.

Section 1. General Terms of Use and Redistributing Project Gutenberg™ electronic works

1.A. By reading or using any part of this Project Gutenberg™ electronic work, you indicate that you have read, understand, agree to and accept all the terms of this license and intellectual property (trademark/copyright) agreement. If you do not agree to abide by all the terms of this agreement, you must cease using and return or destroy all copies of Project Gutenberg™ electronic works in your possession. If you paid a fee for obtaining a copy of or access to a Project Gutenberg™ electronic work and you do not agree to be bound by the terms of this agreement, you may obtain a refund from the person or entity to whom you paid the fee as set forth in paragraph 1.E.8.

1.B. “Project Gutenberg” is a registered trademark. It may only be used on or associated in any way with an electronic work by people who agree to be bound by the terms of this agreement. There are a few things that you can do with most Project Gutenberg™ electronic works even without complying with the full terms of this agreement. See paragraph 1.C below. There are a lot of things you can do with Project Gutenberg™ electronic works if you follow the terms of this agreement and help preserve free future access to Project Gutenberg™ electronic works. See paragraph 1.E below.

1.C. The Project Gutenberg Literary Archive Foundation (“the Foundation” or PGLAF), owns a compilation copyright in the collection of Project Gutenberg™ electronic works. Nearly all the individual works in the collection are in the public domain in the United States. If an individual work is unprotected by copyright law in the United States and you are located in the United States, we do not claim a right to prevent you from copying, distributing, performing, displaying or creating derivative works based on the work as long as all references to Project Gutenberg are removed. Of course, we hope that you will support the Project Gutenberg™ mission of promoting free access to electronic works by freely sharing Project Gutenberg™ works in compliance with the terms of this agreement for keeping the

Project Gutenberg™ name associated with the work. You can easily comply with the terms of this agreement by keeping this work in the same format with its attached full Project Gutenberg™ License when you share it without charge with others.

1.D. The copyright laws of the place where you are located also govern what you can do with this work. Copyright laws in most countries are in a constant state of change. If you are outside the United States, check the laws of your country in addition to the terms of this agreement before downloading, copying, displaying, performing, distributing or creating derivative works based on this work or any other Project Gutenberg™ work. The Foundation makes no representations concerning the copyright status of any work in any country other than the United States.

1.E. Unless you have removed all references to Project Gutenberg:

1.E.1. The following sentence, with active links to, or other immediate access to, the full Project Gutenberg™ License must appear prominently whenever any copy of a Project Gutenberg™ work (any work on which the phrase “Project Gutenberg” appears, or with which the phrase “Project Gutenberg” is associated) is accessed, displayed, performed, viewed, copied or distributed:

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

1.E.2. If an individual Project Gutenberg™ electronic work is derived from texts not protected by U.S. copyright law (does not contain a notice indicating that it is posted with permission of the copyright holder), the work can be copied and distributed to anyone in the United States without paying any fees or charges. If you are redistributing or providing access to a work with the phrase “Project Gutenberg” associated with or appearing on the work, you must comply either with the requirements of paragraphs 1.E.1 through 1.E.7 or obtain permission for the use of the work and the Project Gutenberg™ trademark as set forth in paragraphs 1.E.8 or 1.E.9.

1.E.3. If an individual Project Gutenberg™ electronic work is posted with the permission of the copyright holder, your use and distribution must comply with both paragraphs 1.E.1 through 1.E.7 and any additional terms imposed by the copyright holder. Additional terms will be linked to the Project Gutenberg™ License for all works posted with the permission of the copyright holder found at the beginning of this work.

1.E.4. Do not unlink or detach or remove the full Project Gutenberg™ License terms from this work, or any files containing a part of this work or any other work associated with Project Gutenberg™.

1.E.5. Do not copy, display, perform, distribute or redistribute this electronic work, or any part of this electronic work, without prominently displaying the sentence set forth in paragraph 1.E.1 with active links or immediate access to the full terms of the Project Gutenberg™ License.

1.E.6. You may convert to and distribute this work in any binary, compressed, marked up, nonproprietary or proprietary form, including any word processing or hypertext form. However, if you provide access to or distribute copies of a Project Gutenberg™ work in a format other than “Plain Vanilla ASCII” or other format used in the official version posted on the official Project Gutenberg™ website (www.gutenberg.org), you must, at no additional cost, fee or expense to the user, provide a copy, a means of exporting a copy, or a means of obtaining a copy upon request, of the work in its original “Plain Vanilla ASCII” or other form. Any alternate format must include the full Project Gutenberg™ License as specified in paragraph 1.E.1.

1.E.7. Do not charge a fee for access to, viewing, displaying, performing, copying or distributing any Project Gutenberg™ works unless you comply with paragraph 1.E.8 or 1.E.9.

1.E.8. You may charge a reasonable fee for copies of or providing access to or distributing Project Gutenberg™ electronic works provided that:

- You pay a royalty fee of 20% of the gross profits you derive from the use of Project Gutenberg™ works calculated using the method you already use to calculate your applicable taxes. The fee is owed to the owner of the Project Gutenberg™ trademark, but he has agreed to donate royalties under this paragraph to the Project Gutenberg Literary Archive Foundation. Royalty payments must be paid within 60 days following each date on which you prepare (or are legally required to prepare) your periodic tax returns. Royalty payments should be clearly marked as such and sent to the Project Gutenberg Literary Archive Foundation at the address specified in Section 4, “Information about donations to the Project Gutenberg Literary Archive Foundation.”

- You provide a full refund of any money paid by a user who notifies you in writing (or by e-mail) within 30 days of receipt that s/he does not agree to the terms of the full Project Gutenberg™ License. You must require such a user to return or destroy all copies of the works possessed in a physical medium and discontinue all use of and all access to other copies of Project Gutenberg™ works.
- You provide, in accordance with paragraph 1.F.3, a full refund of any money paid for a work or a replacement copy, if a defect in the electronic work is discovered and reported to you within 90 days of receipt of the work.
- You comply with all other terms of this agreement for free distribution of Project Gutenberg™ works.

1.E.9. If you wish to charge a fee or distribute a Project Gutenberg™ electronic work or group of works on different terms than are set forth in this agreement, you must obtain permission in writing from the Project Gutenberg Literary Archive Foundation, the manager of the Project Gutenberg™ trademark. Contact the Foundation as set forth in Section 3 below.

1.F.

1.F.1. Project Gutenberg volunteers and employees expend considerable effort to identify, do copyright research on, transcribe and proofread works not protected by U.S. copyright law in creating the Project Gutenberg™ collection. Despite these efforts, Project Gutenberg™ electronic works, and the medium on which they may be stored, may contain “Defects,” such as, but not limited to, incomplete, inaccurate or corrupt data, transcription errors, a copyright or other intellectual property infringement, a defective or damaged disk or other medium, a computer virus, or computer codes that damage or cannot be read by your equipment.

1.F.2. LIMITED WARRANTY, DISCLAIMER OF DAMAGES - Except for the “Right of Replacement or Refund” described in paragraph 1.F.3, the Project Gutenberg Literary Archive Foundation, the owner of the Project Gutenberg™ trademark, and any other party distributing a Project Gutenberg™ electronic work under this agreement, disclaim all liability to you for damages, costs and expenses, including legal fees. YOU AGREE THAT YOU HAVE NO REMEDIES FOR NEGLIGENCE, STRICT LIABILITY, BREACH OF WARRANTY OR BREACH OF CONTRACT EXCEPT THOSE PROVIDED IN PARAGRAPH 1.F.3. YOU AGREE THAT THE FOUNDATION, THE TRADEMARK OWNER, AND ANY DISTRIBUTOR UNDER THIS AGREEMENT WILL NOT BE LIABLE TO YOU FOR ACTUAL, DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE OR INCIDENTAL DAMAGES EVEN IF YOU GIVE NOTICE OF THE POSSIBILITY OF SUCH DAMAGE.

1.F.3. LIMITED RIGHT OF REPLACEMENT OR REFUND - If you discover a defect in this electronic work within 90 days of receiving it, you can receive a refund of the money (if any) you paid for it by sending a written explanation to the person you received the work from. If you received the work on a physical medium, you must return the medium with your written explanation. The person or entity that provided you with the defective work may elect to provide a replacement copy in lieu of a refund. If you received the work electronically, the person or entity providing it to you may choose to give you a second opportunity to receive the work electronically in lieu of a refund. If the second copy is also defective, you may demand a refund in writing without further opportunities to fix the problem.

1.F.4. Except for the limited right of replacement or refund set forth in paragraph 1.F.3, this work is provided to you ‘AS-IS’, WITH NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE.

1.F.5. Some states do not allow disclaimers of certain implied warranties or the exclusion or limitation of certain types of damages. If any disclaimer or limitation set forth in this agreement violates the law of the state applicable to this agreement, the agreement shall be interpreted to make the maximum disclaimer or limitation permitted by the applicable state law. The invalidity or unenforceability of any provision of this agreement shall not void the remaining provisions.

1.F.6. INDEMNITY - You agree to indemnify and hold the Foundation, the trademark owner, any agent or employee of the Foundation, anyone providing copies of Project Gutenberg™ electronic works in accordance with this agreement, and any volunteers associated with the production, promotion and distribution of Project Gutenberg™ electronic works, harmless from all liability, costs and expenses, including legal fees, that arise directly or indirectly from any of the following which you do or cause to occur: (a) distribution of this or any Project Gutenberg™ work, (b) alteration, modification, or additions or deletions to any Project Gutenberg™ work, and (c) any Defect you cause.

Section 2. Information about the Mission of Project Gutenberg™

Project Gutenberg™ is synonymous with the free distribution of electronic works in formats

readable by the widest variety of computers including obsolete, old, middle-aged and new computers. It exists because of the efforts of hundreds of volunteers and donations from people in all walks of life.

Volunteers and financial support to provide volunteers with the assistance they need are critical to reaching Project Gutenberg™'s goals and ensuring that the Project Gutenberg™ collection will remain freely available for generations to come. In 2001, the Project Gutenberg Literary Archive Foundation was created to provide a secure and permanent future for Project Gutenberg™ and future generations. To learn more about the Project Gutenberg Literary Archive Foundation and how your efforts and donations can help, see Sections 3 and 4 and the Foundation information page at www.gutenberg.org.

Section 3. Information about the Project Gutenberg Literary Archive Foundation

The Project Gutenberg Literary Archive Foundation is a non-profit 501(c)(3) educational corporation organized under the laws of the state of Mississippi and granted tax exempt status by the Internal Revenue Service. The Foundation's EIN or federal tax identification number is 64-6221541. Contributions to the Project Gutenberg Literary Archive Foundation are tax deductible to the full extent permitted by U.S. federal laws and your state's laws.

The Foundation's business office is located at 809 North 1500 West, Salt Lake City, UT 84116, (801) 596-1887. Email contact links and up to date contact information can be found at the Foundation's website and official page at www.gutenberg.org/contact

Section 4. Information about Donations to the Project Gutenberg Literary Archive Foundation

Project Gutenberg™ depends upon and cannot survive without widespread public support and donations to carry out its mission of increasing the number of public domain and licensed works that can be freely distributed in machine-readable form accessible by the widest array of equipment including outdated equipment. Many small donations (\$1 to \$5,000) are particularly important to maintaining tax exempt status with the IRS.

The Foundation is committed to complying with the laws regulating charities and charitable donations in all 50 states of the United States. Compliance requirements are not uniform and it takes a considerable effort, much paperwork and many fees to meet and keep up with these requirements. We do not solicit donations in locations where we have not received written confirmation of compliance. To SEND DONATIONS or determine the status of compliance for any particular state visit www.gutenberg.org/donate.

While we cannot and do not solicit contributions from states where we have not met the solicitation requirements, we know of no prohibition against accepting unsolicited donations from donors in such states who approach us with offers to donate.

International donations are gratefully accepted, but we cannot make any statements concerning tax treatment of donations received from outside the United States. U.S. laws alone swamp our small staff.

Please check the Project Gutenberg web pages for current donation methods and addresses. Donations are accepted in a number of other ways including checks, online payments and credit card donations. To donate, please visit: www.gutenberg.org/donate

Section 5. General Information About Project Gutenberg™ electronic works

Professor Michael S. Hart was the originator of the Project Gutenberg™ concept of a library of electronic works that could be freely shared with anyone. For forty years, he produced and distributed Project Gutenberg™ eBooks with only a loose network of volunteer support.

Project Gutenberg™ eBooks are often created from several printed editions, all of which are confirmed as not protected by copyright in the U.S. unless a copyright notice is included. Thus, we do not necessarily keep eBooks in compliance with any particular paper edition.

Most people start at our website which has the main PG search facility: www.gutenberg.org.

This website includes information about Project Gutenberg™, including how to make donations to the Project Gutenberg Literary Archive Foundation, how to help produce our new eBooks, and how to subscribe to our email newsletter to hear about new eBooks.