

The Project Gutenberg eBook of Encyclopedia of Diet: A Treatise on the Food Question, Vol. 5, by Eugene Christian

This ebook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this ebook or online at www.gutenberg.org. If you are not located in the United States, you'll have to check the laws of the country where you are located before using this eBook.

Title: Encyclopedia of Diet: A Treatise on the Food Question, Vol. 5

Author: Eugene Christian

Release date: December 10, 2015 [EBook #50660]

Language: English

Credits: Produced by Juliet Sutherland, Jane Robins and the Online Distributed Proofreading Team at <http://www.pgdp.net>

*** START OF THE PROJECT GUTENBERG EBOOK ENCYCLOPEDIA OF DIET: A TREATISE ON THE FOOD QUESTION, VOL. 5 ***

ENCYCLOPEDIA OF DIET

A Treatise on the Food Question

IN FIVE VOLUMES

EXPLAINING, IN PLAIN LANGUAGE, THE CHEMISTRY OF FOOD AND THE CHEMISTRY OF THE HUMAN BODY, TOGETHER WITH THE ART OF UNITING THESE TWO BRANCHES OF SCIENCE IN THE PROCESS OF EATING SO AS TO ESTABLISH NORMAL DIGESTION AND ASSIMILATION OF FOOD AND NORMAL ELIMINATION OF WASTE, THEREBY REMOVING THE CAUSES OF STOMACH, INTESTINAL, AND ALL OTHER DIGESTIVE DISORDERS

BY

EUGENE CHRISTIAN, F. S. D.

VOLUME V

NEW YORK CITY
CORRECTIVE EATING SOCIETY, INC.
1917

COPYRIGHT 1914
BY
EUGENE CHRISTIAN

There are four other volumes of this series at Project Gutenberg, which can be found here:

[Volume I](http://www.gutenberg.org/files/46511/46511-h/46511-h.htm): see <http://www.gutenberg.org/files/46511/46511-h/46511-h.htm>

[Volume II](http://www.gutenberg.org/files/48746/48746-h/48746-h.htm): see <http://www.gutenberg.org/files/48746/48746-h/48746-h.htm>

[Volume III](http://www.gutenberg.org/files/50213/50213-h/50213-h.htm): see <http://www.gutenberg.org/files/50213/50213-h/50213-h.htm>

[Volume IV](http://www.gutenberg.org/files/47701/47701-h/47701-h.htm): see <http://www.gutenberg.org/files/47701/47701-h/47701-h.htm>

CONTENTS

VOLUME V

Lesson XVI

	<i>Page</i>
ADAPTING FOOD TO SPECIAL CONDITIONS	1145
Infant, Old Age, and Athletic Feeding;	
Sedentary Occupations, Climatic Extremes	1147
Normal Diet	1152
Infant Feeding	1154
General Rules for the Prospective Mother	1157
Special Rules for the Prospective Mother	1159
The Nursing Mother	1162
Care of the Child	1164
Constipation	1169
Exercise	1171
Clothing	1171
Temperature of Baby's Food	1173
Bandage	1173
Emaciation	1173
General Instructions for Children after One Year	1174
General Diet from Ages One to Two	1174
Simplicity in Feeding	1175
Old Age	1178
Three Periods of Old Age	1181
Athletics	1188
Sedentary Occupations	1194
General Directions for Sedentary Worker	1198
Climatic Extremes	1199
Climatic Extremes	1199

[vi]

Lesson XVII

NERVOUSNESS—ITS CAUSE AND CURE	1209
Causes	1213
The Remedy	1217
Suggestions for Spring	1220
Suggestions for Summer	1222
Suggestions for Fall	1223
Suggestions for Winter	1224

Lesson XVIII

POINTS ON PRACTISE	1231
Introduction to Points on Practise	1233
Suggestions for the Practitioner	1236
Value of Experience	1239
Value of Diagnosis	1241
Educate Your Patient	1242
Effect of Mental Conditions	1245
Publicity	1247

Be Courteous and Tolerant	1250
<u>Lesson XIX</u>	
EVOLUTION OF MAN	1253
What is Evolution?	1255
The Three Great Proofs of the Evolution of Animal Life	1261
Man's Animal Kinship	1265
<u>Lesson XX</u>	
SEX AND HEREDITY	1277
The Origin of Sex	1279
A Rational View of Sexual Health	1285
Embryological Growth—Prenatal Culture	1289
Heredity	1293
What Heredity Is	1295
Summary of Facts regarding Sex and Heredity	1297
<u>Lesson XXI</u>	
REST AND SLEEP	1299
Rest	1301
The Old Physiology	1305
Rest and Recreation	1306
Sleep	1308
Some Reasons	1310
Oxidation and Air	1312
<u>Lesson XXII</u>	
A LESSON FOR BUSINESS MEN	1315
A Good Business Man	1320
The Routine Life of the Average Business Man	1322
Some Suggestions for a Good Business Man	1324
<u>Lesson XXIII</u>	
EXERCISE AND RE-CREATION	1327
Exercise	1329
Constructive Exercises	1330
Exercise for Repair	1331
Physiology of Exercise	1333
Systems of Physical Culture	1338
Program for Daily Exercise	1343
Re-creation	1346

[1145]

LESSON XVI

ADAPTING FOOD TO SPECIAL CONDITIONS

[1147] INFANT, OLD AGE, AND ATHLETIC FEEDING SEDENTARY OCCUPATIONS, CLIMATIC EXTREMES

Diet may be divided into three distinct classes—normal, preventive, and curative. In order to understand the application of diet to these several conditions, it is necessary to observe the following rules:

1. Foods must be selected which contain all the desired nutritive elements.
2. They must be so combined as to produce chemical harmony, or should at least produce no undesirable chemical action.
3. They must be proportioned so as to level or balance their nutritive elements; that is, to prevent overfeeding on some elements of nourishment, and underfeeding on others.

[1148] Many fine specimens of men and women have been produced without knowledge of these laws, but in nearly every case it may have been observed that the person was normal as to habits, and temperate in eating, therefore led aright by instinct.

If one lives an active life, spending from three to five hours a day in the open air, the body will cast off and burn with oxygen much excess nutrition, and will also convert or appropriate certain nutritive elements to one purpose, which, according to all known chemical laws, Nature intended for another. Much better results, however, will be obtained by giving Nature the right material with which to work, thus pursuing lines of least resistance.

[1149] What foods to select, how they should be combined and proportioned, is determined mainly by

laws dependent upon the following conditions:

1. Age.
2. Temperature of environment—time of year or climate.
3. Work or activity.

(1) As to age:

If we wish the best results we must select and proportion our food according to age, because the growing child or youth needs much structural material—calcium phosphates—with which to build bone, teeth, and cartilage. This is found in cereals and in all grain foods. The middle-aged person needs but little of these—just enough for repair, and the aged person needs practically none.

[1150] While the growing child needs calcium phosphate, he also needs milk and natural sweets, which named in the order of their preference are honey, maple-sugar, dates, figs, and raisins. This does not mean that a generous quantity of vegetables and fruit cannot be taken, but that the articles first mentioned (cereals and starchy foods) should form a conspicuous part of the child's diet.

The adult needs a much less quantity of the heavier starchy foods, because the structural part of the body has been built up. The diet of the adult should consist of vegetables, nuts, and a normal quantity of sweets, a normal quantity of fruits, milk and eggs, with rather a limited amount of cereal or bread products, while the aged, or those having passed sixty, could subsist wholly upon a non-starch diet (non-cereal starch), such as vegetables, milk, nuts, eggs, salads, and fruits, including bananas, which is not a fruit, but a vegetable, and which contains a splendid form of

[1151] readily soluble starch.

(2) As to time of year:

In selecting and proportioning our food we should observe the laws of temperature or time of the year. We should not eat foods of a high caloric or heating value at a time when the sun is giving us this heat direct, thus building a fire inside, while the sun is giving us the same heat outside. The violation of this simple law is the cause of all sunstroke and heat prostrations. On the contrary, if we are going to be exposed to zero weather, we should build a fire inside by eating foods of a high caloric value.

(3) As to work or activity:

We should select and proportion our food according to the work we do, because eating is a [1152] process of making energy, while work is a process of expending energy, and we should make these two accounts balance.

THE NORMAL DIET

While in some respects each body is a law unto itself, there are a few fundamental rules and laws that apply to all alike. For instance, overeating of starchy foods, in every case, will produce too much uric acid, and finally rheumatism. Also the overeating of sweets and starches will cause the stomach to secrete an over-supply of fermentative acids, the effects of which have been discussed in a previous lesson.

Effects of overfeeding on starchy foods and sweets

In laying out the diet, under all conditions, the practitioner must be governed by the above-named rules. He should exercise his judgment, however, in each case according to the prevailing conditions. In prescribing [1153] diet it is well to remember that Nature will not tolerate, without protest, any radical change. It often occurs, therefore, that the most correct and thoroughly balanced menu will cause violent physical disturbances which the inexperienced may consider as unfavorable symptoms, but in a majority of cases this is merely the adjusting process, similar to that which occurs when the body is suddenly deprived of narcotics and stimulants after their habitual use.

Temporary disturbances caused by radical changes in diet

The practitioner should exercise much care in diagnosis. He should study all symptoms and lay out the diet so as to counteract prevailing conditions, and to produce normality.

The tendency of the body, that has been incorrectly fed for many years, to protest against the right kind and the right combinations of food, is often very deceptive. It is not always correct to say that the food did not agree

The stomach should agree with natural food

[1154] with the stomach, but more correct to say that the different foods did not agree with themselves. The patient should be thoroughly acquainted with these facts, and mentally prepared for some temporary discomforts or physical protest against the new system.

INFANT FEEDING

The tremendous mortality among infants and children is due to incorrect feeding more than to all other causes. In the process of reproducing animal life, nearly all abnormal conditions are eliminated. The best that is in the

Large percentage of infant mortality due to

mother is given to the child. The trend of Nature is upward toward higher intelligence and more perfect physical development. For this reason infants are usually healthier than their parents, though millions of babies are rapidly broken in health by improper feeding.

incorrect feeding

[1155] The economy of Nature is perfect, therefore all natural forces conspire to preserve the life of the young. This is the natural law governing the preservation and the development of human life, and that this condition does not obtain is the most striking evidence of our lack of knowledge in feeding the young.

Infant feeding must be considered from two points of view: (1) Dealing with the child or infant as we find it, where the mother has so violated Nature's laws of nutrition and hygiene as to afford no breast-milk for her child; (2) where this condition does not prevail, and the child receives ample nourishment from the breast of the mother.

Point of view to be considered in infant feeding

We will first consider the diet and the conduct of the mother during pregnancy and prior to it.

[1156] Preparation for motherhood is one of woman's most sacred duties, because it involves not only the happiness and health of herself, but it shapes, in a large degree, the mental and the physical conditions of another being which will wield an influence over its whole life.

The common error of most women is that they do not desire children when they are first married, and in the pursuit of other pleasures they violate and disregard the laws of Nature; the baby is a mere accident—probably unwelcome. During the entire embryonic period the same old habits and diet are indulged in; the mental and the physical condition of the being-to-be has received no consideration, and, unwelcome in a strange world, the little eyes are opened. Then the instinctive love of the mother is kindled and lavished; the child's every want is law; it needs maternal nourishment and the mother desires to give it, but the natural fountain is insufficient, and probably dry. The mother's thoughts and inspirations can no longer become a part of the child, except through education in later years—they are two separate beings; the opportunity to endow it with a part of her life is forever gone.

The unwelcome child

Under the most favorable conditions we meet a constant resistance to life, and the higher we ascend in the scale of civilization the greater is the resistance encountered. It is therefore the duty of the mother, as also of the father, to remove every obstacle that would offer resistance to the physical and mental growth of the child. In order to do this it is necessary to carry out certain well-established laws concerning diet, exercise, fresh air, sunshine, and mental training.

Resistance to infant life should be removed as much as possible

GENERAL RULES FOR THE PROSPECTIVE MOTHER

From the time conception is recognized the following general rules should be observed:

- [1158] 1. The corset or all tight-fitting garments that would in any way interfere with freedom of exercise and thorough development of the abdominal muscles should be discarded.
2. As much time as possible—at least two hours each day—should be spent in the open air, and a system of moderate trunk exercises followed, together with deep breathing, calculated to expand the lungs to their fullest cell capacity, which is Nature's method of burning or oxidizing waste matter, and thereby keeping the blood pure.
3. The mental occupation should be an important factor in the daily regimen. Some congenial study should be chosen with the view of making it useful, while some remunerative employment should be sought and indulged in for a portion of each day. Avoid idleness by all means, or an idle roaming of the mind and spirit. Learn to think, to concentrate, to work, and to do something for others, as it is from these things that all happiness is gained.
- [1159] 4. The diet of the future mother should be governed somewhat by the laws laid out in the first part of this lesson; that is, age, temperature of environment, and occupation should be considered in its selection.

SPECIAL RULES FOR THE PROSPECTIVE MOTHER

There are some specific rules in regard to diet, however, which every mother should observe. The diet should be balanced so as to contain all the needed elements of nourishment in approximately the right proportions. The proportions, however, should differ in many cases from that which she would take if she were in a normal state, especially in regard to starchy foods or calcareous matter. An abundance of green salads, sweet ripe fruits, fresh vegetables in season, eggs, milk, nuts, and not more than two ounces of bread, potatoes, or dried beans should be taken daily. If flesh food or something salty is craved, tender chicken, or fish, may be allowed in small quantities.

Suggestions for the diet

It should be borne in mind that I do not advocate the use of flesh foods, but during pregnancy the appetite is varying and sometimes tyrannical, and it has been found better to compromise with this condition than to combat it. The use of a limited quantity of tender meat, or any other article of good food for which there

Abnormal appetite during pregnancy

should arise a craving, is therefore advisable.

[1161] In the selection of meats, the flesh of young animals is best, for the reason that young animals are more healthy and less liable to contamination by disease. The meat of either fowl or fish is rather appetizing, and often satisfies the craving that many pregnant women have for the heavier meats such as pork or veal, which are, of course, very much more difficult to digest.

Flesh of young animals preferred

There is, notwithstanding the opinion foolishly held by many doctors, no difference in the nutritive qualities of white or dark meat, as either variety is nourished by identically the same blood supply, and contains the same sort of protoplasm.

So it is a mistaken idea to think that there is any appreciable difference in the digestibility of white meat as compared with dark, except as the effect of mental suggestion may be operative.

[1162] Of course, we know that if you tell a person often enough that a certain thing is true, eventually he will act upon it automatically. And so it is with the white and dark meat fetish.

THE NURSING MOTHER

If the mother supplies enough milk, this is infinitely superior to any artificial combination of so-called infant foods. Unfortunately a large majority of children are not breast-fed, and must depend upon the various commercial infant-foods, or upon the judgment of the untrained nurse, or the mother.

Breast milk vs. artificial foods

The majority of mothers, if so disposed, could, by studying their own diet, supply the most robust child with ample breast-nourishment until it is ten or twelve months old, after which period the infantile crisis would be passed, and millions of little lives would thereby be saved. However, the

The lives of babies often depend upon the mother's diet

[1163] confinement and the trouble to which the mother is subjected by the nursing baby causes the majority of infants to be weaned within a few weeks after birth, and turned over to the hazard of prepared food, soporific drugs, and nurses.

If mothers could realize the love that is daily kindled and strengthened; if they could be made to know how much more their children would love them, and they would love their children; if they could look into the years and see how the link of love between them and their children had been shaped, molded, and fashioned by the simple act of nurturing them from the breast (to say nothing of the lives that would be saved), the artificially-fed baby would be a rarity, and the mother would be queen in the hearts of the nation's children.

Child-love stimulated by nursing

[1164] The most beautiful thing that ever graced the canvas of art, or shed its love into the cold realism of nature, is a nursing baby pushing from its satisfied lips the mother's breast, and smiling its sweet content into her face.

It is almost criminal to withdraw the breast from an infant, and to turn it over to the treachery of prepared foods, when, by devoting a little time each day to the study of the science of eating, it is possible for the mother to supply the child with her own milk.

CARE OF THE CHILD

The following are general rules for feeding the infant from birth to about one year of age.

[1165] These rules cannot be made inflexible because all children differ in temperament, vitality, and as to prenatal influences, but if the mother will observe these instructions with reasonable care, her child can be brought healthfully through the most critical period of its life, and will enter the solid food age with good digestion, a strong body, and an excellent chance to withstand all children's dis-eases.

Where artificial feeding becomes necessary, then the preparation of the baby-food is of primary importance. Cow's milk is, of course, the logical food, but taken whole, that is, the entire milk, it is too high in proteids, and deficient in sugar; therefore, in order to make a healthful infant-food, it must be modified according to the requirements of the infant body.

The nurse or the mother should prepare a quantity sufficient for only one day's supply at a time, after the following formula:

Cream	2 ounces
Milk	2 ounces
Water	15 ounces
Milk-sugar	4 level teaspoonfuls
Lime-water	2 teaspoonfuls or ½ ounce

[1166] This should be thoroughly mixed, placed in the bottle, and set in warm water until it is brought to the temperature of breast-milk. The above formula may be used during the first month of the baby's life.

The quantity and the frequency of feedings should be according to the following table:

AGE	FEEDINGS	OUNCES	INTERVALS OF
1st day	5 to 6	1	3 or 4 hours
2d day	7 to 8	1	2 ½ to 3 hours
3d to 7th day	9 to 10	1 ¼	2 to 2 ½ hours
2d, 3d, and 4th weeks	10	2 to 3	2 hours

Formula for the second and the third months:

Cream	3 ½ ounces
Milk	1 ½ ounces
Water	14 ounces
Milk-sugar	5 teaspoonfuls
Lime-water	2 ½ teaspoonfuls

Quantity and frequency of feeding should be about as follows:

MONTHS	FEEDINGS	OUNCES	INTERVALS
2d and 3d	7 to 8	3 to 4	2 or 3 hours

[1167] Formula for period from the fourth to the twelfth month:

Cream	6 to 8 ounces
Milk	2 to 3 ounces
Water	10 ounces
Milk-sugar	5 to 6 teaspoonfuls
Lime-water	2 to 3 teaspoonfuls

Quantity and frequency of feedings should be about as follows:

MONTHS	FEEDINGS	OUNCES	INTERVALS
4th, 5th, and 6th	5 to 6	4 to 6	3 to 3 ½ hours
7th, 8th, and 9th	5	6 to 7	4 to 4 ½ hours
10th, 11th, and 12th	5	6 to 8	4 to 4 ½ hours

The above formulas for infant-food are the best that can be made from ordinary cow's milk.

The milk-sugar and the lime-water herein named can be purchased at any first-class drug store.

[1168] These tables are not given as exact. The mother should exercise careful vigilance and judgment, especially in reference to the quantity of each feeding, and the frequency. The moment the child shows symptoms of overfeeding, which symptoms are usually evidenced by vomiting or discomfort, the quantity of cream and the amount at each feeding should be reduced. In fact, it is healthful, and often necessary for the child to allow it the opportunity to get hungry. The digestion of many a baby is totally ruined by continuous feeding, which is done out of motherly sympathy, or merely to keep it quiet.

Avoid too frequent feeding

The mother or the nurse should exercise great care in the cleanliness and the hygienic preparation of children's foods. Milk should be fresh, and of the very best. It should not be left uncovered or exposed. It should be kept continually on ice until ready for use. The cream should be taken from the

Importance of cleanliness in preparing child's food

[1169] top of the bottle, or from fresh milk. This insures better quality of butter-fat than is generally supplied in ordinary commercial daily cream.

As the child advances in age, whole milk, cereal gruel, and egg mixture (two whites to one yolk) may be administered according to the child's normal appetite and digestion. The egg may be prepared by whipping the whites and the yolks separately, adding to the yolk a teaspoonful of cream and one of sugar, then whipping the beaten whites into this, and serving.

CONSTIPATION

The stools of natural, healthy children should be bright yellow and perfectly smooth. If grainy and soft, food should be made richer. If in curds, it evidences too rapid coagulation; therefore an alkali should be added. If the stools are white and oily, it indicates an excess of cream. If hard and dry, it indicates an insufficient amount of cream. If green, reduce the quantity of milk, or omit it altogether, and increase the quantity of barley-water.

The majority of bottle-fed children suffer greatly from constipation, caused largely by the milk, or the failure to modify the milk properly, or to make it contain the constituent elements of breast-milk. This condition can be relieved by giving the child sweet orange juice every night and morning, or the juice from soaked prunes, if preferred. This should be administered in quantities ranging from a dozen drops to two or three teaspoonfuls, according to the age of the child and the severity of the condition. Intestinal congestion can often be relieved, however, by giving the

abdomen gentle massage, preferably with a rotary or kneading motion.

In cases of diarrhea, infants from three to eight months old should be given first an enema, and
[1171] then a diet entirely of boiled milk mixed with rice or barley-water.

EXERCISE

All infants need some exercise. They should be gently rubbed and rolled about after the morning bath, before they are dressed. There is nothing more healthful than exposure of the baby-skin to fresh air in a normal temperature.

CLOTHING

Next in importance to the food of the infant is its clothing. The usual style of dressing babies the first three months of their lives is positively barbaric; not that it imitates uncivilized people, but because it evidences the grossest ignorance and cruelest vanity. The mother seems to have no way of expressing her pride in her child except by bedecking it with elaborate garments. These
[1172] usually consist of three long skirts, two of them attached to bands which are fastened around the body. The weight of this clothing prevents the free use of the baby's feet and legs, putting it into a kind of civilized strait-jacket, thus preventing it from exercising the only part of its anatomy that it can freely move.

It is nothing uncommon to see a beautiful baby sore, irritated, and broken out with heat all over its little body by being heavily enveloped in barbaric rags. The child, therefore, is made to suffer merely that it may please a proud mother, and conform to an ignorant custom a thousand years old.

The only purpose clothing should serve is that of bodily warmth. When it is made the instrument of painful adornment it is serving the same purpose as "rings in the ears and bells on the toes," and the mind of the mother who thus afflicts her child is in the same class as that of the ignorant barbarian whom she imitates.

[1173]

TEMPERATURE OF BABY'S FOOD

It should be remembered that all liquid food for a child up to twelve or fifteen months old should be administered at a temperature no lower than blood-heat. The liquid mixtures named herein may be made in advance of the needs, and placed upon ice merely to preserve them, but should be warmed to a temperature of at least ninety-nine degrees Fahrenheit before administering to the child.

Pure water should be given to all children from the time they are two weeks old.

BANDAGE

The bandage should be removed about the close of the third month.

EMACIATION

In case of slight emaciation or lack of fat, the child should be given an olive-oil rub once or twice
[1174] a week, rubbing gently into the skin about one teaspoonful of oil.

GENERAL INSTRUCTIONS FOR CHILDREN AFTER ONE YEAR

All children, whether breast-fed or bottle-fed, are subject to practically the same health rules after they are about one year old. Therefore I will now consider all children in the same class, and lay out for them what may be termed general instructions in health and hygiene.

Care should be exercised to omit from the diet of children just beginning to take solid food, all articles that will not dissolve readily without mastication.

GENERAL DIET FROM AGES ONE TO TWO

The diet from the first to the second year should consist of:

[1175] Baked apples
Baked potatoes—sweet or white
Cereal—limited quantity (thoroughly cooked)
Cream soups—home-made, such as:

Cream of celery Onion
Potato Rice
Tomato, etc.

Eggs
Milk
Pulp of soft ripe fruits
Vegetables—thoroughly mashed, such as:

{Asparagus
Fresh {Squash
{Spinach

The above vegetables contain much cellulose or pulp which should be entirely discarded, leaving only the meat or purée; but to the child from eleven to fifteen months old, they should be administered in very limited quantities.

SIMPLICITY IN FEEDING

Especial attention should be given to simplicity in feeding:

- [1176] 1. Avoid giving too many things at the same meal; from three to four articles at one time are sufficient
2. Mothers should be especially cautioned against giving a child bread made with yeast, or baking powder, and against the old diet of milk toast
3. All meat, flesh food, stimulants or narcotics of every kind should be omitted from the diet of children
4. The crowning mistake of the doting mother is often made in feeding her child from the conventional table, on such things as weakened coffee or tea, meats, and condiments
- [1177] 5. The custom of giving children an excess of sweets has ruined millions of little stomachs, and has given them a heritage of dis-ease and suffering before they have entered their 'teens
6. All condiments, such as pepper, salt, vinegar, pickles, and all pungent things should be eliminated from the diet of children—the taste of the child is very susceptible to cultivation, and with very little encouragement it will accept things that have no place in the human economy, and which are positively harmful
7. When a child begins teething, it may be given a small piece of hard water-cracker with safety

If the above rules are observed, it is reasonable to assume that normal hunger of the child will guide it very correctly in selecting, proportioning, and combining its food through the period of childhood until it enters the period of youth.

[1178]

OLD AGE

There seems to be two critical periods in every life—the ages of thirty and sixty. If the sixtieth year can be turned with good digestion, normal assimilation and excretion, it is fair to assume that with reasonable care the century mark may be easily reached. It is also reasonable to assume that experience will have taught most thoughtful people what to eat and what not to eat, but the mortality tables of nearly all civilized countries, of which the writer has made a careful study, prove that a majority of people do not reach their sixtieth year, and but a very small per cent of those who do are blessed with good digestion. Therefore an old age diet is quite as important to the student as infant feeding.

Necessity for old age diet

For purposes of convenience, I will put all cereal products, legumes, and white potatoes in the starch or bread class, and henceforth they will be referred to as such.

[1179]

The majority of disorders that mark the difference between youth and age may be traced directly to the overconsumption of meat and bread, especially cereal starch. The hardening of the arteries, the stiffening of the cartilage, the enlargement of the joints, and the general lack of flexibility throughout the body is due almost wholly to the overconsumption of these two staples.

Meat and bread produce old age

Uric acid is always present in gouty and rheumatic conditions, but it is there as Nature's defense against our sins, and not as a primary cause. Meat is not the cause of uric acid as has been popularly taught. Uric acid is one of the constituent elements of all animal bodies, and when the normal supply in the human body is supplemented by that which is contained in the body of the animal upon which we prey, we are oversupplied. This is as far as meat-eating contributes toward uric acid poisoning.

[1180]

When the body is young and growing, it can consume and appropriate a

Uric acid in rheumatic conditions

Soluble starches

considerable quantity of starchy or structural material, but when it is fully grown, or has turned forty, it can subsist healthfully upon a diet containing only from three to five per cent of starch, and as one becomes older the more soluble forms of starch should be taken, such as the starch contained in green peas, beans, and corn, which, immature, is readily soluble and assimilable. The starch in the banana is also easily appropriated and easily oxydized, and will be found to agree with many who cannot eat starch in any other form without producing fermentation.

desirable

After the fiftieth year the diet becomes more and more a factor needing special attention in the daily regimen, both as to selection and quantity; and with advancing age the quantity of food should be gradually reduced until the minimum which will support life healthfully is reached.

In old age the diet should be governed by the same general rules as those of younger people; that is, elderly people should select, combine, and proportion their food according to temperature of environment, labor, and age. Those performing manual labor can use and eliminate food material which would produce uric acid and other poisons in the body of the sedentary worker.

Importance of diet with advancing age

THREE PERIODS OF OLD AGE

Old age may be divided into three periods. From fifty to sixty the diet should consist of a very limited quantity of bread products (not more than two per cent); fresh green vegetables, fresh mild fruits, nuts, a normal quantity of milk and eggs, a limited quantity of sugar, and a moderate amount of fats.

Diet from fifty to sixty

From sixty to seventy the amount of cereal starch should be reduced to one per cent, or not more than two per cent, while the other articles named may be taken as suggested from fifty to sixty, gradually eliminating starchy foods, and increasing foods containing proteids, casein, and albumin.

Diet from sixty to seventy

Between the ages of seventy and one hundred, the same general suggestions as those above laid out should be followed, eliminating entirely all cereal products. The more soluble forms of starchy or carbohydrate foods, such as potatoes, bananas, and green peas, beans, corn, etc., may be taken. (See Lesson XIII, Vol. III, p. 632.)

Diet from seventy to one hundred

The necessary amount of fats, albumin, casein, and proteids must be governed by activity and temperature of environment.

The following are suggestions for one day's menu, in spring and summer, age between fifty and sixty. Choice of menus may be exercised, but each menu should be taken in its entirety.

[1184]

MENU I

MENU II

BREAKFAST

Melon or subacid fruit	One or two very ripe bananas,
One egg—coddled	with figs, cream, and nuts
A potato or a very little coarse bread	Choice of fruit—non-acid
A glass of clabbered milk or buttermilk	Two glasses of milk
Two tablespoonfuls of raisins, with cream and nuts	

LUNCHEON

Choice of peas, corn, beans, or creamed onions	Choice of carrots, parsnips, beans, squash, or asparagus
Eggs or buttermilk	A baked sweet or a white potato
A baked potato	A glass of buttermilk
A salad or something green, with nuts	Cream cheese, dates, and nuts
A banana, with cream, nuts and dates	A very small portion of green salad, with grated nuts

DINNER

One fresh vegetable—spinach, cooked ten minutes	A green salad
One egg or a very small portion of fish	Two fresh vegetables
A baked potato	A sweet or a white potato, with sweet butter
Choice of dates, figs, or raisins, with cream cheese and nuts	A glass of sour milk

[1185] In cases of constipation, two or three tablespoonfuls of coarse wheat bran (cooked, if desired) should be taken with the breakfast and the evening meal, and a spoonful just before retiring, taken in a glass of water. Such fruits as plums, peaches, or berries should be taken daily, just after rising and just before retiring.

The following are suggestions for fall and winter menus, for a person between the ages of fifty and sixty:

[1186]

BREAKFAST

Oranges, apples, pears, or soaked prunes
An egg and a small portion of either plain boiled wheat or rice
A very ripe banana, with nuts and raisins

NOTE: Sweet fruits may be taken instead of the acid fruits suggested, and milk instead of eggs.

LUNCHEON

One or two fresh vegetables, such as carrots, onions, turnips, cabbage, or beans
Celery or any coarse plant
A potato or a very small portion of corn

If not very active, the luncheon may consist of two glasses of buttermilk and a spoonful of wheat bran.

DINNER

Choice of two fresh vegetables
A baked potato
Choice of fish, eggs, or buttermilk
Corn bread or a very small portion of coarse cereal

[1187] All fresh, watery vegetables should be cooked in a casserole dish.

A sufficient quantity of water should be drunk at each of these meals to bring the moisture up to about sixty-six per cent of the meal—two to three glasses.

These meals are mere suggestions, and are therefore subject to many variations.

All green salads may be substituted for one another; all starchy products—grain, potatoes, and legumes—may also be substituted for one another.

[1188]

ATHLETICS

The diet for the athlete really differs but little from that which should be taken by every person in normal health, the object in all cases being to secure the greatest degree of energy from the least quantity of food. In order to do this, the laws governing the selecting, the combining, and the proportioning of foods should be observed. When the digestive, the assimilative, and the excretory organs are properly performing their functions, the object should be to gain the highest efficiency in food with the least amount of loss or waste. Every diet, therefore, should be made an athletic diet.

Every diet should be an athletic diet

In dealing with the public at large, the work of the practitioner will be confined very largely to prescribing for those who, by violation of Nature's laws, have become diseased, or in some way physically abnormal, and in these cases, of course, a remedial or counteractive diet first becomes necessary.

In dealing with the athlete as a special class, however, we must consider him as a normal creature, somewhere between the ages of twenty and forty. We must also consider that his digestion and assimilation of food, and elimination of waste are normal. Under these conditions, the diet should consist of highly nitrogenous and proteid compounds, leveled or balanced by the requisite amount of carbohydrates and fats.

General diet for normal athlete

If the athlete is training for action in summer, the quantity of fat should be reduced according to temperature or climate. When the thermometer ranges in the seventies and eighties, one ounce of fat each twenty-four hours would probably be sufficient, while if the mercury is down in the twenties or thirties, from two or three ounces may be required to keep up bodily heat.

Quantity of fat required at different seasons

The following are suggestions for summer athletic diet:

[1191]

BREAKFAST

Fruit or melon
[1] Corn, or boiled wheat, with nuts and cream
Eggs, whipped, with sugar and cream—lemon juice flavor

LUNCHEON

Break from four to six eggs into a bowl, adding a heaping teaspoonful of sugar to each egg; whip five minutes; while whipping, add slowly one teaspoonful of lemon juice to each egg; to this add half a glass of milk to each egg, and drink slowly

[1] Corn or a potato

DINNER

Fruit, berries, or melon

A salad of lettuce, tomato, and grated carrots; serve with dressing of lemon juice, grated nuts and olive-oil

One fresh vegetable

An egg or tender fish

A baked potato

Buttermilk

[1] NOTE: Corn to be prepared as follows:

Cut lightly from cob with a sharp knife and scrape down with a dull one; serve uncooked with a little salt, sugar and cream.

[1192] The following are suggestions for winter athletic diet:

BREAKFAST

A baked apple or an orange

One coarse cereal, with nuts and cream

Two eggs, either whipped or boiled two minutes Very ripe bananas, with dates, nuts and cream (If bananas are not very ripe, they should be peeled and baked) See recipe, Vol. III, p.677

LUNCHEON

Beans or lentils

Carrots, turnips, squash, or corn

Fish or eggs

A baked potato

Buttermilk

DINNER

Two fresh vegetables

A green salad, with oil

Omelet, with grated nuts

A banana, with nuts and cream, and either dates or raisins

Buttermilk

These menus, like those given for summer, are merely for the purpose of suggesting selections, combinations, and proportions of food that will meet the exigencies of temperature, environment, and work. The quantity of food required will depend largely upon the size (physique) of the individual, the severity of training, and the feats to be performed. It is especially important that these suggestions be well considered at least one day before engaging in any athletic event or work requiring extraordinary physical effort, as the human body appropriates or uses food from twenty-four to thirty-six hours after it is eaten.

If one is to be exposed to extreme cold, an excess of fats should be taken, beginning thirty-six hours before exposure. If much physical effort is to be exerted, the diet should be balanced as to all nutritive elements, with an excess of nitrogenous foods. In fact, these rules should be observed by every one who desires to make feeding scientific, and to make food his servant instead of his master, as our civilized habits have a tendency to do.

Exposure to extreme cold or exertion

[1194]

SEDENTARY OCCUPATIONS

Nature demands from every form of life a certain amount of activity or motion. Any transgression of this law means disintegration. Rest is merely the process adopted by Nature to reconvert matter into its original elements. To whatever extent one ceases activity, Nature, under normal conditions, inflicts this penalty.

Cessation of activity means disintegration

Man's civilized habits and customs have produced a class of workers who, while at work, are deprived of their requisite amount of motion, and who, therefore, pay the penalty by shortened periods of life, and by numerous disorders which we have come to characterize as dis-ease. There is but one method known to science by which these penalties may be avoided, and by which the worker whose occupation must be sedentary may become as healthful as his brother who can order his life in conformity with Nature's laws. That method lies in the ordering of his diet.

The penalty of civilization

All dis-ease may be called *congestion*, or the failure of the body to eliminate poisons and waste matter. The process of elimination is assisted by activity (work or play). The accumulation of waste and poisons in the body is measured or determined almost wholly by the diet.

Dis-ease is merely
congestion

The man who is swinging a pick or a sledge hammer in the open air may eat or drink almost anything, because his powers of eliminating waste are aided by his work. It follows, therefore, that those whose work is of a sedentary nature must procure their nutrition from substances containing the minimum of waste, and producing the maximum of energy, and the quantity must be measured accurately by the demands of the body, or autointoxication (self-poisoning) will result.

Diet governed by work

Intestinal congestion (constipation), which is almost universal among sedentary workers, is caused in nearly all cases by consuming a quantity of food in excess of the physical demands, and which cannot be thrown off owing to the lack of exercise. It is at this point that science must lay out the dietetic regimen so as to make it conform to the occupation, or to the lack of physical activity.

The following are suggestions for a spring or summer diet for the average sedentary worker:

[1197]

BREAKFAST

Cantaloup, berries or peaches, with sugar and cream
An egg
One or two bananas, with nuts, cream, and raisins
(Bananas should be baked, if not very ripe)

LUNCHEON

Peas, beans, or asparagus
A heaping tablespoonful of nuts
A salad of lettuce and tomatoes, with nuts
A baked potato, tender corn, or a very little coarse bread

DINNER

Melon or cantaloup
Two tablespoonfuls of nuts
One or two fresh vegetables, including an ear of tender corn
Fish, eggs, or buttermilk
Plain ice-cream, if something sweet is desired

[1198]

GENERAL DIRECTIONS FOR SEDENTARY WORKER

The student will recognize that in these menus the heavier foods are prescribed sparingly, while the lighter or the more readily soluble articles predominate. From these suggestions a fair idea of a fall and winter diet can be drawn.

Indigestion, sour stomach (hyper-chlorhydria), constipation, malassimilation, and general anemia are the disorders with which the sedentary worker is most commonly afflicted.

In dealing with each and all of these conditions, including obesity, which is often the result of sedentary habits, the first thing to be done is to limit the quantity of food to the normal requirements of the body, and in extreme cases a diet below the normal should be observed; no one was ever made ill by underfeeding. Then, with proper care as to the selection, combination, and proportions of food, and an increased amount of exercise and deep breathing, the person of sedentary habits should be made as healthy and strong as the outdoor worker in the fields of manual labor.

CLIMATIC EXTREMES

In considering a diet to meet the requirements of climatic extremes, either hot or cold, it is necessary to reckon from normality, both as to climate and as to the health of the individual.

All the foregoing lessons, taken as a whole, are designed to teach one method or theory, involving two principles:

[1200]

1. Selections, combinations, and proportions of food that will counteract and remove the causes of unnatural conditions called dis-ease
2. Selections, combinations, and proportions of food that will bring the body up to its highest degree of development and there maintain it

Under normal conditions the temperature of the body may be thoroughly controlled by feeding. The principal process of metabolism is that of making heat out of the fuel given to the "human boiler." The amount of heat, therefore, that a given quantity of food will produce is determined very largely by the amount of resistance that is met from natural environment.

The human body, under ordinary conditions, in a temperature of 60° Fahrenheit, will use about two ounces of pure fat every twenty-four hours. If the temperature should drop to 30° Fahrenheit, it would require about three ounces of fat every twenty-four hours to keep the temperature of the

Amount of fat required
in different
temperatures

[1201] body at normal. Under certain conditions of exposure it might require as much as five and even six ounces of pure fat to maintain normal temperature of the body, and in the extreme north, where the temperature ranges in winter from 25° to 30° below zero, the natives often take as much as sixteen ounces of fat during the day. Fat being the principal heat-producing element, it is, therefore, the most necessary thing to consider in a temperature of extreme cold.

The student will readily understand that, in order to maintain a normal standard of vitality and endurance, the selection of foods must be made according to age, activity, and temperature.

For a person undergoing a reasonable amount of exposure, and working in a climate where the temperature is ranging between 20° and 30° Fahrenheit, the following menus, covering one day, may be suggested:

[1202] Immediately on rising, drink a cup of hot water, then take vigorous deep breathing exercises, followed by a cool sponge bath and rub down.

[1203]

BREAKFAST

(An hour later)

Add half an ounce of sugar to two or three eggs, and whip five minutes; add a tablespoonful of lemon juice while whipping; mix with this two glasses of rich milk
A tablespoonful of nuts
One very ripe banana, with cream

LUNCHEON

One fresh vegetable
Lima or navy beans
A salad, with either olive-oil or nuts
A baked potato or boiled wheat (A liberal supply of butter or cream)

DINNER

A baked sweet potato
One or two vegetables
Eggs, or buttermilk, unskimmed
A baked white potato, with either olive-oil or butter
Dates, with cream cheese, or gelatin, with cream

[1204] As the temperature becomes lower, the amount of fats and proteids should be increased according to exposure and activity.

The student should bear in mind that carbohydrates, proteids, and fats are the most important factors in the winter dietary. Other articles can be held level over a wide range of temperature, provided these three staple nutrients are taken in the requisite proportions.

Nearly all people in normal health instinctively avoid heat-producing foods in hot weather, and as in warm or hot climates people live more in the open air, oxidation is therefore more perfect, and has a tendency to aid elimination, so the errors of diet are not so serious. Nevertheless, the food to be taken in hot climates, or the heated term of summer, should receive scientific consideration.

Summer diet requires
scientific consideration

[1205] Anthropoid life, of which man is the highest type, originated in the tropics, and nearly everything necessary for his highest physical development grew prodigally in that country. His natural or primitive diet was nuts, fruits, and salads (edible plants).

Civilization has transplanted him in the north, and has laid heavier burdens upon him, therefore he needs, in many instances, heavier and different foods, such as the carbohydrates, proteids, fats, and the albumin and the phosphorus in eggs.

As the temperature becomes warmer, the heat-producing factors, such as fats and carbohydrates (starch and sugar), should be gradually reduced.

The following menus are suitable for the average person, in normal health, between the ages of thirty and sixty, when the temperature is ranging from 70° to 90° Fahrenheit:

[1206]

BREAKFAST

Cantaloup, peaches, or berries
Very ripe bananas, with grated nuts and cream
A glass of milk

LUNCHEON

One whipped egg
A fresh vegetable
A teaspoonful of nuts
A lettuce and tomato salad
A baked sweet or white potato

DINNER

Peas, beans, asparagus, or corn
A salad, with grated nuts and carrots
A potato
One whipped egg
Half a glass of milk
A service of gelatin

These menus are mere suggestions, not invariable, and in following them it should be remembered that all green salads may be substituted for one another, and as a general rule such underground articles as beets, carrots, turnips, and parsnips may be substituted for one another. [1207] Also green corn, peas, and beans are in the same general class. (See "Constipation," Vol. III, p.761.)

Observation of these rules will give the student rather a wide range of articles to draw upon in selecting a diet for the normal person.

[1209]

LESSON XVII

[1211]

NERVOUSNESS ITS CAUSE AND CURE

The nerves of the human body are the most important, the most complex, and probably the least understood of any part of the human anatomy. In conditions of health they are never heard from, therefore every expression of the nervous system is a symptom of some abnormal physical condition.

The usual term "nervousness" conveys to the mind of the average person, such conditions as sleeplessness, restlessness, lack of mental and physical tranquility, but to the trained mind of the food scientist or physician, it means mental aberration, hallucinations, morbidity, mental depression, lack of self-confidence, uncertainty, loss of memory, fear of poverty, anticipation of accident, tragedy, death, insanity, [1212] and a multitude of things that never happen. Language cannot adequately describe or convey to the mind of another person the strange impressions that sweep o'er the mind—the mental anguish caused by an ordinary case of nervous indigestion. Those only who can understand why many good men and women sometimes take their own lives, or commit some great crime, are those who have experienced the same affliction.

If we could correctly interpret the various symptoms given to the brain from the nervous system, and would heed these symptoms, the body might be kept in almost perfect health under all conditions of civilized life.

The lack of fresh air and exercise is always told by nervous expression, but the most important and significant message conveyed by the nerves at the [1213] brain is that concerning food and general nutrition. Instinct often leads us to fresh air and exercise, but with our food it is vastly different. We acquire a taste for certain things; the habit grows upon us, and though the nerves tell the story to our senses over and over, we heed it not because we are held behind the bars of habit by the tyranny of appetite. In this respect the tobacco fiend, the drug fiend, and the food fiend are all in the same class.

CAUSES

Nervousness usually has its origin in disorders of the functions of metabolism, assimilation and elimination. In other words, somewhere between the time the food is first taken into the system, and the time the poisonous débris of the food and the body waste is finally eliminated, there are some grievous faults of function.

Some deficiency in the activity and in the secreting power of any of the digestive organs; some [1214] defect in the assimilation of the finished pabulum; some short-coming in the process by which oxygen is carried through the system to convert the "end-products" into less toxic substances for final excretion—any or all of these causes may conspire to produce nervousness. These may again, in their turn, be due to causes that arise within the mind, inhibiting the proper functional activity of the body.

But overfeeding, or eating the wrong combinations of food, and lack of proper elimination, are

probably the most frequent causes of nervousness. When we take into the system more food than the body requires, there is bound to be a certain amount of it which cannot be utilized to build tissue, or furnish heat, or supply mineral salts.

[1215] This excess food, under the influence of fermentative processes, breaks down into various poisonous products. This is especially true of the albuminous elements of the food. For these, in the heat and moisture of the small intestine, rapidly undergo a process of rotting—this is exactly what it is—and develop some of the most virulent organic poisons known to man.

They exercise a profound depression upon all the physiological functions, and cause an actual toxic degeneration of the nervous protoplasm. This, in turn, causes nerve irritability, insomnia, and many of those protean symptoms roughly grouped under the head of neurasthenia.

To completely relieve the condition means that a thorough reform in habits,—and particularly in dietetic habits—must be undertaken.

Excesses of every kind—even of play or work—must be stopped. All possible sources of worry must be removed. Rest and recreation should be made quite as important—in fact more so, than house-work or business.

[1216] Sleep, and plenty of it, should be secured at all costs. Eight hours are none too many—although ten would be better.

Needless to say, the question of diet is of prime importance. The use of tea, coffee, tobacco, alcohol, and all stimulant beverages, as well as condiments, should be discontinued.

Plain, wholesome food—with an ample supply of lecithin (or nerve fat) such as eggs, milk, olive oil, etc., should be taken liberally.

All sources of fermentation—especially those forms due to an excess of starch, sugars, and acids, should be avoided. Careful attention should be given to securing free bowel movement.

And, above all, an equable frame of mind should be cultivated; the way to defeat this purpose is to overwork and worry in order to accumulate the thing called property.

[1217] The desire to accumulate property has for its excuse immunity from work at some future time so that we can enjoy life, but experience teaches us that the physical cost of this effort defeats the very purpose for which we are striving.

Working for wealth alone defeats its purpose

THE REMEDY

The victim of nervousness should first seek a complete change of environment, and engage in pleasant, and, if possible, profitable occupation.

[1218] Thousands of people become nervous wrecks by pursuing work for which they have no natural taste or ability, and many become nervous from the monotony of environment. This is especially true with women, and while it is exceedingly difficult for countless housewives and mothers to escape from this monotony, yet they can secure relief by becoming interested in some work of a public or quasi-public nature, or by taking up a "hobby" that has for its purpose some form of public good.

Therapeutic value of working for the public good

All people love the plaudits and esteem of their fellow-creatures, and there is nothing that will relieve the monotony and bring that satisfaction which all of us desire more quickly than earnest labor in a worthy cause. Therefore, this is one of the first and the best remedies for that character of nervousness caused by the monotony and narrowed life of the average woman.

The most prolific cause of nervousness, however, is incorrect, unnatural habits of eating and drinking, therefore, the logical remedy must be found in simplifying, leveling, and making the diet conform to the requirements of the body governed, of course, by age, occupation, etc.

The effects of wrong eating and drinking

The nervous person should eliminate from the diet acids, sweets (see Lesson VIII, Vol. II, pp. 313 and 332>), flesh foods, and all stimulating beverages.

[1219] The following menus, with variations according to the available supply of fruits and vegetables in season, should be adopted:

[1220]

SUGGESTIONS FOR SPRING

Choice of the following menus:

MENU I

MENU II

BREAKFAST

A cup of hot water

Very little farina or oatmeal,

Two baked bananas

with cream

Steamed wheat—cream

A glass of buttermilk

LUNCHEON

Corn hominy, with butter or cream	A white potato, baked
Raisins, nuts, cream cheese	A large, boiled onion
One or two glasses of water	Corn bread
	A glass of milk

DINNER

A pint of junket	One egg or a morsel of fish
Bran gems	A baked potato
A coddled egg (For bran meal and coddled eggs, see Vol. III, pp. 677 and 683)	Choice of carrots, parsnips, or onions
Hot water	(A green salad or spinach may be eaten at this meal, if desired)

One or two glasses of water should be drunk at each of these meals.

[1221] If there is a tendency toward constipation, a liberal portion of wheat bran, thoroughly cooked, should be taken at both the morning and the evening meal.

Bran possesses valuable nutritive properties, such as mineral salts, iron, protein and phosphates, and it harmonizes chemically with all other foods.

[1222]

SUGGESTIONS FOR SUMMER

BREAKFAST

Melon, or any mild subacid or non-acid fruit, such as pears, baked apples, sweet grapes, very ripe peaches, Japanese plums, or persimmons
Choice of whipped egg or junket
A banana—natural, or baked, if the digestion is slightly impaired

LUNCHEON

A fresh green salad, such as celery or lettuce, with oil or nuts
Onions, uncooked
A whipped egg
Carrots, peas, or beans

DINNER

Corn, carrots, peas, beans, or squash
Half a cup of plain wheat bran, cooked
A baked potato
A glass of water

[1223]

SUGGESTIONS FOR FALL

In adopting the two-meals-a-day system, the noon meal should be omitted. This gives the stomach and the irritated nerves a rest, and creates natural hunger which augments both digestion and assimilation. (See Lesson XIII, p. 630).

BREAKFAST

Melon or peaches
A very ripe banana, with soaked prunes and cream
A spoonful of nuts
One or two spoonfuls of whole wheat, cooked very thoroughly
One egg, prepared choice—preferably whipped
One glass of water

A green salad or some sweet fruit may be eaten at noon if very hungry.

DINNER

Squash or pumpkin, cooked en casserole
Fresh string beans
A baked sweet potato

One or two tablespoonfuls of nuts—choice
Junket or gelatin
A glass of water

[1224]

SUGGESTIONS FOR WINTER

FIRST DAY: On rising, drink two cups of cool water, and devote from five to ten minutes to vigorous exercises and deep breathing.

BREAKFAST

A cup of hot water or thin chocolate
A small portion of boiled wheat
One exceedingly ripe banana, eaten with cream
One or two eggs, whipped—cream and sugar added
One or two figs, with cream and either nuts or nut butter

LUNCHEON

Two eggs, whipped; add a flavor of sugar, orange juice, and a glass of milk
A cup of hot water

DINNER

Turnips, carrots, parsnips, onions—any two of these
A baked potato or baked beans
A small portion of fish, white meat of chicken, or an egg

[1225] Just before retiring, take exercises as prescribed for the morning, and, if constipated, two or three tablespoonfuls of wheat bran.

SECOND DAY: The same as the first, slightly increasing the quantity of food if hungry.

THIRD DAY: The same as the second, adding one or two baked bananas to the morning meal, and varying the vegetables according to the appetite for the noon and the evening meal. Nearly all vegetables such as turnips, beets, carrots and parsnips may be substituted for one another.

[1226] **FOURTH DAY:**

BREAKFAST

Tokay or Malaga grapes
A cup of hot water
Two eggs, lightly poached, or a very rare omelet
A whole wheat muffin or a bran gem
A cup of chocolate
A liberal portion of wheat bran (one-fourth oatmeal), cooked and served as an ordinary cereal, eaten with butter

LUNCHEON

Choice of either *a* or *b*:

a Two eggs, prepared as follows: Break into a bowl. Add a teaspoonful of sugar to each egg. Whip five minutes very rapidly with a rotary egg beater. Add a glass of milk and a teaspoonful of orange juice to each egg
A quart of milk and half a cup of bran One baked banana

DINNER

Any green salad—celery or shredded cabbage (very little), with salt and nuts

[1227] Choice of any two fresh vegetables

Choice of:

a One or two exceedingly ripe bananas, baked, eaten with butter or cream
b Figs or raisins, with cream A glass of water

Exercise the same as prescribed for the first day.

FIFTH DAY: The same as the fourth day.

SIXTH DAY: The same as the first, repeating these menus for a period of three or four weeks.

The nervous person should eat very sparingly of bread and cereal products, with the exception of bran and a few coarse articles, such as flaked or whole wheat or rye, and these should be taken sparingly while under treatment.

A generous quantity of water should be drunk at meals, and mastication should be very thorough.

[1228] If the body is overweight or inclined toward obesity, the diet should consist of fewer fat-producing foods, such as grains, potatoes, milk, eggs, and an excess of vegetable proteids. If underweight or inclined toward emaciation, the fat-producing foods should predominate.

Under all conditions of nervousness the patient should take an abundance of exercise and deep breathing in the open air, and sleep out of doors, if possible. An abundance of fresh air breathed into the lungs is the best blood purifier known, and if the blood is kept pure, and forced into every cell and capillary vessel of the body by exercise, the irritated nerves will share in the general improvement.

The cool shower or sponge bath in the morning, preceded and followed by a few minutes' vigorous exercise, is a splendid sedative for irritated nerves.

RECREATION

[1229] The nervous person should divide the day as nearly as possible into three equal parts—eight hours' pleasant but useful work; eight hours' recreation, and eight hours' sleep.

Under modern civilized conditions the majority of people do not seem to understand recreation. The summer seashore resorts, with their expensive attractions and whirling life, the great hostleries in the hills and mountains, and the lakes where thousands of people congregate, entail upon them certain duties, anxieties, expectations, disappointments, and often financial strain that deprive these places of all features of recreation, and make the sojourn there one of labor and strife. The real purpose that takes most people to these resorts is to be seen; to "star" themselves before the multitude, which in its last analysis is a kind of vanity, and it is obvious that from any effort in this direction no recreation can be obtained.

Necessity for true recreation

[1230] The nervous person should seek a few congenial and thoughtful companions, and get back into the great heart of nature where everything moves in obedience to supreme law. Associate intimately with animals; study their habits, and notice how they respond to kindness; admire their honesty; analyze the love and fidelity of a dog. This is true diversion and recreation. This defines the purpose of life, if there be purpose behind it. This draws a sharp distinction between the condition that makes nervousness and the condition that makes honest, thoughtful, useful human beings.

[1231]

LESSON XVIII

POINTS ON PRACTISE

[1233]

INTRODUCTION TO POINTS ON PRACTISE

The preceding lessons were written through a period of many years' active practise in treating dis-eases by scientific feeding. They were intended as a normal course to qualify doctors, nurses, and those who wished to treat dis-ease by this method. However, the demand for this class of information has come from people in every walk of life, therefore the lessons, and all technical matter composing this entire work have been most carefully revised and rewritten in simple language so that any person of ordinary intelligence can comprehend them.

The following lesson is intended for the guidance of the practitioner in beginning his work in this branch of the healing art.

Inasmuch as nearly all human ills are caused by errors in eating, the preceding lessons have been confined almost wholly to dis-eases that originate in the digestive organs.

[1235]

Lesson XVIII

POINTS ON PRACTISE

There are a great many abnormal conditions of the human body classed as dis-eases that bear a very remote relation to diet, but in practise the student will soon learn that many of these conditions, which have not been considered in these lessons, will entirely disappear when the diet is perfected. This is true because dietetic treatment, based upon the fundamental laws of nutrition, is reconstructive, hence every part of the anatomy shares in the general improvement.

Dietetic treatment is reconstructive

[1236] There are many logical arguments to support the theory that there are no incurable dis-eases. There are many cases, however, where the vitality has become so low that recovery from dis-ease is impossible, but if the patient could be taken in time, the correct diagnosis made, and the proper food, air, and exercise given, Nature would begin her work of rebuilding at once. In view of these facts it is somewhat difficult to fix a limit to the scope of scientific feeding.

Scope of scientific feeding

SUGGESTIONS FOR THE PRACTITIONER

The science of prescribing diet is a work that can be best conveyed to the patient in writing, hence one of the first and most important things for the new practitioner to do is to study the art of poleemics—acquire the ability to write plain, convincing literature and letters. This is one of the greatest arts within the scope of human learning, and is probably susceptible of greater development than any other branch of human endeavor.

The value of letters

[1237] Every person has his own individual method of expression that should be preserved and cultivated. Select some good author and copy his logic, but not his language. For this purpose I would recommend the works of Henry George, the great economic philosopher—and probably one of the greatest polementitians that ever lived.

The student should begin by taking up some simple branch or certain subject of his work, and writing a short argument or essay upon it, using every fact that he can possibly command to convince imaginary readers of the correctness of his theories. Select a new subject and write something on it every day. This is merely mental calisthenics, and after a month's training the thoughts and the language will flow with a freedom that will enable the student to write just as he feels.

Writing is mental calisthenics

[1238] It would be well to arrange an argument based upon each lesson separately, dividing it into short chapters. These arguments or essays should be logically arranged to form a booklet, with proper title, as such representative literature is vitally necessary to the growth and the success of your work. It will also be found that this will be splendid mental exercise, and will serve well in presenting your work, either orally, or by letter.

A booklet describing your work

Every one should endeavor to be original in his literature; in other words, no special effort should be made to quote any "authority" or to copy the style of other writers. Put your own personality into your work, for the most successful writer is not always the one who uses the most learned, polished or scholarly language, but the one who can convey his thoughts to the minds of others in the simplest and the most comprehensive language.

The personality of the writer

[1239] Language at best is but a vehicle for conveying the thoughts of one person to the mind of another, and while there are accepted standards in literature and letters, from which one should not make too radical a departure, yet the ability to present one's convictions, or position convincingly should be of first consideration.

The most important thing in writing is to have something to say; then to say it so that it can be understood.

VALUE OF EXPERIENCE

[1240] Experience is the only method by which theory can be converted into knowledge. The best possible source of information, therefore, is personal experimentation. If the student should have any disorder, especially of digestion and assimilation of food, or elimination of waste, he should experiment upon himself along the lines laid out in this course. He should keep an accurate record of selections, combinations, and proportions of food, with results or symptoms. He may thus be able to arrange menus for himself, even more effective than those given as examples or guides throughout the course.

If there are no personal disorders that will permit of such experiments, then they should be made upon some other person with whom the student is sufficiently familiar in order that accurate information concerning the results may be secured.

Though the student may be normal and healthy, it is possible to make many valuable experiments

in regard to special adaptations of diet, such as combinations to induce natural sleep; to produce and to relieve constipation and diarrhea; to produce excessive body-heat when exposed to cold, or the minimum of heat in summer, or in warm climates.

[1241]

VALUE OF DIAGNOSIS

Correct diagnosis is one of the most important factors in the practise of applied food chemistry, and when a correct diagnosis has been made the remedy will suggest itself if the student has a thorough understanding of causes.

In diagnosis it is often necessary to ascertain the patient's general habits of eating during the few years prior to the appearance of the disorders. As an example, rheumatic conditions are often superinduced by an overconsumption of starch, usually cereal starch and acids. This overindulgence may have continued for several years before the appearance of any rheumatic symptoms. The primary causes being residual in the body, exposure, low vitality, or extreme climatic changes may give expression to them in the form of rheumatism, or some kindred trouble.

Causes sometimes very remote

[1242] After determining the causes, a diet should be designed which will counteract existing conditions. This may usually be accomplished by limiting the quantity of food somewhat below the demands of normal hunger. This will give the digestive organs less work to do, and the body an opportunity to take up or consume any excess of food matter that may have become congested. In cases accompanied by loss of hunger, it is sometimes necessary to put the patient upon an absolute fast from one to three days, but in the majority of cases a semi-fast is best, prescribing light, nutritious foods of a remedial character.

Value of limited feeding

EDUCATE YOUR PATIENT

In beginning treatment each patient should be made acquainted with the fact that the radical change in diet may bring slight discomfort. While the system is adjusting itself to the new regimen, there is usually a slight loss of weight and a feeling of weakness or lassitude.

It should be impressed upon the mind of the patient that regaining health and strength is in reality a process of growth or evolution, hence slow and gradual; that when one has violated the laws of health for many years, Nature will not, or probably cannot forgive all these sins and repair all these wrongs in a month or two. However, when one gets in harmony with the physical universe, and conforms to the laws of his organization, Nature will construct (cure) much more rapidly than she formerly destroyed (produced dis-ease).

Curing a slow process

[1244] The practitioner may have many cases that for some seemingly mysterious reason will not respond to a perfectly natural diet and will, therefore, be called upon to change the diet from time to time in the vain hope of finding combinations of food that will agree. In these cases the student should not be led to deviate too far from what he knows to be a natural and chemically harmonious regimen. If such a diet does not produce the desired results, it is not always the fault of the food, but the fault of the patient. If the food is right, and does not agree, it is the patient that is wrong, hence the logical thing to do is to make the rebellious patient agree with the food, instead of searching for a food to agree with the patient.

The patient should agree with the diet

These facts should be impressed strongly upon the mind of the one under treatment, and he should be prevailed upon, if possible, to conform strictly to a correct diet until Nature is given time and opportunity to bring about an adjustment between the individual and his food.

[1245] It has been the custom of the medical profession for centuries to shroud its work in mystery, to write prescriptions in a dead language, to keep patients in ignorance of the remedies being applied. This seems to be necessary, probably because an intelligent discussion of allopathic drugs, their sources and their constituent elements would, no doubt, prove fatal to their administration. The food scientist should follow exactly the opposite course. He should make a very careful diagnosis, taking into account the diet, habits of exercise and exposure to fresh air prior to the appearance of the dis-ease, as well as at the time of treatment. By giving the patient a thorough understanding of your work, you gain his confidence and faith, which wield a very powerful influence over the body.

EFFECT OF MENTAL CONDITIONS

[1246] A very careful examination should also be made of the mental conditions. Worry, fear, or anxiety often produce serious digestive trouble which is generally attributed to other causes, and which should be treated very differently from the same trouble caused by errors in eating.

Worry or fear causes stomach trouble

During my professional work many patients have come to me laden with fear, caused by the thoughtless or perhaps reckless statement of some physician. It is indeed as great a crime for a doctor to pass the "sentence of death" upon a man who comes to him for help as it would be for

the judge of a court to pronounce the death sentence upon a prisoner without hearing the evidence, and some day when the power of the mind or suggestion is understood, it will be so considered.

It is impossible to fully estimate the effects of fear on the human body. Each year, I become more and more impressed with the fact that fear is one of the most potent factors in the cause of dis-ease. Christian Science has

What Christian Science has done

[1247]relieved thousands of people through the simple presentation of a philosophy that induces the individual to throw off this burden of fear. It matters not whether this burden is cast upon the Gentle Nazarene or John Doe, the fact that it has been disposed of often leads to relief and recovery. Christian Science has done the world a great service—it has put out the fires of an orthodox hell by pouring into it orthodox medicine.

With a clear knowledge of the powerful psychological law, and the laws of human nutrition, the student has at his command two of the greatest forces in Nature for the relief of human suffering.

PUBLICITY

Judicious and truthful advertising is another important factor in the success of the food scientist. Advertising has been considered unethical by medical men for years. It has been discredited, not because it is wrong, or because

Value of truthful advertising

[1248]there is any harm in telling the public the truth about one's business, but because so many spurious nostrums and patent medicines were exploited by "quack" doctors, that the respectable physician deemed it best to adopt the other extreme in his effort to keep entirely out of this class.

Advertising, however, is rapidly acquiring a more honest and upright character. The best magazines and some weekly newspapers will no longer accept advertisements of a questionable character, especially regarding medical remedies. Many of these excellent publications go so far as to vouch for and guarantee the honesty of everything exploited in their pages. Such methods are gradually purifying the advertising atmosphere.

There is no logical reason why anybody who has a virtuous and useful article, or who has discovered anything in the realm of science that would be a benefit to humanity, as well as a profit to himself, should not make it known as widely as possible through the instrumentality of advertising.

Advertising both virtuous and necessary

[1249]

In preparing advertising literature, whether for magazines, booklets, or letters, facts and truth concerning your work are all that is necessary. No statement should be made that can in any way jeopardize your reputation; nothing should be stated or claimed that cannot actually be made good.

For many years it has been my policy to keep my advertising conservatively below the full limit of facts; in other words, the whole truth concerning that which can be accomplished by scientific feeding sometimes seems so startling to the lay mind that the experienced advertiser will not state it as it really is.

[1250]A patient of mine who had been in a wheel chair for twelve years, and afflicted for twenty years with locomotor ataxia, was so much improved within a year's time that he walked from Brooklyn to my office in New York City to exhibit himself. He gave me a testimonial letter and the privilege of using it in my advertisements. I wrote up the facts in regard to his case and submitted them to my agent, who was an expert advertiser, and he advised me not to state the facts as they were; the public, he contended, would not accept them as true.

BE COURTEOUS AND TOLERANT

It is almost impossible to estimate the moral effect of a broad-minded, tolerant and courteous attitude toward others engaged in the practise of the healing art. Medical doctors seldom agree, especially those of different schools. They accuse each other of ignorance and incompetence, and

[1251]the public is sometimes inclined to concede that they are right.

In certainty and in truth one has confidence and strength which is always conducive to tolerance. The food scientist, knowing the laws of cause and effect in regard to nutrition, and knowing the proper use of natural methods of diet and hygiene in the prevention and the cure of specific diseases, needs neither to dispute with a fellow practitioner, nor to argue with his patient. He can afford to state his position and quietly allow Nature to prove his claims.

[1253]

LESSON XIX

EVOLUTION OF MAN

[1254]The following lessons, while they do not treat directly of either the chemistry of food or the chemistry of the body, are so closely allied to these subjects that this work would not be complete

without them.

[1255]

WHAT IS EVOLUTION?

If a resident of a city, who is not familiar with modern farm machinery, should see a grain-binder at work, he would be impressed with the skill and the ingenuity of man. In all probability he would think that the machine was the product of one inventive mind. In this, however, he would be mistaken. The reaper in its modern form is the result of gradual development or growth.

The earliest method of gathering grain was pulling it up by the roots. Later, as cutting tools were invented, a rough knife was used to sever the stalks just above the ground. An improvement upon this method was the cycle; then came the scythe, then the cradle; and next came the mower which was operated by horse-power. From the mower was developed the self rake, which bunched the grain so that the hand-binders could work with greater facility. The next improvement was a self-binding machine. In the present machine we have all of these and many other improvements, which give greater speed with less waste of labor and time.

An example of evolution

This development of the grain-binder is a process of evolution. In order to understand a machine so as to use it intelligently, or to make improvements upon it, it is necessary not only to know the machine as it actually is, but also to know the history of its development up to its present form.

The story of the evolution of a machine is, at best, but a crude illustration of the evolution of man. Nevertheless, the conclusion is the same. If we are to understand man, we must study not only his present physical and mental state, but also the history of his development. Yet those whose work is concerned directly with man—whether they be teachers, guiding the growth of the child; statesmen, formulating the laws and regulations by which men are to be controlled in their public actions; or physicians, who are supposed to instruct and to guide men in the care of their physical well-being—are often densely ignorant of the most rudimentary knowledge of the evolution of man as it is now known and understood by the leading scientists of the world.

To know man is to know evolution

Our entire system of education, our ideas of health and dis-ease, our social customs, the principles of our form of government; our ideas of right and wrong, of rewards and punishments, are all fundamentally concerned with the evolution of man, and when this knowledge is studied with as much application as are the ancient languages, we may expect to see humanity progress at a rate hitherto unknown.

The evolution of man has been very much misunderstood. The term "evolution" is a broad one. It may refer to the growth of the individual, or to the race. It may mean the development of strictly physical organs, or of mental habits, of social customs, or of material products of man's genius, as the great works of civilization in the form of recorded learning, and the wonderful products of man's building ingenuity as seen in modern cities.

Significance of the term "evolution"

The subject of the evolution of the human race may be grouped into three general kinds of development or growth:

1. The development of the physical man
2. The development of the mind
3. The development of custom and of external civilization

Evolution in these three directions has taken place simultaneously. The mind and the body depend upon each other for their life and actions; while customs are merely the product of many minds working together and communicating their ideas to each other.

The human race is but the sum of the individuals composing it. We cannot consider the development of the individual without considering him in his relation to the race, neither can we understand the development of the race without understanding the growth of the individual.

One distinction too often overlooked by those who are not familiar with physiological science is the difference between actual physical inheritance and external customs. I wish to dwell at length upon this distinction, because a lack of understanding upon this point has been the source of many errors of judgment on the part of those who have been interested in the subject of physical training and food science.

Difference between inherited and acquired characteristics

At birth the individual inherits an organism with certain tendencies, both physical and mental, but this inheritance should not be confused with the physical habits which the child acquires by training from its parents and its associates. Thus, the child may inherit a brilliant mind, a weak stomach, or a sixth finger, but the child does not inherit a liking for broiled lobster, or a fondness for golf, or for driving an aeroplane. These are acquired and developed as habits, the same as the child would learn English or French, or would cultivate a fancy for parting his hair in the middle, or on the left side.

[1261]

THE THREE GREAT PROOFS OF THE EVOLUTION OF ANIMAL LIFE

At the present time scientists are agreed upon the general theory of the evolution of man. The discussions pro and con regarding this, which exist today, are either discussions of minor points which have not yet been clearly worked out, or are the discussions of people who have grasped only a portion of the idea of evolution, and who are ignorant of its broader conception and of the facts which science has brought to the light of day.

The three great proofs of evolution are:

1. The actual history of the past recorded as fossils in the rocks and in the relics of pre-historic races
- [1262] 2. The existence in the world today of a range of animals and plants which shows living examples of earlier types
3. The repetition of the development of man as found in the growth of the individual

These three separate records of the development of living beings are considered by scientists as a most conclusive proof of the truth of evolution. Recorded as fossils in the rocks, we find the story of the development of all life upon the earth, from its simplest to its highest forms of plants and animals that live today, among which is man.

The first forms of animal life were, in all probability, minute one-celled organisms; these left no visible fossil remains. As soon as animals developed hard parts in their bodies, such as shells and bones, we find a record of their existence as fossils. The earliest recorded forms of life were various kinds of sea-creatures, of which the modern crustacea (lobsters, etc.), snails, clams, and various shell-fishes are types. [1263] Later were developed boneless fishes, on the order of skates. After these came true fishes; then amphibia (frogs, etc.); then reptiles, birds, and, last of all, mammals, including man.

The facts are the same, whether we take the history of the successive forms as recorded as fossils in the rocks, or the living representatives that remain to tell the story in another form.

The third proof, which is the story of evolution recorded in the growth and development of the individual, is yet more interesting. As life developed from simpler forms, each individual animal or plant became more complex, or carried a little further the process of growth. But the method of reproduction of new individuals remained fundamentally the same. Each individual began, like its ancestors, as a single-cell being. By the process of nutrition these single cells in each case would grow, divide, [1264] and produce various tissues and organs, but always repeating the general story of the development of the race.

The growth of the human embryo offers many proofs of evolution, which are wholly unexplainable upon any other theory of the origin of man, and would in themselves prove the truth of this view of man's creation were the proofs of geology entirely lacking. A single example will serve as an illustration. The human embryo at a certain period develops gill slits in the neck, the same as the embryo of a fish. This formation of unused or rudimentary organs which are afterwards outgrown, is very common throughout the animal world. In the upper jaw of a calf there are formed at a certain period incisor teeth, which never grow through the gums, but are reabsorbed and disappear as the calf develops.

I will not go further into the proofs and facts of the general theory of the evolution of animal life, [1265] but will now consider the later period of the development of man, which will show us his relation to other animals, and from which we can derive much valuable information regarding his natural physiological requirements.

MAN'S ANIMAL KINSHIP

The conception of man being descended from a monkey has been the subject of much wit and mirth.

The scientist is not concerned with this theory; he only claims that man is very closely related to certain monkey-like forms known as anthropoid apes. The proofs of this assertion are abundant and conclusive. In fact, anthropoid apes, such as gorillas, chimpanzees and orang-outangs, are much more closely related to man than they are to other kinds of monkeys. This relation is shown by very close [1266] resemblance between the anatomy of man and apes, especially as to the teeth and digestive organs. Other facts are now known, of which Darwin and early investigators were ignorant, which prove this relation in a much more striking manner.

Late studies upon the growth of the embryo of anthropoid apes have shown that they were at certain periods almost indistinguishable from human embryos. Another proof, quite striking and interesting, is in the similarity of the parasites and dis-eases of men and apes. Scientists have, within the past few years, made a

series of comparative investigations upon the blood and serum of men and apes, which have resulted in most remarkable discoveries. There are certain accurate tests known to the physiological chemist by which human blood may be distinguished from the blood of all other animals, but the blood of these man-like apes is an exception to this, and cannot be distinguished from human blood.

[1267] From these facts it is clear that the earlier types of men were creatures whose physical development and whose habits were not very different from those of apes. The development that has taken place since that time is truly very wonderful and has resulted in a widening gap between man and apes that today seems very great. The truth remains, however, that this gap is not so much one of anatomy and physiology as it is one of mentality and of external habits and material aids to living that have resulted from man's greatly developed mental faculties.

Difference in the development of man and apes

Thus, when the mind of man reached the stage of development in which the use of articulate speech became possible, the evolution of intelligence proceeded at a very much more rapid pace than had been possible before. He could communicate his ideas to his fellow-creatures; concerted action

Power of speech a factor in man's evolution

[1268] became possible, and the faculty of reason, or the ability to think was multiplied by the number of beings who could communicate with each other.

The power of reason and the ability to communicate ideas resulted in the formation of those habits which distinguish man from other animals. When one primitive man learned the use of a club as a weapon, found how to use sharp-edged stones as cutting tools, or discovered the wonders and power of fire, he communicated his new-found knowledge to the other members of his tribe, with the result that new ideas became common property.

This spreading of habits or customs took place very rapidly among men and was the source of the various changes which distinguished civilized life from savage life. But we must here point out that not only good habits were so spread, but bad ones as well. The origin and the use of opium and of

Man's bad habits have kept pace with his progress

[1269] alcohol, the injuries of fashionable dress and the economic wrongs of tyrannical government originated along with the birth of language, art, science, and all that uplifts and benefits mankind.

Clearly, then, that man is misinformed who defends a wrong by referring to its age and reasons that, if certain things were harmful, they would not have survived. To the young thinker the existence of harmful ideas and habits among mankind may at first seem inconsistent with the principles of the survival of the fittest, but this difficulty will disappear upon further investigation.

Since the beginning of recorded history many factors have helped to determine what kind of individuals and races should survive. War, economic wealth and poverty, intellectual beliefs, religions, and social institutions

Factors that determine the survival of races

[1270] have all been potent factors in determining who should survive. With wealth and conquest came the opportunity to gratify tastes and passions of which the poor individuals of weaker races could not avail themselves.

Many of the habits and customs which man has developed are not necessary to life, and may be positively detrimental to health and longevity. They have been handed down from generation to generation, not because of their benefit to man, but in spite of their detriment.

Many habits and customs detrimental to life and health

Such condition of affairs would not be possible if man were not the dominant animal. Man's intellectual supremacy has given him power over the rest of nature, which has resulted in making his struggle for existence much less severe. His use of weapons and of artificial protection from natural destructive forces, as severe heat or cold, has made it possible for him to live and to produce offspring in spite of wrong habits and wrong methods of living, and the natural resistance of life.

[1271] A prevalent error that is due to an incomplete knowledge of the facts of evolution is the belief that organs readily change or adapt themselves to the habits or environment of the individual. This is not true to the extent that it is ordinarily believed. Each individual has a certain limited power of adaptation. He may develop his lungs to a greater breathing capacity, or train his hand for certain skilled work, but these particular acquired habits of the individual are not inherited.

Man's organs have a limited power of adaptation

Evolution of the race proceeds by the law of natural selection. Thus, if those who are born with great vigor and strong lungs are enabled to live where their weak-lunged neighbors will die, the result will be that their offspring, having greater lung capacity, will form a race with increased lung capacity. But the individual training of the lungs, or of the hand, or of any other organ of the

[1272] body, will not of itself change the inherited tendency, or, to use a common term of the scientist, the germ-plasm of the race.

Organs and functions will change or become evolved by natural selections; that is, where it is a matter of life and death. But where the selective agencies depend upon other things, an organ may be used or abused for thousands of successive generations, and yet the natural inherited organ of the new-born child will be identical in development and function to that of the remote ancestor.

There are abundant proofs that so called "acquired characteristics" are not inherited. Were acquired characteristics inherited, Chinese women would be born with small feet and the babies of the Flathead Indians would inherit the flat head which has for generations been produced by binding a flat stone on the soft skull of the new-born infant.

Acquired characteristics are not inherited

[1273] In the light of this fact we may understand how it has been possible for man to live through the varying dietetic habits and customs that the constantly changing ideas and tastes of civilization have thrust upon his physical organism. Each individual has transmitted to his offspring the same type of digestive organs and functions that he himself inherited from his remote anthropoid ancestors.

Thus, such terms as "back to nature," "natural diet," etc., only mean to the food scientist the habits of life or the dietary which is most suited to the unperverted physical organism of man. They do not imply the meaning that is popularly given to the term, of casting aside all the habits and customs of civilized man, but only the adapting of these customs to the inherited physiological organism of man.

Meaning of expression "natural" diet

[1274] Indeed, science may actually improve upon primitive conditions, and still not be inconsistent with the requirements of the inherited physiological machine. No intelligent man will dispute the advantage of a house in a snowstorm. Yet the house is artificial. It is not "natural" in the sense that the term is commonly used.

Or, again, man has by the aid of civilization rendered it possible for us to use foods far removed from their source of production, or, by preservation, to have them at seasons of the year when nature does not provide them. These artificial results of civilization are good. They are a part of the story of evolution, the benefit of which no one can question.

But the great majority of the dietetic "frills" of modern man are actually unsuited to his physiological make-up, and exceedingly harmful. They have been developed as have habits of drink or personal adornment and may be in direct antagonism to the ultimate well-being of the human race.

Man's dietetic development

[1275] I have briefly reviewed the history of the evolution of man. The facts to be remembered are:

1. That men are descended from earlier and more primitive types of beings and are governed by the same general laws of heredity and nutrition as are other forms of animals
2. Man, being a distinct species of animal, has particular laws that apply only to him, and therefore we should be careful not to judge him too closely by facts regarding other forms of animal life
3. Man has changed very materially in the few thousand years of his civilization, in his external habits and customs, but very little in his fundamental physiological processes; therefore we should be able to judge what will be best suited for his needs by studying the process of the development of his organs during the millions of years that preceded the historic period.

[1276]

This plane of life is best seen today in the case of savages unacquainted with fire, and in the case of anthropoid apes.

With this general survey of evolution, and a clear understanding of the principles involved, I trust the reader will consider the facts here presented in the unprejudicial spirit of the true scientist.

[1277]

LESSON XX

SEX AND HEREDITY

[1279]

THE ORIGIN OF SEX

That part of human life and living that is associated with the functions of sex and reproduction is at once the cause of the world's greatest misery and the world's greatest happiness. It is the subject of the greatest popular ignorance and superstition, and at the same time the field of the most wonderful of all scientific knowledge.

For the origin of sex we must look back into the remote ages of creation in the early stages of organic evolution.

[1280] The first essential property of matter that makes life possible is the power of nutrition, which means the ability of the living cell to transform other chemical substances into its own protoplasm or living substances.

Fundamental function of the cell

But this world would have remained a barren mass of igneous rock if nutrition had been the only function with which the earlier forms of life were endowed. Not only must the living cell be enabled to grow by absorbing other substances, but it must reproduce itself, or multiply the number of living individuals.

The first method by which this was accomplished was undoubtedly one of simple division; that is, the living cell grew by absorbing other substances and when sufficient size had been attained, divided, forming two daughter-cells. This division process of reproduction is the form by which all bacteria (so-called dis-ease germs) and many other lower forms of life increase their numbers.

First form of reproduction

[1281] This process of reproduction, by simple division, was early supplemented by another process of reproduction in which two living cells first fused or combined and then divided to form two or more daughter-cells. This form of reproduction seems to have added stimulus or vitality to the organisms. The supposed reason for this is that the isolated cell was inclined to weaken or lose its chemical balance or tone. The exact nature of this deterioration is not very clearly understood, but in a higher form of life it is well illustrated by the tendency of certain plants to "run out" when grown continually in the same soil, or of animals to become weakened when inbred. At least, all scientists concede that with the process of fusion or the combining of two cells there is added a stimulating and invigorating force which enables life to combat more successfully the unfavorable elements of its environment, and to change or evolve into higher forms.

Second form of reproduction
Strength in fusion of cells

Throughout the range of plant and animal life this process of cell union, or sexual reproduction, has grown and become elaborated into most varied and wonderful forms. Large volumes could be written describing the many wonderful adaptations of plant and animal life, the purpose of which is to secure sexual reproduction. All those who have studied botany are familiar with the many ways in which the seeds of plants are fertilized by pollen. For instance, certain species of orchids have a receptacle in the blossom, shaped like a teapot, which is filled with a fluid resembling water. This little teapot has an entrance and an exit. Near the entrance is sweet-scented nectar which attracts the bee. As the bee passes through this gateway he is tripped up on a little trap-door arrangement and precipitated into the fluid. His wings having become wet, he is obliged to crawl out through the exit.

Sexual reproduction in plants

Fertilization of orchids

The object of this elaborate device is as follows: In the entrance passageway is located the stigma (female organ), while in the exit passageway the male or pollen-bearing organ of the orchid is found. The bee visits several of these flowers consecutively, and, as he makes his exit from each flower, he bears away on his body a portion of the pollen, which is transferred to the stigma of the next flower visited; while the bee, being forced to go through a "plunge bath" before visiting another flower, acquires a fresh load of pollen in each case. This scheme is a certain means of securing fertilization or sexual reproduction, and positively prevents inbreeding (the fertilization of a flower by its own pollen). This is merely one of the wonderful adaptations of nature in the solution of the sex problem.

The wonderful process of flower fertilization

[1284] In the animal kingdom the methods of sexual reproduction are also varied and wonderful. In many of the lower forms of animals, such as the various sea-creatures, the methods of reproduction may be those of division, as first mentioned, or a method combining division with true sexual reproduction. In the case of fishes, the eggs of the female are deposited in the bottom of a stream and are later fertilized by the sperm-cells of the male fishes. This involves a tremendous waste of reproductive cells, scarcely less extravagant than the waste of pollen in plants, such as is seen in a corn-field when the ground becomes yellow, during the tasseling season, with the myriads of pollen grains that failed to secure lodgment upon the silks of the young ears of corn.

Reproduction among fishes

Nature's wasteful methods

[1285] In the types of animals that are of higher form than fishes, that is, reptiles, birds, and mammals, the fertilization of the germ-cell (egg) takes place within the body of the female. In the case of the latter group—mammals—the true egg is hatched within the body of the female, and the offspring, or embryo as it is known to scientists, grows there for a considerable period before birth.

Reproduction in higher forms of life

A RATIONAL VIEW OF SEXUAL HEALTH

The anatomy and the physiology of reproduction will not be considered in detail in this work, as this would require a very lengthy and technical treatise. The remainder of the lesson will be devoted to the relation of the reproductive functions to general health and happiness.

[1286] In the process of evolution this function of reproduction was vitally essential to the life of the race. As a result there developed in all animal life strong sexual or reproductive instincts. As is plainly evident, all animals, including man, with such instincts most strongly developed would be the most successful in producing young, and through these offsprings the race or species would inherit like reproductive desires.

Development of reproductive instincts

In the case of man and the higher form of animals, this general instinct, the purpose of which was to produce offspring, became diversified in to many instincts. Not only does the reproductive instinct in this broad sense include what is commonly known as sexual passion in man, but it may very truly be said to be the essence of sexual love and parental love. Broad-minded scientists are even inclined

Kinship of the sexual, paternal and social instinct

to believe that the so-called social instinct or love for our fellowmen is but a distant reflection or shadow, as it were, of the original or natural instinct to produce offspring.

[1287] There has arisen among civilized man a tendency to separate and class as two distinct things the strictly physical element of sexual desire, and the associate emotion of intellectual love between the sexes. As a matter of fact there is no distinct line of demarcation.

That the former instinct has grown into disrepute and has come to be considered a forbidden topic in polite society, is due to the fact that sexual passion, like all other human acts which may be a source of gratification, can degenerate by overindulgence into a destructive and demoralizing vice. This is equally true of other forms of appetite, but the reason that the instinct of sex, when degenerated, becomes such a tremendous source of destruction and death is because of the important part played in the game of life by the reproductive function.

Overindulgence,
degenerating and
destructive

[1288] The functions of reproduction are, in both sexes, very intimately and closely associated with the nervous or vital mechanism of the entire body. For this reason, when the sexual function are perverted or abused the result is serious injury to the general nerve tone or vital force of the system. Likewise the contrary proposition is true; therefore, when for any reason, the general nervous tone or vital force of the body is deranged, the associated result is frequently abnormal passion or weakened sexual functions.

Relation of sexual
functions to the
nervous system

A great deal of literature has been written and circulated throughout the country by well-intentioned individuals purporting to give popular knowledge regarding the subject of sex. But such literature has greatly exaggerated the evils and the dangers connected with sexual health.

Necessity for popular
knowledge concerning
sex

[1289] Outside of specific germ dis-eases transmitted through the sexual organs, and which, while serious, have been painted much darker than the facts justify, there is little excuse for all this horror and scare about sexual weakness and perversion.

Sexual health, like mental or muscular health, is a matter of common sense and right living. Proper feeding, proper oxidation, proper circulation (exercise), perfect elimination of waste-products, and a suitable distribution of both mental and physical work will result in perfect nutrition. This means normal, wholesome body-fluids and body-cells. With these things gained, the sexual organs and sex-function will have a fair opportunity for normal existence, and the matter of sexual health, and the consequent happiness which accompanies it, is then simply a matter of temperance, common decency, and self-control.

Relation of nutrition to
sexual health

EMBRYOLOGICAL GROWTH—PRENATAL CULTURE

[1290] Upon the growth of the human embryo, or so-called prenatal culture, there exists a great deal of popular superstition, which is utterly groundless from the standpoint of accurate science. The views that have been promulgated regarding prenatal culture are for the main part harmless, and, for that matter, may be productive of good.

Superstition concerning
prenatal culture

The idea of the prenatal culturist is that the mental as well as the physical growth and development of the unborn child can be controlled by the mother. The only ground for this belief is as follows: The child is nourished from the blood or nutritive fluid of the mother, with the result that the growth and the development of the child may be very readily influenced by the nutrition of the mother.

Theory of prenatal
culturists

[1291] The mental condition of the mother has an influence on the growth of the child, but it is indirect. All organs and functions of the human body are controlled by the nervous system, and if the nervous impulse be deranged or weakened it may result in a serious impairment of nutrition. For this reason fright, anger, and other strong passions may result in lasting injury to the unborn child, but this injury is at most a matter of stunting or malnutrition, and cannot result in the voluntary mental life of the mother being transmitted to the child.

Influence of fright,
anger, etc.

As evidence of these assertions, I would call the reader's attention to the fact that there is no nervous connection whatever between the embryo and the mother, but after the fertilization of the germ-cell, the only way in which the mother can influence the growth of the child is by the nutrition which her blood supplies to the growing tissue of the embryo.

Mother's nutrition the
only factor in
influencing her child

[1292] As further proof of these statements, I will cite the investigations of Darwin in regard to the popular superstition of birthmarks. At the instance of Mr. Darwin, some seven or eight hundred women of a London hospital were very carefully questioned before the birth of the child, as to any incidents which had happened that, according to popular notions, might result in birthmarks or deformities. In no instance was any incident given which resulted in the expected deformity; but the most interesting feature of the investigation was that several women whose children were born with birthmarks recalled, upon seeing the deformity, some incident which seemed to give a possible explanation, thus showing to the mind of anyone familiar with psychology that the true explanation of all so-called remarkable incidents of

Birthmarks

birthmarks and of prenatal influence is merely one of superstition or self-deception.

[1293]

HEREDITY

How often we hear someone remark upon the wonders of heredity. People are astonished because John should look like John's father. As a matter of fact, the astonishment should come the other way. The child is but a continuation of the life of the parents. The cells from which the child develops have within them the power to grow and to produce individuals like the parents. This is wonderful, but it is only another form of the wonder of a willow twig growing into a willow tree when placed in moist earth.

To the scientist, then, the wonder comes, not in the fact that the child resembles the parent, but in the fact that the child is not identical with the parent. Part of the explanation of this lack of identity, or, as it is known to

Why the child is not identical with parents

[1294] science, variation, is due to the fact of sexual reproduction; that is, to the fact that the child has two parents instead of one.

The physiological process which takes place in the union of two reproductive cells is truly most wonderful. Of late years this has been studied under powerful microscopes and has resulted in some very wonderful revelations of the mysteries of Nature.

Microscopic study of reproductive cells

The nucleus (center of growth) of the parent cells contains little thread-like structures known as chromosomes. These chromosomes are considered to be the physical basis of heredity. In each species of animal there is a definite and a different number.

Chromosomes in different species

When the sperm-cell unites with the female or germ-cell, these thread-like chromosomes pair off and unite each chromosome with the corresponding structure from the other cell. The combined structures then divide, and half of each chromosome is cast out of the cell-nucleus, and plays no part in the life of the future being; the other half is retained and divides as each new cell is formed.

Action of the chromosome

[1295] of each chromosome is cast out of the cell-nucleus, and plays no part in the life of the future being; the other half is retained and divides as each new cell is formed.

Thus we see that every part of the new individual is the result of the fusion or combination of the two parents. This explains the variation of inheritance, and through this source must be traced all traits of heredity. After the original fusion of these microscopic physical elements of heredity, the future development of the individual is wholly a matter of environment and nutrition.

WHAT HEREDITY IS

What heredity is and what it is not will now be considered in a practical way. It is clearly a matter of heredity that a man is born a man and not a monkey. Likewise, it is clearly a matter of heredity that distinguishes the various races of men. We could go farther and trace out and describe many of the physical distinctions which mark families, and even individuals, such as general size of frame, form of countenance, color of hair and eyes, etc.

General characteristics due to heredity

[1296] monkey. Likewise, it is clearly a matter of heredity that distinguishes the various races of men. We could go farther and trace out and describe many of the physical distinctions which mark families, and even individuals, such as general size of frame, form of countenance, color of hair and eyes, etc.

Among mental traits we can safely ascribe to heredity only general distinctions. Intellectual parents are more likely to give birth to intellectual children than are parents whose natural mental faculties are less developed. There is also no doubt that certain natural characteristics of mind, such as quick temper, musical ability, etc., may be inherited. The belief, however, in the inheritance of many less distinct features, both physical and mental, is not well established by scientific investigation. Strength of muscle, control of the nervous system, susceptibility to, or freedom from disease, etc., are more matters of nutrition and environment than of inheritance. The idea that consumption, alcoholism, etc., are inherited, or that the education or training of parents along certain lines will result in children with faculties adapted to similar education, is not in accordance with scientific knowledge.

Characteristics not attributed to heredity

[1297] etc., are more matters of nutrition and environment than of inheritance. The idea that consumption, alcoholism, etc., are inherited, or that the education or training of parents along certain lines will result in children with faculties adapted to similar education, is not in accordance with scientific knowledge.

SUMMARY OF FACTS REGARDING SEX AND HEREDITY

1. The function of sex has been developed in the process of evolution for the purpose of perpetuating life.
2. The sexual functions are very closely related to the life of the individual, and can be normal only when the laws of nutrition and of general hygiene are observed.
3. The idea of prenatal culture as commonly taught is a delusion; the only method that the mother can employ to control the growth of her unborn child is to live a wholesome, normal life, physically and mentally, and thus supply her own body and that of the child with perfect material for the building of living cells.
4. The powers of heredity are often overestimated, and many of the weaknesses and disorders of life supposed to be inherent can be overcome by proper nutrition and environment. All

[1298]

life, whatever be the inherited tendencies, will be developed to the highest possible capacity by obeying the laws of individual growth, for in the individual, as in the race, Nature is always striving to bring the products of her work to the highest degrees of perfection.

[1299]

LESSON XXI

REST AND SLEEP

[1301]

REST

Throughout all nature we observe the phenomena of universal rhythm, manifested in opposing forces, such as heat and cold, light and darkness, construction and destruction, etc. The human body is as much affected by this rhythm as is any other form of life.

Opposing forces in nature

There are two forces continually at work within us, one toward destruction and disintegration, and the other toward construction and upbuilding. The common physiological terms for these activities are "waste" and "repair," and we observe them as one of the distinct manifestations of the universal laws of growth, progress, and evolution.

Opposing forces in human system

History moves in cycles. Even the life of nations depends somewhat upon this same principle of the interplay of the positive and negative forces of life.

We see the same thing in the changes of the seasons upon the face of the earth. Throughout autumn and winter there is a process of decay, death, and disintegration; leaves fall; plants and vegetables die; fruits ripen, fall, and decay. This process continues until former beautiful and symmetrical bodies of matter are thoroughly disintegrated, and the particles once composing them are separated into their original elements, to be appropriated in new manifestations of life in springtime and summer.

Life and death in changes of seasons

We are inclined to think of the human body as a machine—a marvelous, intricate, and complex mechanism which serves our will and our desires; as a tool with which we work out our earthly destiny. But unlike man-made machines, it is self-repairing, self-adjusting, and contains within itself the forces of construction, which are constantly tending toward perfection, while our industrial machines are constantly tending toward their own disintegration and destruction.

Human body compared to a machine

Every movement of the body, conscious or unconscious, even thought and emotion, use up some part of the body-tissue which must be replaced by new material. This constant change in the texture and the make-up of the body we call "metabolism," involving the functions of digestion, absorption, assimilation, and elimination.

Constant changes in body-tissue

While we may regard the body as a machine, there are many points in which the favorite comparison to a steam-engine is not exact.

The inert metal composing the steam-engine has no power in itself, nor does power act through the different particles of metal, but it is controlled by the external application of force, which is the result of chemical changes caused by combustion in the fire-box. The metal of the engine has no part in the production of this energy. It does not need to take periods for rest, and if it were possible to supply it continually with water and fuel, it could run steadily from the time it was started until one or more of its essential parts were destroyed through friction.

Favorite comparison of the body with the steam-engine

But the engineer and the fireman who drive the engine find it necessary to rest from their labors at certain intervals, not merely for fuel and water, but

Necessity for rest

to prevent serious destruction of body-tissue. This is true because man is compelled by hitherto unrecognized laws to give his body an opportunity, not only for readjustment in its composition, but also for the actual renewal of that power which animates him and makes him an intelligent, self-adjusting, and self-controlled being.

THE OLD PHYSIOLOGY

According to the teachings of the old physiology, our stomachs were fire-boxes of the human engine; food was fuel, and the stomach was supposed to transform this fuel into work or energy by a process not entirely clear. Just as it is impossible for the lifeless iron and steel, within itself to transform coal and water into dynamic power, and to apply that power to its own locomotion, so it is impossible and entirely

The stomach as a fire-box

incompatible with reason for mere muscular tissue of the body to extract enough energy from the food we eat to perform the work necessary for that transformation itself, besides enough more to

carry on all the functional activities of the system, and at the same time to do hundreds of foot-tons of physical labor. In this fact lies the key to some understanding of the phenomenon of rest and sleep.

Phenomenon of rest and sleep

The old physiology was really never able to explain how it was possible for the digestive apparatus to extract, from the amount of food consumed, the enormous amount of energy which the average person expends each day.

REST AND RE-CREATION

[1307] These terms are often confused. When one is engaged in some occupation or activity other than his regular vocation, it is commonly called "re-creation." This is a misconception, because it is merely a change in activity and must also be more or less destructive to other sets of nerves or muscular tissue. It is not in reality re-creation—it simply throws the life-power into a new channel, which is more responsive, and calls for less action from those parts of the mechanism which have been employed in the work from which one is seeking relief. It is for this reason that we find some pleasure in a new and different activity, though it, too, may be destructive to the human cell.

Change of occupation not re-creation

[1308] One may alternate from one kind of activity to another indefinitely, which would be better than *no* change, but the human mechanism would finally give way under such violation of fundamental law. The mental worker may change, however, to any manual labor requiring little thought, and the physical worker to some form of mental labor, with far better effect. But, in our present civilization, specialization has become so far advanced that the physical laborer is seldom qualified for mental work, and the mental worker has almost neglected manual training.

Specialization in business not conducive to health

True rest and re-creation is found in mental tranquility and sleep.

SLEEP

From observation and study of the state we call sleep, we notice that as night approaches and the activities of the day wear upon us, both the nervous and the muscular organisms relax, so that it becomes more and more difficult to maintain a positive and an active attitude of mind. There is a tendency toward cessation and rest, which gradually brings upon us that passive condition called sleep.

[1309] In spite of the fatigue often experienced before we retire, we awake again on the morrow with renewed strength and power. From these and other reasons we are led to believe that during the hours of activity the body is constantly expending vital energy in both internal and external work, and that during the hours of sleep, through some unknown process, the body is charged with vital energy which is stored up and used gradually for carrying on the various functions and activities of the system.

Evidence of acquired energy during sleep

Just what this energy is, just where it comes from, just how it is stored, just the manner in which it is delegated to the body, we cannot say. We can only observe its workings, or effects, and formulate therefrom a theory. We are led to believe, however, that this energy is stored in the nervous organism, perhaps most largely in the brain, as brain tissue is the last to break down or waste away in sickness, ill health, dis-ease, or starvation, often maintaining its full weight up to the point of death.

The mystery of energy

[1310] Even in sleep the expenditure of energy in the vital processes continues vigorously, depending upon conditions immediately preceding sleep, but usually in a much more passive degree than in the waking hours. These activities, however, are no more pronounced in their constructive action or repair, than in ordinary periods of rest during the waking hours.

Vital processes expend energy during sleep

SOME REASONS

The processes of nutrition, alone, demand the expenditure of much energy, and the degree of energy available from foods, even by perfect combustion, would yield but a fraction of the energy expended by the body.

Food furnishes but a fraction of the total body-energy

[1311] The average laborer in shoveling coal, swinging an axe or a pick, expends energy far in excess of the amount that could possibly be obtained from his food. A day laborer may eat a piece of beefsteak, two or three potatoes, and a few slices of bread, and will shovel twenty tons of earth to a height of five feet; a Japanese soldier will carry a heavy load and walk all day, subsisting only on a handful of rice, and besides this, will do some thinking, which consumes energy.

Energy required for work in excess of energy obtained from food

We also have on record fasts, of from thirty to forty days, which, in some cases, show a slight gain in strength. There are also hundreds of students of natural living who adopted the "no breakfast plan" and again many, only one meal a day, limiting their consumption of food to comparatively small

Evidence gained from "fasts" and "no breakfast" plan

quantities of nuts, fruits, and vegetables, who have found thereby a remarkable increase in vitality, strength, and general physical and mental power.

[1312] Since the processes of nutrition, including digestion, circulation, assimilation and excretion consume energy, and notwithstanding this we are able to perform hundreds of foot-tons of labor a day besides; since we have found it possible to continue to live, and in some cases to even increase the amount of strength and work-power on a very limited diet; since it is a mathematical impossibility to produce as much energy from the food consumed as the body expends, we are forced to the conclusion that we do not obtain all our energy from food. Therefore, from a careful analysis of the phenomenon of sleep, we conclude that it is very closely connected with this mystery.

Relation of sleep to expenditure of energy

OXIDATION AND AIR

[1313] One of the most important of the vital functions is breathing. Physiologists, teachers, and lecturers continually remind us of the comparative time we could live without food or water, and the remarkably short time we could live if entirely deprived of air.

Relative importance of air, food and water

Oxygen is vitally necessary for the purpose of purifying the blood and supplying the various tissues and fluids in the body, of which oxygen forms an important constituent. However, oxygen is not the only necessary element which is utilized by the system in the process of breathing, as human beings die immediately upon being placed in a receptacle of undiluted oxygen. Just what this other factor is, science has not clearly defined, but that it is concerned with rest and sleep we have at least unconsciously recognized, as shown by our often referring to periods of rest as "breathing spells"; from the fact that we have found it of great importance to keep the air we are breathing moving constantly about us, especially while asleep. From all these facts we are forced to believe that sleep plays an important part in producing and maintaining body-energy, besides constantly recharging the system with oxygen.

Oxygen not the only required element in breathing

[1315]

LESSON XXII

A LESSON FOR BUSINESS MEN

[1317] That which tends to make a good business man, in the popular mind, is the establishment of great industries and enterprises, coupled with accumulation of money by the individual.

A careful review of the history of business men who have made a success along these lines shows that the majority of them sacrificed their health and their lives to their business. In the last and final analysis, therefore, these were not good business men.

The best musician is he who can bring more sounds into harmony. The best artist is he who can best harmonize colors and reproduce nature. Likewise, the best business man is he who can best harmonize or balance the affairs under his control.

[1318] Health being entirely under and within his control, if he disregards it—gives it no thought—violates the laws that govern it, and finally wrecks it, he is not a good business man, as all business depends upon the power of the individual, and the powers of the individual depend upon his health.

The man who, from a cheap tin store, founded "The Fair" in Chicago, and allowed the business to dethrone his reason, and to send him to his death before he was sixty, could hardly be considered a good business man.

Examples of poor business men

Measured on the same scale, Marshall Field, the merchant prince, was not a good business man. President Roberts, who arose from the ranks of a car-wheel molder, to the presidency of the Pennsylvania railroad, and died at the age of fifty, was not a good business man. J. P. Morgan, who accumulated many millions of dollars, and who died when he should have been in his prime, was not a good business man.

The accumulation of money and the founding of great industries is only one requisite of the business man, and by no means the most important one. What profiteth a man to make a great fortune; to put in motion a million

Wealth at the expense of health

spindles; to chain continents together with cables; to flash his silent voice over oceans and continents on currents of common air; to make the ocean's billowed bosom a commercial highway; to transform the oxcart into a palace, and set it on wheels and hitch it to the lightning; to build sky-scraping structures of stone and steel; to transfix human figures and faces on sensitized glass; to direct the methods of burrowing in the earth for coal and gold until his name is known around the world, and his fortune is a power in the land?—what boots it, I say, to know all these things and to glide blindly into the shambles of unrest and dis-ease, or to furnish a fashionable funeral at forty?

The religious fanatic who robes himself in sackcloth and eschews the razor; the food crank who cries out "back to nature," and takes to grass; the one-idea social reformer who preaches on the curb, and the business man who allows his business to become his absolute master and governor, are in reality all in the same class. The unfortunate thing is that the business man sits him down and weaves about himself the meshes of a prison. Every year puts in a new bar, every month a new bolt, and every day and hour a new stroke that rivets around him what he calls business, until he feels and really thinks he cannot escape.

The abnormal, or one-idea man

A GOOD BUSINESS MAN

[1321] A good business man is the man who can direct the wheels of industry, who can draw a balance between his income and his expenses, and who can measure his own ability on the yardstick of endurance.

He is a good business man who gives as much study to the laws of his own physical organization as he does to the organization of his business, and in the final analysis I doubt if he would not consider himself a better business man, "Penniless," and in good health at ninety, than sojourning in a sanatorium with a million at his call, but out of the fight at fifty.

Qualities of a good business man

It is truly unfortunate that the general laws of health and hygiene are not more universally taught and understood. We learn that best with which we are thrown in most frequent contact. The business man would absorb enough information on these subjects to extend his period of longevity and usefulness many years, if they were taught in our public schools, or were matters of general knowledge.

Knowledge of health-laws a public necessity

THE ROUTINE LIFE OF THE AVERAGE BUSINESS MAN

[1322] He rises between six and seven a. m., takes no exercise or fresh air; eats a breakfast composed largely of acid fruit, cereal starch, meat, and coffee. He then goes at once to his business, sits at a desk until noon, takes luncheon at a neighboring cafe. This repast is composed of meat, cereal, or potato starch, beer, or coffee. He hurries back to his business, sits at his desk five or six hours longer, hurries home, takes a dinner composed of more meat, more starch, more tea or coffee—no exercise, no diversion, no association with the great authors; no music, no poetry, no change.

Bad habits of the business man

[1323] A friend may come in, or he may go out to visit; then comes the soothing and soporiferous cigar which may have been his companion since breakfast. The market, the business, the chances for making or losing dollars are the topics of discussion. He is in the power of his master, "business," and must do him continual obeisance. Within the domain of the tyrant he lives, moves, and has his being. If he has a headache, sour stomach, indigestion, a tinge of rheumatism, dizziness, insomnia, nervousness, or any one of the thousand symptoms or warnings that Nature gives him for the violation of her laws, instead of thinking a little and trying to ascertain the cause, he sends, with "chesty pride," for His physician, and his physician writes out something in a dead language—the only suitable language. The local druggist sends over the "stuff," and it is swallowed with that childish confidence that fitly becomes the modern business man who knows a great deal about business, but nothing about himself.

The ancient remedy for Nature's warnings

[1324] The days and the months go on, the symptoms or signals become more numerous, more expressive, more impressive, more painful. His physician is called more often; the dead language paper goes to the druggist more frequently, and with faith he still swallows the drugs; they relieve him for a little while, usually by paralyzing the little nerve fibers that are carrying to the brain the messages of warning.

HIS physician finally acknowledges a trip, or a sanatorium. It is either this procedure or the fate that befell Messrs. Roberts, Morgan, Colonel Ingersoll, and the uncounted thousands who had no reputation beyond the domain of their own locality, and of whom we never hear.

The ancient system declared a failure

SOME SUGGESTIONS FOR A GOOD BUSINESS MAN

Don't allow your business to become your master.

Don't discuss business at home, or in social life.

Twelve health rules for the business man

[1325] Immediately on rising, take a cool shower bath, followed by vigorous exercise before an open window.

Eat a very light breakfast an hour after rising, eliminating tea, coffee, white bread and meat.

Walk to your business, if possible; breathe deeply.

Eliminate woolen underwear; dress as lightly as possible.

Take an hour for luncheon. Omit tea, coffee, tobacco, beer, and sweets.

Keep your office well ventilated.

Secure competent help and trust them.

Love some one or some thing—a dog will do.

Leave your office early enough to walk home, or at least a part of the way.

Masticate your food infinitely fine, and by all means *do not overeat*. This is the crowning sin of the civilized table.

[1326]Take from ten to fifteen minutes exercise before retiring; sleep in a cold, thoroughly ventilated room. Spend as much time as possible in the sunshine and open air. Drive an automobile, play golf, join a gymnasium, dance, sing, kick and play with the boys, for it is infinitely better to dig in the ditch for your dinner and be able to digest and enjoy it, than to lie invalid in your self-made prison, and perhaps die. (Probably if the truth were written on your tombstone, it would read:

There was a fool who made a fortune, but he died;
The world called him great, but it lied.)

[1327]

LESSON XXIII


EXERCISE AND RE-CREATION

[1328]

PROGRAM FOR DAILY EXERCISE

Every morning, just after arising, take a cup of water, and go through the following deep breathing exercises:


EXERCISE No. 1



Stand erect, feet about 30 inches apart, extend arms above head, clasping hands and holding elbows rigid, inhale deeply. Bend toward the left and try to touch the floor with the clasped hands as far from the foot and to the rear as possible. Exhale while


returning to position. Inhale deeply, reversing motion to the right. This movement should be repeated about 24 times.

EXERCISE No. 2



Rest the body upon tips of toes and the palms of the hands. Move the body up and down as far as possible, bending only at the waist line. If this position is too strenuous the tension can be reduced by resting on the elbows, knees, or both, while executing the movement. Inhale deeply while taking this exercise, and exhaust the breath suddenly, as if coughing, with the downward motion. This movement should be repeated about 12 times.

EXERCISE No. 3




Rest the hands on the rim of a bathtub or on two chairs placed about 2 feet apart. Assume position shown by cut. Lower the body until chest touches the knee; rise, bringing the other knee under the chest, repeating the movement. Execute this movement rapidly as if running, rising first on one foot and then on the other, from 50 to 100 times.

If sufficiently strong, this can be taken without support for the hands. This exercise is especially recommended for those suffering from constipation.

Every evening, just before retiring, take a glass of water and go through the following movements and deep breathing exercises:


EXERCISE No. 3.—Same as in the morning.



EXERCISE No. 4

Stand erect, feet about 30 inches apart, inhale deeply and strike a blow toward the left with the right fist, passing the left fist behind the back. Alternate this movement, striking toward the right with the left fist, giving the body a swinging and twisting movement.

EXERCISE No. 5



Stand erect, feet about 30 inches apart, hands clasped over head, elbows rigid, inhale deeply. Bend toward the left, describe a complete circle with the clasped hands. Exhale when erect. Reverse, describing a circle in the opposite direction completes the

LESSON XXIII

EXERCISE AND RE-CREATION

EXERCISE

The child from the time it begins to walk until it is ten or twelve years old, or until the pressing hand of necessity forces upon it the power of restraining duty, will in a great measure obey the play instinct or the natural laws of exercise. However, our complex industrial organism forces most of us into its vortex at the very time we are beginning to change the body from the youth to the adult, and the responsibilities with which we are laden, the struggles we carry on, prevent the majority from giving attention to and maintaining a system of development exercises which is so vitally important, and which would provide a great store-house of energy to be drawn upon in after years. Inasmuch, therefore, as the conditions under which we exist prevent the free play of our instincts, and the exercise of our natural desire for certain kinds of play or motion, it becomes necessary for us to devise a method of overcoming the repressing influences that crush out the play instinct of civilized man.

Civilization prevents the play instinct

CONSTRUCTIVE EXERCISES

Constructive exercises should be taken and practised regularly between the ages fifteen and twenty-five. It is largely during this period that the physical condition of the body for the balance of life is determined.

Constructive period of life from ages 15 to 25

Many a college youth, endowed by Nature with a sound physical body and a healthy brain, has irreparably injured both by sitting on the end of his spine, with his feet higher than his head, poisoning his blood with tobacco narcotics from a stylish pipe and failing to keep it purified by obeying the laws of motion and of oxidation. Constructive exercises should employ every muscle in the body long enough once in every twenty-four hours to generate sufficient heat to cause perspiration, or at least to force twice the normal quantity of blood to the lungs for purification. Exercise thus taken up to the point of fatigue, and of sufficient duration to use all the nutrition taken in the form of food, will, under favorable conditions, build the body to its highest degree of physical strength, provided we keep Nature supplied with the right kind of material (food) with which to do her work.

Poisoning and purifying the blood

EXERCISE FOR REPAIR

After the body has reached maturity, or attained its full growth, the only exercise needed is for repair. This it must have or Nature will inflict her inexorable sentence in some form of congestion.

In mature life exercise only for repair

In various industrial and professional pursuits the legs, neck, and arms are used enough to keep them in a fair state of repair. That part of the body, therefore, that suffers most for want of motion, or exercise, is the trunk. In this part of the anatomy are located the vital organs controlling not only the circulation and the oxidation of blood, but also those organs upon whose normal action depend solely the questions of digestion, assimilation of food, and elimination of waste.

Why the "trunk" requires exercise

If the food is selected, combined, and proportioned so as to produce chemical harmony in the stomach, and to meet the requirements of age, temperature of environment, and work, the body will be kept sufficiently charged with energy to demand a certain amount of exercise. If the command is obeyed the body can be trained to work automatically, as it were, but where the vocation is sedative, or prevents obedience to these demands, the trunk should be exercised in the open air from thirty to forty minutes daily by flexing, tensing, twisting and bending in every possible way, long enough and rapidly enough to double the normal heart action and inhalations of air.

If properly nourished the body will demand a certain amount of exercise

PHYSIOLOGY OF EXERCISE

By motion (exercise) the muscles are stimulated in growth, becoming larger and more firm, thus giving strength and symmetry to the body. Food, without proper motion, will not develop muscular tissue to its highest degree. Exercise must be taken to stimulate the growth of the tissues forming the muscle-cells.

Necessity of motion for body development

[1334] Among the benefits derived from exercise, the following may be noted:

First: Surplus nitrogen is usually cast from the body as waste matter when it is not deposited as muscle tissue by proper exercise. If the diet is balanced, regular exercise will add this nitrogenous substance to the muscle-cells far beyond normal growth, thus causing an actual increase in the size and the number of fibres.

Growth produced by exercise

Second: A second benefit derived from muscle activity is the consequent change that occurs in brain and in nerve activity. There are certain cells in the brain and in the nervous system which control the movements of the muscles. When these cells are not used, they degenerate, but their use in exercise is not only beneficial in developing a well-rounded nervous mechanism, but also in strengthening the brain-cells that are used in intellectual work.

Brain and nerve force increased

[1335] Third: A third and perhaps most important of all the benefits to be derived from exercise is the general increase in the circulation of the blood. The muscles form a larger proportion of the body-weight than any other group of organs. When general exercise involving the larger muscles is participated in, the demand for food material in this particular muscular tissue is so great as to cause a notable increase in the strength and in the rapidity of the heart beat, and consequent deep breathing. This acceleration of the circulation continues long after the exercise has ceased, thus replenishing and building up the muscles. As a result of the better circulation of the blood, all organs receive an increased blood-supply, and every part of the body shares in the general improvement. This explains why one can do better brain work, or digest food with greater ease after taking moderate exercise.

Blood circulation increased

[1336] Exercise is constructive up to the point of fatigue, but beyond that point it is destructive. The waste products of all cell-metabolism are harmful and poisonous. When exercise is long continued, the waste matter accumulating therefrom weakens or poisons the cells that secrete them.

Evil effect of long-continued exercise

The products of cell-metabolism are of two classes, and each class has different effects. The first is due to oxidation. A runner, who falls exhausted from shortness of breath, has simply been suffocated by the excess of carbon dioxid in his muscles. After the breath is regained, or, in other words, after the body has had time to throw off the carbon dioxid, the runner is in nearly as good condition as before. A more lasting and serious form of exhaustion is due to the accumulation of nitrogenous decomposition products, which, not being in a gaseous form, cannot be thrown off from the lungs, and hence are not as rapidly or as easily removed from the tissues. The presence in the tissue of these waste-products is the cause of extreme weakness and fatigue.

Different forms of exhaustion

[1337] The well-trained muscles contain only healthy protoplasm, and give off but a small percentage of nitrogenous decomposition products. Let the well-fed person who takes but little exercise, run half a mile, or play a simple game of ball, and the following day the muscles will be stiff and sore; this unusual exertion has caused the breaking down of much loosely organized tissue which could have been made firm and healthy by daily muscular activity.

The causes of soreness or stiffness of the muscles

[1338] Those subsisting upon a low nitrogenous diet, especially vegetarians, are affected much less by fatigue than meat eaters whose muscles contain larger quantities of unnecessary nitrogen and nitrogenous decomposition matter.

Why vegetarians have more endurance than meat eaters

The common laws of health demand that sufficient motion be taken every day to prevent the accumulation of carbon dioxid or waste matter throughout the body. Both the production and the accumulation of waste matter depend very largely upon the diet. All animal flesh (food) is undergoing gradual decomposition, and adds its waste matter to that of the body, therefore meat eaters require a much greater amount of exercise to maintain a given standard of blood-purity than do vegetarians.

The diet governs the production and the accumulation of body-waste

SYSTEMS OF PHYSICAL CULTURE

[1339] Numerous schools of physical culture and artificial methods of exercise have flourished in all civilized countries within the past few years. This fact emphasizes the pressing need for a general change in our methods of living.

The various systems of indoor exercise popularly taught are at the best weak substitutes for the more natural and wholesome forms of combined exercise and re-creation found in outdoor life and outdoor sport. Some of the methods referred to are as follows:

Tensing, which consists of slow movements in which opposite muscles are made to pull against each other. The student can easily grasp the principle involved in this system, and from his own ingenuity extend it as fully as he desires.

Tensing

Vibratory exercises, which are somewhat similar to the tensing system; however, instead of slow movements, the arms or other portions of the body are moved with a rapidly vibrating motion. The effect produced is essentially the same as in the

Vibratory exercises

tensing system.

[1340] Heavy-weight exercises, consisting in the use of heavy dumb-bells or other apparatus in which the actual physical pull exerted by the body in moving the weights is sufficient to try the muscles to their maximum capacity. This system of exercise should be discouraged; while it may add to the mere lifting strength, it takes from the muscles their flexibility, and from the body its agile and supple activity.

Heavy-weight exercises

Indoor exercise with light apparatus such as wooden dumb-bells, Indian clubs, wands, Swedish and Delsartian movements. These forms of exercise, which compose most physical culture drills, as given in schools and gymnasiums, are to be highly recommended. For adults, however, such exercises require considerable indulgence in order to gain much physical benefit therefrom.

Indoor exercises

[1341] Exercises of this nature are especially well adapted to school children. They depend upon the rhythm of the music, the good fellowship of their companions, and the pride of keeping up with the class to make them interesting. For this reason they are not suitable to the individual who must exercise alone in his room. Dancing can well be considered in this class, and could be highly recommended as an important exercise and re-creation, were it not so frequently associated with loss of sleep and other forms of intemperance.

Exercise for school children

Dancing as an exercise

All of the above systems are not only at the best imperfect, but poor substitutes for natural exercise, and not likely to be kept up by the ordinary sedative worker. Every individual should, so far as possible, indulge in some form of outdoor exercise, which gives all the advantages of the indoor systems, together with the

Importance of outdoor exercise

[1342] added advantages of fresh air, mental pleasure, long range of vision, and the general exhilaration that comes from close contact with nature. However, for the city man, outdoor exercises are too difficult to be practised with sufficient regularity to bring the desired results; therefore, it is best to adopt some definite daily program of vigorous muscular exercise which will keep the body in fair physical condition. Exercises of this kind should be made a regular daily habit, and though at times a little tiresome, can, by practise, be made to become the expected thing, so that the day will not seem complete until the daily exercises have been taken.

Exercise for the city dweller

From long experience I have found that the following exercises give the greatest benefits with the least expenditure of time and labor. They are all especially designed to promote healthy action of the vital and the abdominal

Exercises giving the best results

[1343] organs which are so much neglected by the average person.

PROGRAM FOR DAILY EXERCISE

Every morning, just after rising, and every night, just before retiring, take a glass or two of pure cool water and execute vigorously the following movements:

EXERCISE NO. 1

EXERCISE No. 1—Stand erect, feet about thirty inches apart. Extend arms above head; clasp the hands; hold elbows rigid, and inhale deeply. Bend toward the left and try to touch the floor with the clasped hands, as far from the foot, and as far to the rear as possible. Exhale while returning to position. Inhale deeply, reversing motion to the right. This movement should be repeated from 25 to 50 times.

[1344]

EXERCISE NO. 2

EXERCISE No. 2—Rest upon the tips of the toes and the palms of the hands. Move the body up and down as far as possible, bending only at the waist line. If the movement is too difficult in this position, the tension may be reduced by resting on the elbows, or on the knees, or on both. Inhale deeply, and exhaust the breath suddenly as if coughing, with the downward motion. This movement should be repeated from 20 to 30 times.

EXERCISE NO. 3

[1345] **EXERCISE No. 3**—Rest the hands on the rim of a bathtub, or on two chairs placed about two feet apart. Assume position shown in cut. Lower the body until the chest touches the right knee; rise, and lower the body until the chest touches the left knee. Execute this movement rapidly as if running, rising first on one foot and then on the other, swinging the body from side to side with each step or movement.

This exercise is especially recommended for those suffering from torpidity of the liver, or from constipation. It should be executed from 100 to 500 times.

EXERCISE NO. 4

EXERCISE No. 4—Stand erect, feet about thirty inches apart. Inhale deeply, and strike a blow toward the left with the right fist, passing the left fist behind the back. Alternate this movement, striking toward the right with the left fist, giving the body a swinging and twisting movement.

EXERCISE NO. 5

[1346] **EXERCISE No. 5**—Stand erect, feet about thirty inches apart, hands clasped overhead, elbows rigid; inhale deeply. Bend toward the left, describing a complete circle with the clasped hands. Exhale when erect. Reverse; describing a circle in the opposite direction completes the movement. This exercise should be executed from 25 to 50 times.

RE-CREATION

The small boy who described work as "anything you don't want to do," and play as "anything you do want to do," had in his mind the fragment of a great truth. True re-creation should afford DIVERSION, ENTERTAINMENT, and WORK. The average business man who is threatened with a breakdown, and who goes away for a rest, should in reality go to work, but it should be a different kind of work from his routine duties. No one was ever benefited by idleness; it is contrary to nature—contrary to the universal laws of construction which govern all forms of life. If digestion and assimilation have been impaired, if, from errors in eating, or from sedative habits, congestion has taken place in the alimentary tract, then muscular work becomes absolutely necessary in order to use more nutrition, to eliminate more poison and waste, and to increase and normalize the peristaltic activity of the intestinal tract.

Idleness contrary to natural law

Exercise necessary for assimilation and elimination

The business man who likes to hunt and to kill innocent animals; who runs, walks, and thinks, and perspires in the effort, is taking a good kind of re-creation—perhaps the best he knows; but the fat man who sits in a boat all day and catches fish that he cannot use, or slays a cart-load of ducks that he has deceived with a decoy, has received neither benefit nor re-creation; he has only yielded to his primeval instincts to secure his food by slaughter and has been merely entertained—probably debased.

Hunting and fishing

[1348] True re-creation for the mental worker is manual work—labor in the open air that requires but little thought. Every business man who values the sacred heritage of health, should provide himself with a place where he can go one day out of each week and chop wood, prepare soil, plant or harvest something, get close to Mother Nature, and receive the blessings of her life-giving sun by day, and rest in her open arms at night. Men are but big children, and, like the child who cries and reaches for the bubble because it reflects the prismatic colors of the sun, most of the things for which they struggle are equally as worthless and deceptive.

True re-creation

Worthless objects for which men struggle

[1349] Mental supremacy, which means the keenest sense of love, justice, and mercy, that great triad of all that is best in man, is all that really pays. If, at the close of every life, the question, "What has brought most happiness?" could be answered, it would be, "THE GRATITUDE OF MY FELLOW MEN." The average business pursuit is not conducive to this end. It is unfortunate that commercial and financial success are too often secured by methods that produce just the opposite results, therefore the whole life-work of the average man is really reduced to no higher object than that of securing food and shelter, which is the primitive occupation of the lowest forms of life.

The triad of all that is best in life

One day in the week spent close to the soil with gentle cows and horses, affectionate cats and admiring dogs that have no "axe to grind," and one night every week spent in thought and reflection under the wilderness of worlds that whirl through the abyss of space, will sharpen the senses of love, justice, and mercy, give true diversion, true entertainment, true work, and true rest.

Rest in solitude

[1351]

INDEX

A

ACETANILID	<i>Vol.</i>	<i>Page</i>
composition of,	II	358
effects of,	II	358
ACIDITY		
sub, symptoms of,	II	462
— remedy for,	II	463

	— diet in,	II	464
	super, chart indicating dis-eases caused by,	I	9
ACIDS			
	nitric,	I	62
	— properties of,	I	63
	hydrochloric,	I	64
	— uses of,	I	65
	— preparation of,	I	66
	— elements of,	I	67
	— purpose of,	I	149
	— formation of,	I	149
	bases of,	I	68
	— tests for,	I	69
	— neutralization of,	I	70
	Relation of bases to,	I	69
	organic,	I	94
	— properties of,	I	94
	acetic,	I	95
	— process of making,	I	95
	oxalic,	I	97
	lactic,	I	97
	malic,	I	97
[1352]	tartaric,	I	97
	citric,	I	98
	uric, in rheumatism,	V	1179
AIR			
	composition of,	I	32
	liquefaction of,	I	35
	and oxidation,	V	1312
	relative importance of food, water and,	V	1313
ALBUMIN			
	sources of,	I	129
	solubility of,	I	129
	coagulation of,	I	129
ALCOHOL			
	varieties of,	I	91
	effect of,	II	367
	a poison,	II	368
ALDEHYDES			
	and ethers,	I	93
ALKALIS			
	principles of neutralization of,	I	71
	rules governing neutralization of,	I	71
AMIDO			
	compounds,	I	128
AMMONIA			
	composition of,	I	60
	uses of,	I	60
AMYLOPSIN			
	properties of,	I	154
[1353]	APPENDIX (VERIFORM)		
	dis-eases of (see Appendicitis),	II	580
	functions of,	II	581
APPENDICITIS			
	symptoms of,	II	582
	treatment of (mild cases),	II	583
	a natural remedy for,	II	583
	diet in,	II	584
	list of foods for,	II	585
	chronic cases of,	II	586
	— treatment for,	II	587
	— causes of,	II	588
	diet a factor in,	II	589
	coarse food a factor in,	II	590

	old diagnosis of,	II	582
	menus for,	IV	1029
	APPETITE		
	lack of,	IV	1081
	difference between hunger and,	IV	1081
	ARTERIO-SCLEROSIS		
	causes of,	I	170
	food in,	I	171
	ASSIMILATION		
	definition of,	III	630
	ASTHMA		
	described,	II	519
	causes of,	II	533
	symptoms of,	II	533
	remedy for,	II	634
	diet in,	II	534
	foods to eat in,	II	535
	foods to omit in,	II	535
[1354]	ATHLETES		
	selection, combination and proportioning of food for,	V	1188
	summer diet for,	V	1191
	winter diet for,	V	1192
	suggestions regarding diet in exposure to extreme cold or for exertion,	V	1201
	AUTOINTOXICATION		
	defined,	I	247
	bacteria in,	I	247
	meat a factor in,	I	247

B

	BACTERIA		
	discussed,	I	166
	origin of,	I	167
	not all harmful,	I	168
	species of,	I	168
	producers of,	I	168
	fermentation produced by,	I	169
	growth of,	I	169
	meat a producer of,	I	259
	BANANAS		
	varieties of,	III	675
	how to select and ripen,	III	676
	how to bake,	III	677
	BILE		
	defined,	I	153
	function of,	I	153
	purposes of,	I	153
	BILIOUSNESS		
	cause of,	II	466
	symptoms of,	II	466
[1355]	remedy for,	II	466
	what to eat,	II	467
	what to omit,	II	467
	BRAN		
	meal, composition of,	III	683
	— bread made from,	III	683
	wheat, composition of,	III	681
	— medicinal properties of,	III	681
	BLOOD, THE		
	Antipepsin in,	I	152
	glucose in,	I	204
	process of oxidation of,	II	346
	corpuscles of,	II	386

	automatic action of,	II	388
	incorrect feeding cause of impurity of,	II	397
	defective circulation of,	II	398
	exercise a factor in poisoning and purification of,	V	1331
	increase of circulation of,	V	1335
	BRIGHT'S DIS-EASE		
	described,	II	550
	causes of,	II	551
	symptoms of,	II	551
	prevention of,	II	552
	treatment for,	II	553
	general suggestion in feeding in,	II	554
	foods to eat in,	II	555
	foods to omit in,	II	555
	BROMIN		
	defined,	I	73
	BUSINESS MAN		
	a lesson for,	V	1317
	examples of poor,	V	1318
[1356]	wealth at the expense of health for the	V	1319
	the abnormal,	V	1320
	what is a good,	V	1320
	qualities of a,	V	1321
	routine life of the average,	V	1322
	bad habits of the average,	V	1322
	the ancient remedy for the average,	V	1322
	the physician of the average,	V	1324
	twelve rules of health for the,	V	1324-1326
	BUTTER		
	composition of,	I	283
	its value as a food,	I	284
	caloric value of,	I	285
	cocoa, how made,	II	338
	cocoanut, composition of,	II	339
	home-made, how to make,	III	674
	BUTTERMILK		
	how made,	III	674
	BUTYRIN		
	defined,	I	123
	C		
	CALORIES		
	definition of,	I	199
	method of determining numbers of,	I	202
	CARBOHYDRATES		
	classification of,	I	106
	monosaccharids,	I	109
	disaccharids,	I	112
	polysaccharids,	I	114
	purpose of,	III	625
[1357]	CARBON		
	sources of,	I	81
	forms of,	I	82
	properties of,	I	83
	monoxid, properties of,	I	87
	combining power of,	I	88
	and hydrogen compounds,	I	88
	dioxid of,	I	83
	nature of,	I	81
	CASEIN		
	sources of,	I	130
	vegetable,	I	130
	CATARRH		
	described,	II	519

	causes of,	II	527
	symptoms of,	II	528
	remedy for,	II	528
	diet for,	II	529
	foods to eat in,	II	530
	foods to omit in,	II	530
	nasal,	IV	922
	— food a factor in,	IV	922
	— water drinking in the treatment of,	IV	923
	— menus for,	IV	925
	CELLULOSE		
	in nutrition,	I	119
	value of,	I	119
	CHART		
	showing number of so-called dis-eases caused by superacidity,	I	9
	CHEESE		
	processes of making,	I	282
	ripening of,	I	283
[1358]	digestive value of,	I	283
	limburger,	I	283
	manufacture of,	I	283
	CHEMISTRY		
	its relation to food science,	I	25
	combustion in,	I	26
	common elements of,	I	27
	number of elements in,	I	28
	examples of changes due to,	I	29
	symbols of,	I	31
	list of elements in,	I	32
	organic,	I	81
	of foods,	I	105
	of digestion,	I	139
	of metabolism,	I	193
	COLDS		
	described,	II	519
	causes of,	II 520, IV	915
	symptoms of,	II	521
	overeating a cause of,	II	521
	exposure a cause of,	II	522
	remedy for,	II	523
	foods to use for,	II	524
	turkish baths for,	II	525
	value of fresh air for,	II	525
	foods to eat for,	II	526
	foods to omit for,	II	526
	COCAIN		
	habit,	II	354
	uses of,	II	354
	in medicines,	II	355
[1359]	COFFEE		
	composition of,	II	363
	effect of drinking,	II	364
	COOKING		
	chemical changes produced by,	III	593
	starch, reasons for,	III	598
	of food, an excuse,	III	599
	food for animals, government experiments on,	III	602
	a habit of civilization,	III	603
	object of,	III	669
	grains,	III	669
	vegetables,	III	670
	en casserole,	III	671
	rice and macaroni,	III	672
	fruits,	III	672
	— canned,	III	672

	CHLOROFORM		
	uses of,	II	372
	CHLORIN		
	sources of,	I	63
	properties of,	I	64
	uses of,	I	64
	CHOCOLATE		
	see (cocoa),	II	366
	COAL TAR PRODUCTS		
	evil effects of,	II	359
	COCOA		
	analyzed,	II	366
	COMPOUNDS		
	chemical,	I	29
	— derivatives,	I	31
[1360]	carbon,	I	83
	— inorganic,	I	83
	— action of,	I	85
	— organic,	I	87
	— and hydrogen,	I	88
	— organic, classification of,	I	89
	— hydro,	I	89
	alcohols,	I	91
	glycerin,	I	92
	aldehydes,	I	93
	ethers,	I	93
	organic acid,	I	94
	— nitrogenous,	I	99
	— — importance of,	I	100
	amido,	I	128
	vegetable,	II	373
	CONFECTIONS		
	evil effects of,	II	332
	from the standpoint of food value,	II	333
	allowable,	II	333
	prohibited,	II	334
	CONGESTION		
	defined,	V	1195
	CONSTIPATION		
	milk a relief for,	I	188
	relation of milk to,	I	278
	milk diet for,	I	278
	wheat bran, laxative effects in,	II	299
	whole rye a remedy for,	II	300
	— wheat, a remedy for,	II	300
	— barley, a remedy for,	II	300
	— oats, a remedy for,	II	300
[1361]	causes of,	II	434
	remedy for,	II	436
	suggestions for relief of,	II	437
	menus for,	II	438
	exercise in,	II	444
	beverages causing,	II	446
	what to eat for,	II	447
	what to omit for,	II	447
	in infants,	V	1169
	a factor in nervousness,	V	1214
	CONSUMPTION		
	conflicting opinions regarding the cause of,	II	560
	conditions and occupations predisposing causes of,	II	561
	modern treatment of,	II	563
	general diet in,	II	564
	spring and summer diet in,	II	565
	special suggestions for treatment in mild cases of,	II	566
	hygienic rules in,	II	567

breathing in,	II	567
sleep in,	II	568
what to eat in,	II	568
what to omit in,	II	568
nature's remedy for,	IV	989
foods in,	IV	990
the use of the spirometer in,	IV	990

D

DIABETES		
described,	II	556
causes of,	II	556
symptoms of,	II	557
remedy for,	II	557
diet for,	II	558
diet in extreme cases of,	II	558
foods to eat in,	II	559
[1362] foods to omit in,	II	559
special instructions regarding,	II	560
DIAGNOSIS		
purpose of,	II	381
only correct,	II	382
of "lump" in the stomach,	II	419
DIARRHEA		
causes of,	II	474
cathartics in,	II	475
treatment of,	II	476
diet in,	II	476
DIET		
important considerations regarding,	I	164
importance of correct standards in,	I	221
of primitive man,	I	238
flesh, unnecessary,	I	238
milk and eggs not a balanced,	I	272
wheat,	II	290
for constipation,	II	429
for nervous indigestion,	II	458
in subacidity,	II	464
suggestions in obesity,	II	496
in neurasthenia,	II	509
in catarrh,	II	529
in hay fever,	II	531
in asthma,	II	534
in influenza,	II	537
in insomnia,	II	541
in rheumatism,	II	547
in diabetes,	II	560
in consumption,	II	564
in heart trouble,	II	573
in dis-eases of the skin,	II	579
[1363] in appendicitis,	II	584
errors in,	II	586
for cold weather,	IV	1133
for hot weather,	IV	1134
three classes of,	V	1147
the normal,	V	1152
radical changes in,	V	1152
make patient agree with,	V	1153
during embryonic period,	V	1156
FOR CHILDREN (ages 1 to 2 years),	V	1174
special instructions regarding simplicity in feeding,	IV	1176-1177
in old age,	V	1178
— importance of,	V	1181
for normal athlete,	V	1189
(summer) for athletes,	V	1191
(winter) for athletes,	V	1192
in climatic extremes,	V	1193-1199
under normal conditions,	V	1200

DIGESTION

chemistry of,	I	139
uses of,	I	139
malt in,	I	140
energy required in,	I	161
mental influence upon,	I	162
secretion of juices in,	I	163
important rules to observe to insure good,	I	164
experiments in,	I	175
mechanics of,	I	180
action of enzymes during,	I	181
food prepared for,	I	186
during sleep,	I	188
how affected,	I	188

[1364]	x-ray experiment in,	I	188
	comparative, of cooked and uncooked grain,	III	597
	true interpretation of the word,	III	630
	necessity for thorough mastication an aid to,	I	181
	"bolting" of food in,	I	181
	secretion of enzymes in,	I	182

DIGESTIVE EXPERIMENTS

to determine the amount of food the body uses,	I	175
to determine percentage of waste in food,	I	176
to determine amount of time required to pass through the body,	I	176
to measure what percentage of food taken is digested,	I	177
to determine what foods aid digestion,	I	178
to determine what foods hinder digestion,	I	178
to determine the laws governing the production of chemical harmony,	I	178
to approximately determine the amount of undigested food,	I	179
to determine the digestibility of each particular food,	I	179

DIGESTIVE JUICES

gastric juice,	I	144
— composition of,	I	147
— formation of,	I	148
— action of,	I	148
pancreatic juice,	I	153
— composition of,	I	153
— action of,	I	154

[1365]	amylase, properties of,	I	154
	trypsin, properties of,	I	164
	steapsin, properties of,	I	154
	bile,	I	153
	— function of,	I	153
	pepsin,	I	155
	— action of,	I	155
	saliva,	I	161
	— secretion of,	I	161
	the influence of the mind upon the action of the,	I	162

DIGESTIVE ORGANS

chemical changes in,	I	165
peristaltic action of,	I	187

DISACCHARIDS

cane sugar,	I	112
beet sugar,	I	112
maltose,	I	113
lactose,	I	113

DIGESTIVE TABLES

inaccuracy of,	I	145
----------------	---	-----

DIS-EASE

difference between ease and,	I	14
indications of,	II	394
true diagnosis of,	II	396
defined,	II	407
classification of,	II	412
nature's warning,	II	674

	DIS-EASES OF THE SKIN		
	kinds of,	II	575
	causes of,	II	575
	eczema,	II	577
[1366]	— treatment of,	II	578
	— diet for,	II	579
	DISORDERS (COMMON)		
	their causes and cure,	I	405
	DRUGS		
	analysis of,	II	343
	declining use of,	II	346
	alkaloids in,	II	349
	opium,	II	350
	morphin,	II	351
	cocain,	II	353
	nux vomica,	II	356
	strychnin,	II	356
	quinin,	II	356
	acetanilid,	II	358
	laudanum,	II	360
	paregoric,	II	360
	codein,	II	360
	lyoscine,	II	360
	atropin,	II	360
	hellebore,	II	360
	chloroform,	II	372
	ether,	II	372
	chloral,	II	372
	mercury,	II	373
	potassium iodid,	II	374
	purgatives and cathartics,	II	375
	authentic information on,	II	377
	supposed magical effect of,	II	384
[1367]			
	E		
	EATING		
	flesh produces appetite for stimulants,	I	243
	— habit disappearing,	I	249
	correctly a cure for the drink habit,	II	369
	over,	II	413
	— causes of,	II	414
	scientifically,	III	667
	ECZEMA		
	described,	II	577
	treatment of,	II	578
	chronic, diet in,	II	579
	menus in,	IV	1023
	EGGS		
	food value of,	I	269
	composition of,	I	271
	nutritive contents of,	I	271
	as a diet for convalescents,	I	272
	tables of digestive harmonies and disharmonies of,	III	610
	how to coddle,	III	677
	uncooked,	III	678
	baked omelet (how made),	III	678
	ELEMENTS		
	chemical, in the body,	I	3
	chemical,	I	27
	— number of,	I	28
	mineral sulphur,	I	73
	hydrogen sulfid,	I	74
	carbon disulfid,	I	74
	EMACIATION (UNDERWEIGHT)		
	effects of,	II	477
	causes of,	II	479
	mental factors in,	II	480

	symptoms of,	II	481
	remedy for,	II	482
[1368]	important factors in,	II	483
	foods in,	II	484
	milk and eggs in,	II	484
	constipation a factor in,	II	485
	chronic, its cause and remedy,	II	486
	extreme, diet in,	II	489
	weight, tables in,	II	492
	in infancy,	V	1173
ENERGY			
	food, a producer of,	I	199
	how measured,	I	200
	fat chief source of,	I	209
	grain a source of,	II	295
	explained,	III	639
	determined,	III	640
	the mystery of,	V	1309
	food and,	V	1310
	required for work,	V	1311
	relation of sleep to expenditure of,	V	1312
ENZYMS			
	properties of,	I	139
	fermentation due to,	I	140
	malt, a digestive,	I	140
ETHER			
	uses of,	I	94
EVOLUTION OF MAN			
	evolution, what it is,	V	1255
	study of man in the,	V	1255
	significance of the term,	V	1258
	difference between inherited and acquired characteristics in		
	the,	V	1260
	the three great proofs of the,	V	1261
[1369]	early forms of animal life in the,	V	1262
	the single cell, nucleus in,	V	1263
	development of the human embryo in the,	V	1264
	animal kinship in,	V	1265
	blood comparisons in man and apes,	V	1266
	difference in the development of man and apes,	V	1267
	power of speech a factor in,	V	1267
	habits and progress in,	V	1268
	factors that determine survival of races during the,	V	1269
	habits and customs detrimental to life in,	V	1270
	changes of organs in,	V	1271
	"natural" diet in,	V	1273
	dietetic development in,	V	1274
	facts regarding the,	V	1275
EXERCISE			
	a necessity,	II	444
	in infancy,	V	1171
	in childhood,	V	1329
	constructive ages 15-25,	V	1330
	for purifying the blood,	V	1331
	properly nourished body demands a certain amount of,	V	1332
	physiology of,	V	1333
	growth produced by,	V	1334
	brain and nerve force produced by,	V	1334
	blood circulation increased by,	V	1335
	evil effects of long continued,	V	1336
	different kinds of exhaustion produced by,	V	1336
	the causes of soreness or stiffness of the muscles due to,	V	1337
	endurance of vegetable composition with meat eaters,	V	1337
	body waste in,	V	1338
[1370]	tensing as an,	V	1339
	vibratory,	V	1339
	heavyweight,	V	1340
	indoor,	V	1340

for school children,	V	1341
dancing as an,	V	1341
importance of outdoor,	V	1341
for the city dweller,	V	1342
that give best the results,	V	1342

EXERCISE

PROGRAM FOR DAILY EXERCISES

exercise No, 1,	V	1343
exercise No, 2,	V	1344
exercise No, 3,	V	1344
exercise No, 4,	V	1345
exercise No, 5,	V	1345

EXHAUSTION

causes of,	II	399
------------	----	-----

F

FASTING (AND NO BREAKFAST PLAN)

data secured from,	V	1311
--------------------	---	----------------------

FATS

	composition of,	I	122
	formation of,	I	122
	mineral,	I	123
	olein,	I	123
	butyryn,	I	123
	butter dairy,	I	123
	butter artificial,	I	123
	stearin,	I	123
	oleomargarin,	I	123
[1371]	rancid,	I	125
	digestion of,	I	156
	unwholesome,	I	157
	metabolism of,	I	205
	absorption of body,	I	206
	human,	I	207
	distinction between tallow, lard, olive oil,	I	207
	animal,	I	254
	chemical change in frying,	I	255
	chemical difference in,	I	256
	effects of heat on,	III	595
	tables of digestive harmonies and disharmonies of,	III	609
	purpose of,	III	626
	a source of heat,	I	209
	the chief source of energy,	I	209

FERMENTATION

causes of,	I	172,	II	425
symptoms of,			II	426
results of,			II	427
remedy for,			II	428
diet for,			II	428

FISH

nutrients in,	I	260
as brain food,	I	261
superior to flesh food,	I	261
selection of,	III	678
preparation of,	III	678

FLUORIN

a gas,	I	73
action of,	I	73

[1372] FOOD

preparation of,		I	15	
chemistry of,	I	15,	I	21
how to select,			I	16
how to combine,			I	16
how to proportion,			I	16
how to determine quantity,			I	16
science,	I	19,	I	20

	importance of,	I	4
	classes of,	I	105
	analysis of,	I	106
	maltose in,	I	118
	predigested,	I	141
	manufacture of,	I	141
	predigested, comparison of,	I	146
	mastication of,	I	150-183
	digestibility of, comparative,	I	159
	fermentation of,	I	164
	decomposition of,	I	173
	determining quantity of,	I	177
	values,	I	178
	breakfast,	I	182
	tissue builder as,	I	195
	importance of protein in,	I	209
	standards of,	I	217
	endurance tests of,	I	219
	government standards of,	I	220
	dietary standards of,	I	222
	correct dietary standards of,	I	225
	quantity required,	I	226
	proportion of fat required in,	I	228
	fallacy of nitrogenous,	I	229
	influence of religion on,	I	235
	a factor in producing physical and mental power,	I	240
[1373]	unscientific to use meat as,	I	241
	rare meat unfit for,	I	258
	in contagious dis-eases,	I	258
	fish as a,	I	260
	superiority of fish as a,	I	261
	oysters as a,	I	262
	clams as a,	I	262
	shell-fish as a,	I	262
	poultry as a,	I	262
	superiority of poultry as a,	I	263
	comparative analyses of,	I	264
	feeding of poultry for,	I	265
	cheese as a,	I	282
	butter considered as a,	I	283
	wheat considered as a,	II	290
	grain as a remedial,	II	298
	white potato as a,	II	321
	relative value of salads as,	II	321
	relative value of water melon as a,	II	323
	relative value of musk melon as a,	II	323
	honey compared as a,	II	330
	life dependent upon,	II	345
	substitution of,	II	439
	staples,	II	440
	list of constipating,	II	446
	list of laxative,	II	446
	that reduces fat,	II	498
	in obesity,	II	502
	in locomotor ataxia,	II	519
	to eat in case of colds,	II	524
	to eat in catarrh,	II	530
	in hay fever,	II	532
	combinations,	III	602
	quantity an important factor,	III	604
	instinct a safe guide in selecting,	III	605
	tables, how to interpret,	III	607
[1374]	tables of digestive harmonies and disharmonies,	III	609
	fats,	III	609
	eggs,	III	610
	milk,	III	611
	nuts,	III	612
	grains,	III	613
	vegetables,	III	614
	acid fruits,	III	615
	sweet fruits,	III	616
	sugars,	III	617
	simple classification of,	III	621

	based on principal nutritive substances,	III 624
	purposes of different classes of,	III 625
	difference between digestibility and assimilability of,	III 630
	table showing comparative assimilability carbohydrate and water content of various classes of food,	III 632
	purpose of the vieno table in,	III 634
	vieno system of,	III 645
	values, measurement of,	III 639
	values, measurement of—(old system),	III 642
	amount of nitrogen in, incorrect standards,	III 645
	incorrect standards of measurement of,	III 646
	what constitutes a true,	III 647
	explanation of vieno system of food measurement,	III 648
	edible portion of,	III 650
	how to reduce foods to vienos,	III 651
	nitrogen factor in,	III 651
	direct method of calculating available nitrogen in,	III 663
	curative value of,	III 668
[1375]	for children (see menus for children),	III 687
	in cirrhosis of the liver,	III 823
	in consumption,	IV 989-990
	in pregnancy,	IV 1033
	selection, combination and proportion of,	V 1149 , V 1152
	according to age,	V 1149
	according to time of year,	V 1151
	according to work or activity,	V 1151
	and energy,	V 1310
	relative importance of air, water and,	V 1313

FORMALDEHYDE

	uses of,	I 93
	an artificial preservative,	I 93
	a poison to the human system,	I 93

FOWL

	selection of,	III 678
	preparation of,	III 678

FRUITS

	composition of,	II 309
	dietetic value of,	II 310
	effect of acid,	II 312
	classification according to acidity,	II 312
	evils of acid,	II 314
	value of sub-acid,	II 315
	value of non-acid,	II 316
	canned,	II 316
	evaporated,	II 316
	fresh,	II 317
	tables of digestive harmonies and disharmonies of acid,	III 615
	tables of digestive harmonies and disharmonies of sweet,	III 616
	bananas,	III 675

[1376]

G

GALACTOSE

	formation of,	I 111
--	---------------	-------

GAME

	as a food,	I 268
--	------------	-------

GAS DILATATION (GASTRITIS)

	symptoms of,	II 432-447
	what to eat in,	II 432
	what to omit in,	II 433
	causes of,	II 449
	remedy for,	II 450
	food to be used in treatment of,	II 452

GASTRIC JUICE

	composition of,	I 147
	formation of,	I 148
	its action on fat,	I 148
	rennet of the,	I 151

	GASTRITIS	
	(also see gas dilatation),	II 432
	causes of,	II 449
	symptoms of,	II 449
	diagnosis of,	II 450
	treatment of,	II 450
	diet in,	II 450
	food in,	II 452
	what to eat in,	II 452
	what to omit in,	II 452
[1377]	GLOBULINS	
	sources of,	I 129
	properties,	I 129
	types of,	I 130
	GLUCOSE	
	percentage in the blood,	I 204
	function of,	I 204
	manufacture of,	II 328
	composition of,	II 328
	uses of,	II 329
	an article of food,	II 329
	GLYCOGEN	
	sources of,	I 118
	formation of,	I 118
	GOUT	
	causes of,	II 546
	symptoms of,	II 547
	remedy for,	II 547
	diet in,	II 548
	what to eat in,	II 550
	what to omit in,	II 550
	GRAIN	
	cooked,	I 184
	government experiments with,	I 185
	uncooked,	I 185
	nutritive value of,	II 289
	wheat,	II 290
	rye,	II 291
	barley,	II 292
	oats,	II 293
	corn,	II 293
	rice,	II 294
	buckwheat,	II 294
[1378]	uses of,	II 295
	as a remedial food,	II 298
	tables of digestive harmonies and disharmonies of,	III 613
	GUMS	
	varieties of,	I 120

H

	HABITS	
	man a creature of,	I 223
	HAY FEVER	
	described,	II 519
	symptoms of,	II 531
	remedy for,	II 531
	diet for,	II 531
	foods to eat in,	II 532
	foods to omit in,	II 532
	HEALTH	
	influence of mind on,	II 385
	laws of,	II 396
	definition of,	II 405
	HEART TROUBLE	
	gas, a cause of,	II 448-572

	early symptoms of,	II 570
	medical misconceptions of,	II 570
	causes of,	II 571
	diet for,	II 573
	exercise for,	II 574
	HEAT	
	production of,	I 41
	body determination of,	I 42
	a measure of energy,	I 198
	units,	I 199
[1379]	HEMOGLOBIN	
	component parts of,	I 130
	HEMORRHOIDS	
	(see Piles),	II 471
	HEREDITY,	V 1293
	so-called wonders of microscopic study of reproductive cells	
	in,	V 1294
	chromosomes in different species,	V 1294
	action of,	V 1294
	what it is,	V 1295
	characteristics not due to,	V 1296
	summary of facts regarding sex and,	V 1297
	HERNIA	
	causes of,	II 443
	HONEY	
	food value of,	II 330
	composition of,	II 331
	HUMAN ILLS	
	chiefly due to dis-eases and conditions originating in the	
	stomach,	I 4
	(see chart showing dis-eases caused by superacidity),	I 9
	HYDROCARBONS	
	definition of,	I 89
	uses of,	I 89
	where found,	I 89
	how formed,	I 90
[1380]	HYDROCHLORIC ACID	
	how formed,	I 64
	action of,	I 65
	its importance in digestion,	I 66
	chemical symbols of,	I 67
	HYDROGEN	
	where found,	I 42
	physical properties,	I 43
	chemical properties of,	I 43
	gas,	I 45

I

	INDIGESTION (ACUTE)	
	important suggestions regarding,	III 807
	treatment for,	III 807
	what to eat in,	III 807
	INFANT FEEDING	
	great mortality due to wrong,	V 1154
	two points of view on,	V 1155
	mothers' milk in,	V 1162
	general rules to be observed in,	V 1164
	modification of milk in,	V 1165
	preparation of food in,	V 1165
	quantity of food in,	V 1166
	frequency of feeding,	V 1166
	disastrous results of too frequent,	V 1168
	importance of cleanliness in preparation of food,	V 1168
	constipation in,	V 1169

	composition and color of stools in,	V 1169
	temperature of food in,	V 1173
	general instructions in health and hygiene,	V 1174
[1381]	INFLUENZA	
	described,	II 519
	causes of,	II 536
	symptoms of,	II 537
	remedy,	II 537
	diet for,	II 537
	food in,	IV 939
	INSOMNIA	
	causes of,	II 538
	remedy for,	II 539
	diet for,	II 541
	foods to eat in,	II 542
	foods to omit in,	II 542
	similarity of symptoms in nervousness and,	II 542
	INTESTINAL JUICES	
	definition of,	I 157
	action of,	I 158
	INULIN	
	value of,	I 121
	IODIN	
	description of,	I 73
	IRON	
	salts of,	I 77
	in patent medicines,	I 78
L		
	LACTOSE	
	where found,	I 113
	indigestion,	I 114
	LAWS	
	natural,	I 11
[1382]	LAXATIVES	
	loss of vitality due to,	II 376
	harmful results due to use of,	II 436
	LEGUMES	
	defined,	II 307
	familiar types of,	II 307
	rich in nitrogen,	II 307
	require thorough mastication,	II 308
	LEVULOSE	
	composition of,	I 111
	defined,	I 111
	LITMUS SOLUTION	
	tests for,	I 69
	LIVER, THE, I 137	
	functions of,	I 203
	cirrhosis of,	II 468
	— causes of,	II 468
	— symptoms of,	II 468
	— treatment for,	II 469
	— stimulants in,	II 469
	— what to eat in,	II 469
	— atrophic,	III 822
	— hypertrophic,	III 822
	— food in treatment for,	III 823
	LOCOMOTOR ATAXIA	
	causes of,	II 511
	drug treatment harmful in,	II 513
	symptoms of,	II 514

	remedy for,	II 515
	diet for,	II 516
	exercise in,	II 517
	massage in,	II 517
[1383]	cured, obstinate case of,	II 518
	foods to eat,	II 519
	foods to omit,	II 519
	LUNGS, THE	
	functions of,	II 390

M

	MALNUTRITION	
	cause of,	II 511
	remedy for,	II 511
	MALTOSE	
	composition of,	I 112
	how formed,	I 113
	MEAT	
	fallacy of lean,	I 228
	source of autointoxication,	I 247
	classified,	I 250
	composition of lean,	I 250
	extractives of,	I 252
	prejudice against pork,	I 253
	cold storage of,	I 256
	decomposition of cold storage,	I 257
	"ripened",	I 257
	scientific objections to use of,	I 258
	MEDICINES	
	effects of,	II 343
	ancient belief concerning,	II 344
	unscientific uses of,	II 377
	MENUS	
	FOR NORMAL CHILDREN <i>(From 2 to 5 Years of Age)</i>	
	spring,	III 687
	summer,	III 688
	fall,	III 689
	winter,	III 690
[1384]	<i>(From 5 to 10 Years of Age)</i>	
	spring,	III 692
	summer,	III 693
	fall,	III 694
	winter,	III 695
	<i>(From 10 to 15 Years of Age)</i>	
	spring,	III 696
	summer,	III 697
	fall,	III 698
	winter,	III 699
	FOR NORMAL PERSONS <i>(From 15 to 20 Years of Age)</i>	
	spring,	III 700
	summer,	III 701
	fall,	III 702
	winter,	III 703
	<i>(From 20 to 33 Years of Age)</i>	
	spring,	III 704
	summer,	III 705
	fall,	III 706
	winter,	III 707
	<i>(From 33 to 50 Years of Age)</i>	
	spring,	III 708
	summer,	III 709
	fall,	III 710

	winter,	III 711
	<i>(From 50 to 65 Years of Age)</i>	
	spring,	III 712
	summer,	III 713
	fall,	III 714
	winter,	III 715
[1385]	<i>(From 65 to 80 Years of Age)</i>	
	spring,	III 716
	summer,	III 717
	fall,	III 718
	winter,	III 719
	<i>(From 85 to 100 Years of Age)</i>	
	spring,	III 720
	summer,	III 721
	fall,	III 722
	winter,	III 723
	MENUS, CURATIVE	
	introduction,	III 724
	FOR SUPERACIDITY	
	(ABNORMAL APPETITE)	
	spring,	III 726
	summer,	III 728
	fall,	III 729
	winter,	III 730
	FOR SOUR STOMACH AND IRRITATION OF STOMACH AND INTESTINES	
	spring,	III 731
	summer,	III 733
	fall,	III 734
	winter,	III 736
	FOR SOUR STOMACH, INTESTINAL GAS AND CONSTIPATION	
	spring,	III 738
	summer,	III 740
	fall,	III 742
	winter,	III 745
	STOMACH AND INTESTINAL CATARRH	
	spring,	III 747
	summer,	III 750
	fall,	III 751
	winter,	III 752
[1386]	FERMENTATION, INTESTINAL GAS, FEVERED STOMACH AND LIPS, CANKERS ON TONGUE	
	spring,	III 753
	summer,	III 755
	fall,	III 757
	winter,	III 759
	CONSTIPATION (CHRONIC) NERVOUSNESS	
	spring,	III 761
	summer,	III 765
	fall,	III 767
	winter,	III 769
	CONSTIPATION, AUTOINTOXICATION, LOW VITALITY	
	spring,	III 771
	summer,	III 773
	fall,	III 775
	winter,	III 777
	GASTRITIS	
	spring,	III 779
	summer,	III 781
	fall,	III 782
	winter,	III 783
	NERVOUS INDIGESTION	

spring,	III	784
summer,	III	785
fall,	III	786
winter,	III	787

NERVOUSNESS
FOR BUSINESS MAN, THIN, NERVOUS,
IRRITABLE—INSOMNIA—STOMACH AND
INTESTINAL TROUBLE

spring,	III	789
summer,	III	790
fall,	III	793
winter,	III	798

[1387]

FOR SUBACIDITY
INDIGESTION (CHRONIC)

spring,	III	801
summer,	III	803
fall,	III	804
winter,	III	805

BILIOUSNESS
HEADACHE—SLUGGISH LIVER

spring,	III	809
summer,	III	811
fall,	III	812
winter,	III	813

HEADACHE—TORPID LIVER

spring,	III	814
summer,	III	815
fall,	III	816
winter,	III	820

CIRRHOSIS OF THE LIVER

general remarks,	III	822
food to be used in,	III	823

MENU NO, 1

spring,	III	824
summer,	III	825
fall,	III	826
winter,	III	827

MENU NO, 2

spring,	III	828
summer,	III	829
fall,	III	830
winter,	III	831

[1388]

DIARRHEA

spring,	III	832
summer,	III	833
fall,	III	834
winter,	III	835

DIARRHEA—DYSENTERY

spring,	III	836
summer,	III	840
fall,	III	841
winter,	III	842

EMACIATION—UNDERWEIGHT—RATHER ANEMIC

spring,	III	845
summer,	III	847
fall,	III	848
winter,	III	850

RUN DOWN CONDITION—FLATULENCY—UNDERWEIGHT		
spring,	III	852
summer,	III	856
fall,	III	858
winter,	III	861

LOW VITALITY—UNDERWEIGHT—WEAK DIGESTION

spring,	IV	863
---------	----	-----

summer,	IV 864
fall,	IV 865
winter,	IV 866

OBESITY—IRREGULAR HEART ACTION—NERVOUSNESS

spring,	IV 870
remarks,	IV 871
summer,	IV 872
fall,	IV 872
winter,	IV 877

[1389] **ABNORMAL APPETITE—OBESITY—DROWSINESS**

spring,	IV 882
summer,	IV 884
remarks,	IV 885
fall,	IV 886
remarks,	IV 887
winter,	IV 891

DECREASING WEIGHT—INCREASING STRENGTH

spring,	IV 893
summer,	IV 894
fall,	IV 895
winter,	IV 896

NEURASTHENIA

spring,	IV 897
summer,	IV 898
fall,	IV 899
winter,	IV 900

MALNUTRITION

spring,	IV 901
summer,	IV 902
fall,	IV 903
winter,	IV 904

FOR A YOUTH

ANEMIA—MALASSIMILATION—UNDERWEIGHT—NO APPETITE

spring,	IV 905
summer,	IV 907
fall,	IV 908
winter,	IV 910

LOCOMOTOR ATAXIA

spring,	IV 911
summer,	IV 912
fall,	IV 913
winter,	IV 914

[1390] **COLDS**

spring,	IV 917
summer,	IV 918
fall,	IV 920
winter,	IV 921

NASAL CATARRH

late spring } early summer }	IV 925
late summer } early fall }	IV 927
late fall } early winter }	IV 928
late winter } early spring }	IV 930

HAY FEVER

spring,	IV 931
summer,	IV 932
fall,	IV 933
winter,	IV 934

ASTHMA

spring,	IV 935
summer,	IV 936

fall, IV 937
winter, IV 938

INFLUENZA

Foods in, IV 939
Menus for (see menus for colds, catarrh, hay fever and
asthma), II 519

INSOMNIA—NERVOUSNESS—LOW VITALITY

spring, IV 940
summer, IV 942
fall, IV 943
winter, IV 945

[1391] RHEUMATISM—GOUT—LUMBAGO—SCIATICA—ARTHRITIS
spring, IV 947
summer, IV 949
fall, IV 951
winter, IV 953

ANEMIA—SLUGGISH LIVER—RHEUMATIC TENDENCY

spring, IV 955
summer, IV 957
fall, IV 962
winter, IV 964

STIFFNESS AND PAIN IN JOINTS—STOMACH TROUBLE—CONSTIPATION—INTESTINAL GAS—IRREGULAR HEART ACTION

spring, IV 967
summer, IV 968
fall, IV 970
winter, IV 975

BRIGHT'S DIS-EASE

spring, IV 979
summer, IV 980
fall, IV 981
winter, IV 982

DIABETES

spring, IV 983
summer, IV 985
fall, IV 987
winter, IV 988

WEAK LUNGS—CONSUMPTION

general menu, IV 991

[1392] TUBERCULAR TENDENCY—CONSTIPATION—
NERVOUSNESS—CATARRH

spring, IV 994
summer, IV 998
fall, IV 1000
winter, IV 1003

TENDENCY TOWARD INTESTINAL CONGESTION

spring, IV 1005
summer, IV 1007
fall, IV 1008
winter, IV 1011

DIS-EASES OF THE SKIN—ECZEMA

spring, IV 1013
summer, IV 1015
fall, IV 1016
winter, IV 1019

WEAK DIGESTION—NERVOUSNESS—SLIGHT ECZEMA

spring, IV 1023
summer, IV 1025
fall, IV 1026
winter, IV 1027

APPENDICITIS

spring, IV 1029
summer, IV 1030

fall, IV 1031
winter, IV 1032

FOR THE PREGNANT WOMAN

food in pregnancy, IV 1033-1035

MENUS

spring, IV 1036
summer, IV 1037
fall, IV 1038
winter, IV 1039

[1393] FOR THE NURSING MOTHER

foods to omit, IV 1040
foods to use, IV 1041

MENUS FOR THE NURSING MOTHER

spring, IV 1042
summer, IV 1043
fall, IV 1044
winter, IV 1045

MISCELLANEOUS

WEAK DIGESTION (ALMOST INVALID)

spring, IV 1046
summer, IV 1048
fall, IV 1049
winter, IV 1051

BUILDING UP THE NERVOUS SYSTEM—INCREASING
VITALITY

spring, IV 1053
summer, IV 1056
fall, IV 1058
winter, IV 1060

FOR AGED PERSON—BUILDING GENERAL HEALTH

spring, IV 1061
summer, IV 1065
fall, IV 1066
winter, IV 1068

(Healthy Person)

STRENGTH AND ENDURANCE

spring, IV 1069
summer, IV 1070
fall, IV 1071
winter, IV 1073

[1394] MALASSIMILATION AND AUTOINTOXICATION

spring, IV 1074
summer, IV 1076
fall, IV 1078
winter, IV 1080

NO APPETITE

distinction between appetite and hunger, IV 1081
spring, IV 1081
summer, IV 1084
fall, IV 1085
winter, IV 1086

ATHLETIC DIET

spring, IV 1088
summer, IV 1089
fall, IV 1090
winter, IV 1091

(Chiefly Uncooked)

spring, IV 1093
summer, IV 1094
fall, IV 1095
winter, IV 1097

FOR INVALID CHILD—MAKING MUSCULAR TISSUE—
REGULATING BOWELS

spring,	IV	1098
summer,	IV	1100
fall,	IV	1101
winter,	IV	1104

FOR MENTAL WORKER—TO INCREASE BRAIN
EFFICIENCY

spring,	IV	1106
summer,	IV	1108
fall,	IV	1110
winter,	IV	1113

[1395] FOR SCHOOL TEACHER—ANEMIA—SLUGGISH
LIVER—UNDERWEIGHT—NERVOUSNESS

spring,	IV	1115
summer,	IV	1117
fall,	IV	1118
winter,	IV	1120

LABORING MAN UNDERWEIGHT—ANEMIC
(LUNCH IN SHOP)

spring,	IV	1122
summer,	IV	1124
fall,	IV	1126
winter,	IV	1129
diet for cold weather,	IV	1133
diet for hot weather,	IV	1134
hot weather menu for the prevention of sunstroke and heat prostration,	IV	1135
suggestions for the prevention of sunstroke,	IV	1136

MENUS FOR BUILDING UP SEXUAL VITALITY

spring,	IV	1138
summer,	IV	1139
fall,	IV	1140
winter,	IV	1141

SUGGESTIONS FOR PERSONS UNDERGOING
MODERATE AMOUNT OF EXPOSURE, [V 1201](#)

MENUS

between temperature 20 and 30° F,	V 1203
between temperature 70 and 90° F,	V 1206

MENUS FOR NERVOUSNESS

spring,	V 1220
summer,	V 1222
fall,	V 1223
winter,	V 1224 - 1227

[1396] MENUS	
Curative and Remedial,	III 667, IV 1143
for constipation,	II 438
for obesity,	II 500
choice of,	III 683
normal,	III 685
introduction to,	III 685

MERCURY	
and its salts,	II 373

METABOLISM	
chemistry of,	I 193
process of,	I 193
described,	I 194
liberation of energy through,	I 199
carbohydrates in,	I 202
of fat,	I 205
of proteids,	I 209

METALS	
salts of,	I 76
uses of,	I 77
iron,	I 77

MILK

	sour, discussed,	I 174
	mothers,	I 246
	food values of,	I 270
	a perfect food,	I 273
	cows,	I 274
	composition of cows,	I 274
	varieties of cows,	I 274
	nutritive value of,	I 275
	coagulation of casein in,	I 276
	harmonies,	I 276
[1397]	adulteration of,	I 276
	in sour stomach,	I 277
	preservatives in,	I 280
	pasteurization of,	I 280
	natural souring of,	I 281
	why constipating,	II 442
	tables of digestive harmonies and disharmonies,	III 611

MORPHIN

	habit,	II 351
	uses of,	II 352

MOTHER, THE PROSPECTIVE

	general rules for,	V 1157
	the corset,	V 1158
	exercise,	V 1158
	deep breathing,	V 1158
	mental occupation,	V 1158
	special rules for,	V 1159
	suggestions for the diet for abnormal appetite during pregnancy,	V 1160
	selection of food,	V 1161
	starchy foods during pregnancy,	V 1161

N

NARCOTICS

	classification of,	III 349
--	--------------------	---------

NASAL CATARRH,

		IV 922
--	--	--------

NERVOUSNESS

	true meaning of,	V 1211
	relation of nutrition to,	V 1212
	causes of,	V 1212
	constipation a factor in,	V 1214
[1398]	primary causes of,	V 1215
	effect of stimulants in,	V 1215
	overwork not a factor in,	V 1216
	remedy for,	V 1217
	effects of wrong eating and drinking in,	V 1218
	special instructions for persons suffering from,	V 1227
	recreation in,	V 1228
	relation of sexual functions to,	V 1228

NERVOUS INDIGESTION

	described,	II 453
	causes of,	II 454
	symptoms of,	II 455
	remedy for,	II 458
	diet for,	II 458
	remarks on,	III 784

NEURASTHENIA

	described,	II 503
	a final warning,	II 503
	causes of,	II 505-507
	symptoms,	II 506
	remedy,	II 506
	importance of diet in,	II 508
	mental attitude in,	II 508
	what to eat in,	II 510
	what to omit in,	II 510

NITROGEN	
described,	I 58
properties of,	I 59
compounds of,	I 59
daily amount required,	I 231
body requirement of,	I 232

[1399]	grain a source of,	II 297
	proportion in lean meat,	III 641
	in food, how to compute,	III 645
	a factor in food,	III 651
	method of calculating available amount in food,	III 655

NUTRITION	
science of,	I 14
relation of sexual health in,	V 1289

NUTS	
pine,	II 301
—, composition of,	II 301
almonds,	II 303
pecans,	II 304
brazil,	II 304
walnut, English,	II 304
hazel,	II 305
butter,	II 305
beech,	II 305
cocoa,	II 305
peanuts,	II 306
as heat producers,	II 301
nitrogen factor in,	II 302
tables of digestive harmonies and disharmonies of,	III 612

O

OBESITY	
prevention of,	I 208
remedies for,	I 208, II 495
unnatural,	II 491
the law governing,	II 491
weight tables in,	II 492
causes of,	II 493

[1400]	eating in,	II 494
	drinking in,	II 494
	exercise in,	II 495
	use of fats in,	II 496
	chronic, diet suggestions in,	II 496
	foods that produce,	II 497
	foods that prevent,	II 498
	foods in,	II 500
	menus for,	II 500
	symptoms resulting from change of food in,	II 502
	foods to eat in,	II 502
	foods to omit in,	II 502

OILS	
formation of,	I 122
composition of,	I 122
olive,	I 123
cotton seed, manufacturing of,	I 123, II 337
vegetable,	I 123
vegetable, value of,	II 335
poisonous,	I 124
grades of olive,	II 336
peanut, value of,	II 338
palm,	II 339
linseed,	II 340

OLD AGE	
meat and bread as articles of diet in,	V 1179
uric acid in rheumatic conditions in,	V 1179
soluble starches desirable in,	V 1180
importance of diet in,	V 1181

DIET FOR THE THREE PERIODS IN OLD AGE

From 50-60 years of age, [V 1181](#)
 From 60-70 years of age, [V 1182](#)
 From 70-100 years of age, [V 1182](#)

[1401] SPECIAL SPRING AND SUMMER MENUS

For ages 50-60, [V 1184](#)

FALL AND WINTER MENUS

For ages 50-60, [V 1186](#)
 How food should be prepared for people between ages of
 50-60, [V 1186](#)

OLEIN
 defined, I 123

OLEOMARGARIN
 described, I 285
 how made, I 286

OPIUM
 composition of, II 350
 effect of, II 351

OXYGEN
 a substance, I 32-33
 manufacture of, I 33
 production of, I 36
 properties of, I 36
 chemical action of, I 36
 effect of, I 36
 a heat determiner, I 40
 not the only required element in breathing, [V 1313](#)

OXID
 nitrous, I 62

OXIDATION
 of the blood, I 39
 of waste matter, I 39
 laws governing, I 41
 and air, [V 1312](#)

[1402] OYSTERS (AND CLAMS)
 unfit for food, I 262

P

OXIDATION

PANCREAS, THE
 functions of, I 138

PAIN
 a warning, I 12

PATENT MEDICINES
 Defined, II 347
 why alcohol is used in, II 370
 per cent of alcohol in, II 371

PENTOSEs
 from the standpoint of human food, I 110

PEPSIN
 action of, I 155

PHOSPHORUS
 uses of, I 75

PHYSICAL CULTURE
 systems of, [V 1333](#)
 tensing in, [V 1339](#)
 vibratory exercise, [V 1339](#)
 heavy weight exercise, [V 1340](#)
 indoor exercises, [V 1340](#)

	PHYSIOLOGY	
	the old,	V 1305
[1403]	PILES	
	causes of,	II 471
	symptoms of,	II 472
	treatment for,	II 472
	diet for,	II 473
	POISONS	
	body,	I 245
	generated by fear,	I 246
	alkaloid,	II 349
	narcotic,	II 349
	POLYSACCHARIDS	
	starch,	I 114
	glycogen,	I 118
	cellulose,	I 119
	gums,	I 120
	inulin,	I 121
	POTASSIUM IODID	
	effect of,	II 374
	POULTRY	
	method of fattening domestic,	I 265
	marketing undrawn,	I 266
	"hanging",	I 267
	PRACTISE OF DIETETICS, THE	
	Introduction,	V 1233
	general treatment in,	V 1235
	scope of scientific feeding in,	V 1236
	the value of letters in,	V 1236
	the art of polemics in,	V 1236
	value of booklet describing your work,	V 1238
	ability to prepare your own copy,	V 1238
	value of experience in,	V 1239
	diagnosis in,	V 1241
	diet in,	V 1242
	educate your patient in,	V 1242
[1404]	patient should agree with the diet,	V 1243
	mental factors in,	V 1245
	publicity necessary in,	V 1246
	value of truthful publicity,	V 1248
	some cures too remarkable to advertise,	V 1250
	courtesy an asset in,	V 1250
	PRENATAL CULTURE	
	embryological growth in,	V 1289
	superstition concerning,	V 1290
	theory on,	V 1290
	influence of fright, anger, etc. in,	V 1291
	mother's nutrition the only factor in,	V 1291
	birthmarks,	V 1292
	PROTEIDS	
	defined,	I 125
	classified,	I 128
	peptones,	I 130
	proteoses,	I 130
	uses of,	I 211
	replace worn-out cells,	I 212
	action of,	I 213
	converted into peptones,	I 214
	composition of,	I 215
	form body fat,	I 215
	excess of,	I 216
	animal requirements of,	I 230
	digestibility of grain,	II 298
	effect of heat on,	III 595
	purpose of,	III 626
	PTOMAINS	

formation of,	I	128
PURGATIVES		
salts as,	II	375

[1405]

Q

QUININ		
uses of,	II	357

R

RECIPES		
for coddled eggs,	III	677
uncooked eggs,	III	678
baked omelet,	III	678
for preparing green peas in the pod,	III	679
pumpkin,	III	680
vegetable juice,	III	680
sassafras tea,	III	680

REST		
forces at work during,	V	1301
changes during,	V	1302
human body at,	V	1303
change in body tissue during,	V	1303
comparisons regarding necessity for,	V	1304
confusion of terms,	V	1306

REST AND RE-CREATION		
necessity for,	II	400
phenomenon of sleep and,	V	1306
where found,	V	1308
idleness in,	V	1346
exercise necessary for assimilation and elimination,	V	1347
hunting,	V	1347
fishing,	V	1347
true re-creation,	V	1348
worthless objects for which men struggle fail to give,	V	1348
the triad of all that is best in man the goal to strive for,	V	1348
in solitude,	V	1349

[1406]

RHEUMATISM		
described,	II	543
causes of,	II	544
symptoms of,	II	545
remedy for,	II	547
diet in,	II	548
— natural versus artificial,	II	548
perspiration in,	II	549
what to eat in,	II	550
what to omit in,	II	550

S

SACCHARIN		
food value of,	I	91

SALIVA		
secretion of,	I	142
mastication and,	I	142

SALT		
common,	I	69
in the body,	I	73
magnesium,	I	77
mineral origin of vegetable,	I	131

SEX		
relation of sexual functions to the nervous system,	V	1288
necessity for popular knowledge concerning,	V	1288
relation of nutrition to sexual health,	V	1289
summary of facts regarding heredity, and	V	1297

	SILICON		
	in the body,	I	76
	SLEEP		
	evidence of acquired energy during,	V	1308
	the mysterious production of energy during,	V	1309
[1407]	expenditure of energy during,	V	1310
	and its relation to the expenditure of energy,	V	1312
	SOAP		
	process of making,	I	96
	SOLUTION		
	in nutrition,	I	50
	in assimilation,	I	51
	examples of,	I	51
	STARCH		
	sources of,	I	114
	potato,	I	115
	solubility of,	I	116
	corn,	I	116
	changing of,	I	117
	STOMACH, THE,	I	137
	functions of,	II	389
	disorders originating in,	II	417
	"lump" in,	II	419
	catarrh of,	III	747
	STRYCHNIN		
	effect of,	II	356
	SUGAR		
	grape,	I	109
	— sources of,	I 109, II	327
	pentose,	I	110
	levulose,	I	111
	galactose,	I	111
	cane,	I	112
	maltose,	I	112
[1408]	lactose,	I	113
	effects of heat on,	III	594
	tables of digestive harmonies and disharmonies,	III	617
	food value of,	II	324
	beet sugar,	II	325
	cane, value of,	II	326
	process of refining,	II	326
	maple, genuine,	II	327
	— imitation,	II	327
	milk,	II	327
	SULFUR		
	in the human body,	I	75
	SUNSTROKE		
	prevention of,	IV	1136
	SUPERACIDITY		
	chart indicating dis-eases caused by,	I	9
	cause of, I 7,	II	421
	diagnosis of,	II	418
	symptoms of,	II	421
	remedy for,	II	423
	despondency produced by,	II	430
	SWEETS		
	relative order of,	II	332
	application of term,	II	334
	SYMPTOMS		
	comparison of,	II	389

	TABLE OF WEIGHTS AND MEASURES,	III 664
[1409]	TEA	
	composition of,	II 365
	TEMPERATURE	
	fat requirements according to,	V 1200
	TISSUE BUILDING	
	food a factor in,	I 195
	process of,	I 196
	generation of heat and energy in,	I 197
	proteids a factor in,	I 210
	TOBACCO	
	effect of nicotin in,	II 361
	general effect of,	II 362
	TREATMENT	
	by disinfection,	II 347
	TRICHINOSIS	
	described,	I 259
	TRYPsin	
	action of,	I 155

V

	VEGETABLES	
	groups of,	II 318
	succulent,	II 319
	— value of,	II 320
	juices of,	II 321
	white potato,	II 321
	sweet potato,	II 322
	carrots,	II 322
	parsnips,	II 322
	turnips,	II 322
	beets,	II 322
[1410]	tomatoes,	II 323
	tables of digestive harmonies and disharmonies of,	III 614
	VEGETARIANISM	
	from animal standpoint,	I 236
	from standpoint of scientific living,	I 237

W

	WATER	
	composition of,	I 44
	properties of,	I 45
	rain,	I 46
	hard,	I 46
	mineral,	I 47
	salt,	I 47
	effervescent,	I 47
	sulphur,	I 47
	distilled,	I 48
	as a solvent,	I 49
	chemical uses of,	I 48
	proportion in the body,	I 52
	uses in the body,	I 54
	drinking,	I 54
	necessity for drinking,	II 434
	WHEAT	
	composition of,	II 291

TRANSCRIBER'S NOTES:

Added 'D' to index heading of D words.

'shall fish' in index need be 'shell-fish', changed.

Added 'G' to index heading of G words.

Added 'H' to index heading of H words, misplaced.

Index HUMAN ILLA 'originating' need be 'originating' in the stomach.

Taken out hyphen in 'Re-creation' from index.

Put in hyphen in 'diseases' in index as in main text.

Both 'Re-creation' and 'Recreation' present, leaving.

Taken out hyphen in 'stand-point'.

Taken out hyphen in 'tea-pot'.

[P.1145](#). Removed duplicate chapter heading in html file.

Index, O - Old Age: From 70-100 years of age V '1181' need be '1182', changed.

*** END OF THE PROJECT GUTENBERG EBOOK ENCYCLOPEDIA OF DIET: A TREATISE ON
THE FOOD QUESTION, VOL. 5 ***

Updated editions will replace the previous one—the old editions will be renamed.

Creating the works from print editions not protected by U.S. copyright law means that no one owns a United States copyright in these works, so the Foundation (and you!) can copy and distribute it in the United States without permission and without paying copyright royalties. Special rules, set forth in the General Terms of Use part of this license, apply to copying and distributing Project Gutenberg™ electronic works to protect the PROJECT GUTENBERG™ concept and trademark. Project Gutenberg is a registered trademark, and may not be used if you charge for an eBook, except by following the terms of the trademark license, including paying royalties for use of the Project Gutenberg trademark. If you do not charge anything for copies of this eBook, complying with the trademark license is very easy. You may use this eBook for nearly any purpose such as creation of derivative works, reports, performances and research. Project Gutenberg eBooks may be modified and printed and given away—you may do practically ANYTHING in the United States with eBooks not protected by U.S. copyright law. Redistribution is subject to the trademark license, especially commercial redistribution.

START: FULL LICENSE
THE FULL PROJECT GUTENBERG LICENSE
PLEASE READ THIS BEFORE YOU DISTRIBUTE OR USE THIS WORK

To protect the Project Gutenberg™ mission of promoting the free distribution of electronic works, by using or distributing this work (or any other work associated in any way with the phrase “Project Gutenberg”), you agree to comply with all the terms of the Full Project Gutenberg™ License available with this file or online at www.gutenberg.org/license.

**Section 1. General Terms of Use and Redistributing Project Gutenberg™
electronic works**

1.A. By reading or using any part of this Project Gutenberg™ electronic work, you indicate that you have read, understand, agree to and accept all the terms of this license and intellectual property (trademark/copyright) agreement. If you do not agree to abide by all the terms of this agreement, you must cease using and return or destroy all copies of Project Gutenberg™ electronic works in your possession. If you paid a fee for obtaining a copy of or access to a Project Gutenberg™ electronic work and you do not agree to be bound by the terms of this agreement, you may obtain a refund from the person or entity to whom you paid the fee as set forth in paragraph 1.E.8.

1.B. “Project Gutenberg” is a registered trademark. It may only be used on or associated in any way with an electronic work by people who agree to be bound by the terms of this agreement. There are a few things that you can do with most Project Gutenberg™ electronic works even without complying with the full terms of this agreement. See paragraph 1.C below. There are a lot of things you can do with Project Gutenberg™ electronic works if you follow the terms of this agreement and help preserve free future access to Project Gutenberg™ electronic works. See paragraph 1.E below.

1.C. The Project Gutenberg Literary Archive Foundation (“the Foundation” or PGLAF), owns a compilation copyright in the collection of Project Gutenberg™ electronic works. Nearly all the individual works in the collection are in the public domain in the United States. If an individual work is unprotected by copyright law in the United States and you are located in

the United States, we do not claim a right to prevent you from copying, distributing, performing, displaying or creating derivative works based on the work as long as all references to Project Gutenberg are removed. Of course, we hope that you will support the Project Gutenberg™ mission of promoting free access to electronic works by freely sharing Project Gutenberg™ works in compliance with the terms of this agreement for keeping the Project Gutenberg™ name associated with the work. You can easily comply with the terms of this agreement by keeping this work in the same format with its attached full Project Gutenberg™ License when you share it without charge with others.

1.D. The copyright laws of the place where you are located also govern what you can do with this work. Copyright laws in most countries are in a constant state of change. If you are outside the United States, check the laws of your country in addition to the terms of this agreement before downloading, copying, displaying, performing, distributing or creating derivative works based on this work or any other Project Gutenberg™ work. The Foundation makes no representations concerning the copyright status of any work in any country other than the United States.

1.E. Unless you have removed all references to Project Gutenberg:

1.E.1. The following sentence, with active links to, or other immediate access to, the full Project Gutenberg™ License must appear prominently whenever any copy of a Project Gutenberg™ work (any work on which the phrase “Project Gutenberg” appears, or with which the phrase “Project Gutenberg” is associated) is accessed, displayed, performed, viewed, copied or distributed:

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

1.E.2. If an individual Project Gutenberg™ electronic work is derived from texts not protected by U.S. copyright law (does not contain a notice indicating that it is posted with permission of the copyright holder), the work can be copied and distributed to anyone in the United States without paying any fees or charges. If you are redistributing or providing access to a work with the phrase “Project Gutenberg” associated with or appearing on the work, you must comply either with the requirements of paragraphs 1.E.1 through 1.E.7 or obtain permission for the use of the work and the Project Gutenberg™ trademark as set forth in paragraphs 1.E.8 or 1.E.9.

1.E.3. If an individual Project Gutenberg™ electronic work is posted with the permission of the copyright holder, your use and distribution must comply with both paragraphs 1.E.1 through 1.E.7 and any additional terms imposed by the copyright holder. Additional terms will be linked to the Project Gutenberg™ License for all works posted with the permission of the copyright holder found at the beginning of this work.

1.E.4. Do not unlink or detach or remove the full Project Gutenberg™ License terms from this work, or any files containing a part of this work or any other work associated with Project Gutenberg™.

1.E.5. Do not copy, display, perform, distribute or redistribute this electronic work, or any part of this electronic work, without prominently displaying the sentence set forth in paragraph 1.E.1 with active links or immediate access to the full terms of the Project Gutenberg™ License.

1.E.6. You may convert to and distribute this work in any binary, compressed, marked up, nonproprietary or proprietary form, including any word processing or hypertext form. However, if you provide access to or distribute copies of a Project Gutenberg™ work in a format other than “Plain Vanilla ASCII” or other format used in the official version posted on the official Project Gutenberg™ website (www.gutenberg.org), you must, at no additional cost, fee or expense to the user, provide a copy, a means of exporting a copy, or a means of obtaining a copy upon request, of the work in its original “Plain Vanilla ASCII” or other form. Any alternate format must include the full Project Gutenberg™ License as specified in paragraph 1.E.1.

1.E.7. Do not charge a fee for access to, viewing, displaying, performing, copying or distributing any Project Gutenberg™ works unless you comply with paragraph 1.E.8 or 1.E.9.

1.E.8. You may charge a reasonable fee for copies of or providing access to or distributing Project Gutenberg™ electronic works provided that:

- You pay a royalty fee of 20% of the gross profits you derive from the use of Project Gutenberg™ works calculated using the method you already use to calculate your applicable taxes. The fee is owed to the owner of the Project Gutenberg™ trademark, but he has agreed to donate royalties under this paragraph to the Project Gutenberg Literary Archive

Foundation. Royalty payments must be paid within 60 days following each date on which you prepare (or are legally required to prepare) your periodic tax returns. Royalty payments should be clearly marked as such and sent to the Project Gutenberg Literary Archive Foundation at the address specified in Section 4, "Information about donations to the Project Gutenberg Literary Archive Foundation."

- You provide a full refund of any money paid by a user who notifies you in writing (or by e-mail) within 30 days of receipt that s/he does not agree to the terms of the full Project Gutenberg™ License. You must require such a user to return or destroy all copies of the works possessed in a physical medium and discontinue all use of and all access to other copies of Project Gutenberg™ works.
- You provide, in accordance with paragraph 1.F.3, a full refund of any money paid for a work or a replacement copy, if a defect in the electronic work is discovered and reported to you within 90 days of receipt of the work.
- You comply with all other terms of this agreement for free distribution of Project Gutenberg™ works.

1.E.9. If you wish to charge a fee or distribute a Project Gutenberg™ electronic work or group of works on different terms than are set forth in this agreement, you must obtain permission in writing from the Project Gutenberg Literary Archive Foundation, the manager of the Project Gutenberg™ trademark. Contact the Foundation as set forth in Section 3 below.

1.F.

1.F.1. Project Gutenberg volunteers and employees expend considerable effort to identify, do copyright research on, transcribe and proofread works not protected by U.S. copyright law in creating the Project Gutenberg™ collection. Despite these efforts, Project Gutenberg™ electronic works, and the medium on which they may be stored, may contain "Defects," such as, but not limited to, incomplete, inaccurate or corrupt data, transcription errors, a copyright or other intellectual property infringement, a defective or damaged disk or other medium, a computer virus, or computer codes that damage or cannot be read by your equipment.

1.F.2. LIMITED WARRANTY, DISCLAIMER OF DAMAGES - Except for the "Right of Replacement or Refund" described in paragraph 1.F.3, the Project Gutenberg Literary Archive Foundation, the owner of the Project Gutenberg™ trademark, and any other party distributing a Project Gutenberg™ electronic work under this agreement, disclaim all liability to you for damages, costs and expenses, including legal fees. YOU AGREE THAT YOU HAVE NO REMEDIES FOR NEGLIGENCE, STRICT LIABILITY, BREACH OF WARRANTY OR BREACH OF CONTRACT EXCEPT THOSE PROVIDED IN PARAGRAPH 1.F.3. YOU AGREE THAT THE FOUNDATION, THE TRADEMARK OWNER, AND ANY DISTRIBUTOR UNDER THIS AGREEMENT WILL NOT BE LIABLE TO YOU FOR ACTUAL, DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE OR INCIDENTAL DAMAGES EVEN IF YOU GIVE NOTICE OF THE POSSIBILITY OF SUCH DAMAGE.

1.F.3. LIMITED RIGHT OF REPLACEMENT OR REFUND - If you discover a defect in this electronic work within 90 days of receiving it, you can receive a refund of the money (if any) you paid for it by sending a written explanation to the person you received the work from. If you received the work on a physical medium, you must return the medium with your written explanation. The person or entity that provided you with the defective work may elect to provide a replacement copy in lieu of a refund. If you received the work electronically, the person or entity providing it to you may choose to give you a second opportunity to receive the work electronically in lieu of a refund. If the second copy is also defective, you may demand a refund in writing without further opportunities to fix the problem.

1.F.4. Except for the limited right of replacement or refund set forth in paragraph 1.F.3, this work is provided to you 'AS-IS', WITH NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE.

1.F.5. Some states do not allow disclaimers of certain implied warranties or the exclusion or limitation of certain types of damages. If any disclaimer or limitation set forth in this agreement violates the law of the state applicable to this agreement, the agreement shall be interpreted to make the maximum disclaimer or limitation permitted by the applicable state law. The invalidity or unenforceability of any provision of this agreement shall not void the remaining provisions.

1.F.6. INDEMNITY - You agree to indemnify and hold the Foundation, the trademark owner, any agent or employee of the Foundation, anyone providing copies of Project Gutenberg™ electronic works in accordance with this agreement, and any volunteers associated with the production, promotion and distribution of Project Gutenberg™ electronic works, harmless from all liability, costs and expenses, including legal fees, that arise directly or indirectly from any of the following which you do or cause to occur: (a) distribution of this or any

Project Gutenberg™ work, (b) alteration, modification, or additions or deletions to any Project Gutenberg™ work, and (c) any Defect you cause.

Section 2. Information about the Mission of Project Gutenberg™

Project Gutenberg™ is synonymous with the free distribution of electronic works in formats readable by the widest variety of computers including obsolete, old, middle-aged and new computers. It exists because of the efforts of hundreds of volunteers and donations from people in all walks of life.

Volunteers and financial support to provide volunteers with the assistance they need are critical to reaching Project Gutenberg™'s goals and ensuring that the Project Gutenberg™ collection will remain freely available for generations to come. In 2001, the Project Gutenberg Literary Archive Foundation was created to provide a secure and permanent future for Project Gutenberg™ and future generations. To learn more about the Project Gutenberg Literary Archive Foundation and how your efforts and donations can help, see Sections 3 and 4 and the Foundation information page at www.gutenberg.org.

Section 3. Information about the Project Gutenberg Literary Archive Foundation

The Project Gutenberg Literary Archive Foundation is a non-profit 501(c)(3) educational corporation organized under the laws of the state of Mississippi and granted tax exempt status by the Internal Revenue Service. The Foundation's EIN or federal tax identification number is 64-6221541. Contributions to the Project Gutenberg Literary Archive Foundation are tax deductible to the full extent permitted by U.S. federal laws and your state's laws.

The Foundation's business office is located at 809 North 1500 West, Salt Lake City, UT 84116, (801) 596-1887. Email contact links and up to date contact information can be found at the Foundation's website and official page at www.gutenberg.org/contact

Section 4. Information about Donations to the Project Gutenberg Literary Archive Foundation

Project Gutenberg™ depends upon and cannot survive without widespread public support and donations to carry out its mission of increasing the number of public domain and licensed works that can be freely distributed in machine-readable form accessible by the widest array of equipment including outdated equipment. Many small donations (\$1 to \$5,000) are particularly important to maintaining tax exempt status with the IRS.

The Foundation is committed to complying with the laws regulating charities and charitable donations in all 50 states of the United States. Compliance requirements are not uniform and it takes a considerable effort, much paperwork and many fees to meet and keep up with these requirements. We do not solicit donations in locations where we have not received written confirmation of compliance. To SEND DONATIONS or determine the status of compliance for any particular state visit www.gutenberg.org/donate.

While we cannot and do not solicit contributions from states where we have not met the solicitation requirements, we know of no prohibition against accepting unsolicited donations from donors in such states who approach us with offers to donate.

International donations are gratefully accepted, but we cannot make any statements concerning tax treatment of donations received from outside the United States. U.S. laws alone swamp our small staff.

Please check the Project Gutenberg web pages for current donation methods and addresses. Donations are accepted in a number of other ways including checks, online payments and credit card donations. To donate, please visit: www.gutenberg.org/donate

Section 5. General Information About Project Gutenberg™ electronic works

Professor Michael S. Hart was the originator of the Project Gutenberg™ concept of a library of electronic works that could be freely shared with anyone. For forty years, he produced and distributed Project Gutenberg™ eBooks with only a loose network of volunteer support.

Project Gutenberg™ eBooks are often created from several printed editions, all of which are confirmed as not protected by copyright in the U.S. unless a copyright notice is included. Thus, we do not necessarily keep eBooks in compliance with any particular paper edition.

Most people start at our website which has the main PG search facility: www.gutenberg.org.

This website includes information about Project Gutenberg™, including how to make donations to the Project Gutenberg Literary Archive Foundation, how to help produce our new eBooks, and how to subscribe to our email newsletter to hear about new eBooks.